AD-A273 274 開間開間開間





Hydrologic Engineering Center

Flood Damage Analysis Within the Readiness Management System

November 1992

93-29170 **PRIMININI**

UNCLASSIFIED

0.10		1 6 6	
CURITY	CLASSIF	CATION OF	THIS PAGE

REPORT D	N PAGE			Form Approved OMB No. 0704-0188	
1a. REPORT SECURITY CLASSIFICATION		16 RESTRICTIVE	MARKINGS		
Unclassified 2a. SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION	I/AVAILABILITY OF	REPORT	
					nt is unliminted.
2b. DECLASSIFICATION / DOWNGRADING SCHEDU	LE	DISTRIBUT		uocume	iic is uni iminiceu.
4. PERFORMING ORGANIZATION REPORT NUMBE	R(S)	5. MONITORING	ORGANIZATION RE	PORT NU	MBER(S)
PR-20					
6a. NAME OF PERFORMING ORGANIZATION	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF M	ONITORING ORGAN	IZATION	
Hydrologic Engineering Center	CEWRC-HEC				
6c. ADDRESS (City, State, and ZIP Code)		7b. ADDRESS (Ci	ty, State, and ZIPC	ode)	
609 Second Street Davis, CA 95616-4687	ļ				
8a. NAME OF FUNDING/SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		ION NUMBER	
8c. ADDRESS (City, State, and ZIP Code)	L	10. SOURCE OF	FUNDING NUMBERS		
		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
		ELEIGIEIG NO.			
11. TITLE (Include Security Classification)	······································		<u> </u>		
Flood Damage Analysis Within	the Readiness M	anagement Sy	rstem		
12. PERSONAL AUTHOR(S) Thomas B. Johnson (Developmen	tal Assignment	from Omaha C	listrict) and	Micha	ol Rurnham
13a. TYPE OF REPORT 13b. TIME CO		14. DATE OF REPO	ORT (Year, Month, L		
Final FROM	10	November 1	.992		168
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES	18. SUBJECT TERMS (C	Continue on rever	se if necessary and	identify i	by block number) Information Systems
FIELD GROUP SUB-GROUP	Near-Real Time, F	Reservoir Operations, HEC-Data Storage System, HEC-DAMCAL,			
	Geographic Resources Analysis Support System (GRASS), HEC-PBA		(IEC-1 DA		
19. ABSTRACT (Continue on reverse if necessary					
The Readiness Management System (RMS) was developed for the Corps of Engineers Emergency Management offices. The system provides near real-time information for operation of Corps reservoirs during flood emergencies. The RMS presented utilizes GIS technology for developing input data for hydrologic, hydraulic, and flood damage analysis programs. HEC has adapted flood damage programs for use in the RMS to provide near real-time estimates of flood damage for specific events. Existing programs HEC-DAMCAL and HEC-PBA were adapted for use in the RMS.					
20. DISTRIBUTION / AVAIL ARRIVE OF ARSTRACT		In ABSTRACT OF	ECURITY CLASSIFICA	TION	
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT TO UNCLASSIFIED/UNLIMITED SAME AS R	RPT. DTIC USERS	<u> </u>			
22a. NAME OF RESPONSIBLE INDIVIDUAL Darryl W. Davis, Director, H	EC	226 TELEPHONE (916) 75	(Include Area Code, 6-1104		FFICE SYMBOL EWRC-HEC

Flood Damage Analysis Within the Readiness Management System

November 1992

US Army Corps of Engineers Hydrologic Engineering Center 609 Second Street Davis, CA 95616-4687

(916) 756-1104

Accesion For

NTIS CRA&I
DTIC TAB
Unannounced
Justification

By
Distribution/

Availatinty ordes

Dist Availating ordes

Availating Spaces

AND SERVED IN THE PROPERTY IN THE PROPERTY OF THE PROPERTY OF

Final Project Report No. 93-001

PR-20

Flood Damage Analysis within the Readiness Management System

Table of Contents

Section	Pa	age
	Preface	iii
1.	Introduction	1
	1.1. Readiness Management System	
2.	System Installation	7
	2.1. Directory and File Structure	
3.	Flood Damage Computations	10
	3.1. Computational Procedure	10 10 15 20
	Appendices	
Appendi Appendi	ix A References ix B Study Example ix C HEC-DAMCAL Data ix D HEC-PBA Data	21 25 31 79
	Figure	
1.	Flood Damage Package	3
	Tables	
1. 2. 3.	Damage Reach Definitions	11 12 12

*

Preface

This report describes application of the Hydrologic Engineering Center Flood Damage Analysis (HEC-FDA) programs used in the Omaha District, Corps of Engineers, Readiness Management System demonstration project below Oahe Dam on the Missouri River. The project applied Geographic Information System (GIS) data, processed and stored using the Geographic Resources Analysis Support System (GRASS), to generate much of the input data to the flood damage programs. The raster formatted data included land use (damage categories), reference flood, topographic, and damage reach boundary variables. The HEC-DAMCAL program used the data to develop, and store in HEC-DSS, elevation-damage and elevation-number of structure relationships by category and damage reach and elevation-crop area relationships by damage reach. These relationships were subsequently retrieved by the HEC-PBA program to generate urban and crop flood damage by damage reach, state, and congressional district boundary.

Thomas Johnson, on developmental assignment to HEC from the Omaha District, was the principal engineer on the project. Omaha District staff provided the GIS data. Staff from the Construction Engineering Research Laboratory (CERL), Corps of Engineers, assisted with the GRASS applications. Donna Lydon, Bob Carl, Dick Fong, and Marilyn Hurst from HEC assisted in various aspects of the study. Loshan Law was responsible for the final report preparation. Michael Burnham, Chief of the Planning Analysis Division, HEC, provided general guidance Darryl Davis was Director of HEC during the conduct of the study.

iv

Flood Damage Analysis within the Readiness Management System

1. Introduction

1.1. Readiness Management System

The Readiness Management System (RMS) was developed for the Corps of Engineers' Emergency Management offices. The system provides near real-time assessments of the impacts associated with rainfall-runoff, tributary inflows and the operation of Corps reservoirs during emergency situations. The RMS utilizes Geographic Information System (GIS) technology combined with hydrologic, hydraulic and flood damage programs. The system enables users to estimate effects of reservoir operation and tributary inflows on flow conditions for specific stream reaches given various operation scenarios.

The need for the RMS became evident because of an inability to assess downstream impacts during previous dam safety exercises performed by the Omaha District. The damages and/or benefits associated with various operation scenarios were estimated from generalized damage curves. At that time, there was no means of quickly modeling reservoir releases to estimate potential damages. As a result, the potential damages considered as part of the decision making process were crude and lacked adequate support.

Although decisions on reservoir operation are not made by a single entity, the advantages of having a single system as a basis for decision making are numerous. These advantages include:

- A common data base utilized by those involved in the decision making process provides more consistent results.
- More realistic estimates of impacts associated with various reservoir releases by modeling releases using a realistic flood damage model.
- Detailed graphics capabilities within the GIS allow decision makers to quickly visualize flood boundaries and areas impacted.
- Higher degree of confidence in decisions that are made because of increased reliability from using analytical techniques.
- Better documentation of the decision making process because all of the information used in the analysis is stored and can be retrieved at any time.

The primary advantage of having an RMS is the fact that all offices, both Federal and State, are using the same system as a basis for their actions. Once a system is accepted as the standard, it serves as a common basis for making decisions during an actual

emergency. The utilization of a standardized system also provides a means for checks and balances because everyone using it should be getting approximately the same results.

1.2. Flood Damage Analysis

The Hydrologic Engineering Center (HEC) adapted flood damage programs for use in the RMS primarily to provide near real-time estimates of flood damages for specific events. Some of the data needed to compute flood damages was developed using a Geographical Information System (GIS). The Geographic Resources Analysis Support System (GRASS), developed by the U.S. Army Corps of Engineers, Construction Engineering Research Laboratory (CERL), was chosen as the GIS software to be used in the RMS.

HEC used existing flood damage programs with some minor modifications. The Damage Reach Stage-Damage Calculation (HEC-DAMCAL) and Project Benefit Accomplishment (HEC-PBA) programs were adapted for use in the RMS. The Data Storage System (HEC-DSS) is also used in the RMS as a means of storing, manipulating and transferring information. The four major software components used in flood damage calculations are:

- (1) The GRASS GIS package
- (2) The HEC-DAMCAL program
- (3) The HEC-DSS package
- (4) The HEC-PBA program

Figure 1 is a schematic representation of the how the flood damage analysis components interact within the RMS. The following paragraphs describe the operation of each component.

- (1) Geographic Resources Analysis Support System, GRASS was developed by the U.S. Army Corps of Engineers, Construction Engineering Research Laboratory (CERL). GRASS was chosen as the GIS software for the RMS and is useful for analyzing and displaying spatial data related to flood damage analysis. The program can be used to generate a data base file which contains information for each grid cell. The attributes listed in the data base file are necessary for calculating flood damages using the HEC-DAMCAL program.
- (2) Damage Reach Stage-Damage Calculation, HEC-DAMCAL was developed in the mid 1970's as part of a family of computer programs designed to provide a systematic technique for managing and analyzing spatial data for use in water resources management investigations. The program accesses data stored in a grid cell data base. A more detailed description of how the HEC-DAMCAL program operates is contained in the DAMCAL users manual and is available from the Hydrologic Engineering Center (U.S. Army Corps of Engineers, February 1979).

HEC-DAMCAL has the ability to evaluate damages for existing or future land use conditions. The program also has the ability to evaluate damages associated with:




FIGURE 1 Flood Damage Package

- nonstructural alternatives such as flood plain management policies,
- flood proofing alternatives (raising structures or adding flood resistant materials to structures),
- permanent evacuation of structures in the floodplain, and
- any combination of the preceding.

Damage Peaches. HEC-DAMCAL operates on the assumption that all water surface profiles are parallel throughout a damage reach which is one of the basis for the reach delineation. Therefore, the user must evaluate a range of water surface profiles for a study area and define damage reaches that satisfy that criteria as nearly as possible while maintaining the economic detail desired for analysis. After the damage reach boundaries have been chosen, they are encoded into the grid cell data base by assigning each grid cell a damage reach identification number.

The program aggregates elevation-damage relationships from each grid cell within a damage reach to an index location. The index location can be anywhere in the reach. Total damages for a reach are reported based on elevations at the index location.

Reference Flood. In order to account for slope in the water surface profile of a reach, HEC-DAMCAL defines the relationship between flooding at each grid cell and flooding at the index location. This is done by use of the reference flood. The program assumes that all floods are spatially distributed the same as the reference flood. A reference flood is best defined by a hypothetical frequency flood event in the mid range of damage potential. Reference flood water surface elevations must also be encoded into the grid cell data base by assigning a water surface elevation for each cell. If a flood larger than the reference flood is to be analyzed, the reference flood boundaries must be extended to include the entire area of interest. Therefore, some grid cells may have a reference flood elevation which is actually lower than the ground elevation.

Computations. The user must develop an input file for HEC-DAMCAL which defines the format of the grid cell data base, composite damage functions for each land use category, and flood elevations at the index location for each damage reach. Composite damage functions define the potential structural and nonstructural damages for a range of flood depths for each land use category. Flood elevations at the index locations can be specified for single flood events such as the 50-, 10-, 2-, or 1-percent chance exceedance frequency events.

The program assigns a stage-damage relationship to a grid cell based on the land use (damage category) specified and the composite damage function for that particular land use. The stage is converted to elevation the grid cell by setting the zero stage equal to the first floor elevation of the structure. HEC-DAMCAL then aggregates the elevation-damage relationship of each cell by damage category to the index location by adjusting the elevation scale based on the difference in the reference flood elevations. The damages are reported separately for each land use. Land use categories can also be aggregated into a single elevation-damage relationship for the damage reach. If single flood events are specified, the program calculates damages for those events based on the water surface elevations at the index location.

If the user wants to determine what effect flood proofing would have on reducing damages within a reach, they need only specify the land use categories to be flood proofed

and the elevations at the index location below which no flood damage would occur. Similarly, the effects of removing contents (evacuation) can be estimated by specifying the land use categories to be evacuated.

HEC-DAMCAL also calculates elevation-area flooded relationships using the same techniques described previously. Total area flooded within a reach is likewise based on the water surface elevation for a given flood event at the index location. It should be noted that when a user specifies a damage category (land use) to be flood proofed, they are flood proofing all grid cells with that land use classification. Consequently, the area flooded should be determined for non flood proofing conditions.

Another item in which the user may be interested in is the number of structures in each land use category flooded by a single event. HEC-DAMCAL can calculate the elevation-structures flooded relationship by simply defining the average density (structures/developed area) and the percent of the total area that is developed, for each land use category. The number of structures flooded is also based on the flood elevation at the index location.

(3) Project Benefit Accomplishment, HEC-PBA was developed to determine damages prevented (benefits) by existing Corps projects. The program is currently undergoing modifications and has not yet been officially released. A detailed description of the program operation will be contained in the HEC-PBA users manual and will be available from the Hydrologic Engineering Center in the near future.

The HEC-PBA program enables the user to calculate damages to both urban and agricultural areas on a near real-time basis. The program accounts for damages which may have occurred from a previous flood event by using a "look-back" routine. By accounting for any previous damages and time to rebuild in an urban area, the program determines a more realistic value for damages from a single flood event. For agricultural areas the program accounts for previous flood events based on time required for the land to dry out and whether there is sufficient time to replant the crop. If the farmer has experienced a previous flood and replanted, the program also accounts for any reductions in the expected yield. The look-back time period can be several years or a few months, depending on the users preference.

<u>Damage Reaches</u>. HEC-PBA calculates damages based on damage reach definitions. The program does not perform calculations on individual grid cells. Damage reaches are often defined for urban areas and agricultural areas separately. HEC-PBA uses a special crop damage routine which analyzes agricultural damages differently than urban damages.

The damage reach definitions must also be consistent with jurisdictional boundaries. HEC-PBA is able to report damages based on several different boundary definitions such as community, State, County, and Congressional districts. The program aggregates damages for all of the reaches within a specified jurisdictional area. Therefore, it is important that damage reaches do not overlap a boundary line.

<u>Crop Loss Functions</u>. A significant advantage of the HEC-PBA program is its sophisticated crop damage analysis capabilities. The program accounts for the type of crop, planting season, growing season, time to harvest and average yield per acre. Crop damages are calculated based on the time of year that a flood occurs and duration of flooding. The

damage is based on a reduction in the expected yield caused by flooding. Dollar values are then assigned to the lost yield based on expected market values for the crop. Total damages also include losses associated with investments in crop production at the time of the flood.

The program uses crop loss functions to define the relationship between time of the year and potential impacts to crops should flooding occur. Each type of crop has a unique crop loss function. The relationship is based on the percentage of a crop that would be lost due to flooding for both the timing and duration aspects. The program does not account for the depth of flooding and its effects on different crops.

<u>Computations</u>. The user must develop an input file for HEC-PBA which defines the jurisdictional boundaries, damage reaches, crop characteristics, reconstruction time, and period of analysis. Crop loss functions for each crop must also be developed. HEC-PBA obtains the elevation-damage and elevation-area relationships from HEC-DAMCAL. The program is not intended to interface directly with the GIS data base.

HEC-PBA calculates damages using hydrograph data which specifies the flood elevation and time of year the flood occurs. If a hydrograph contains several months of data and more than one flood event exceeds the zero damage elevation, the user must specify the event for which damages are calculated by defining the starting and ending dates of the analysis. A look-back date can be specified prior to the starting date to account for previous events. This establishes the potential damage status at the beginning of the analysis.

Urban damage calculations are based on elevation-damage relationships and hydrograph information. Each damage category is analyzed separately within a damage reach. Agricultural crop damage calculation are based on elevation-area relationships, hydrograph information, and crop loss functions. Each crop type is analyzed separately within a damage reach.

The HEC-PBA program also calculates the number of structures flooded by a single event for each land use category. Closely related to the number of structures flooded is the number of people affected. However, the population affected depends a great deal on the time of day and the day of the week on which the flood occurs. HEC-PBA does not account for these population variations. The program does accept input of elevation-population relationships which are intended to represent a measure of people impacted by a flood.

(4) Data Storage System, HEC-DSS is used for the flood damage analysis within the RMS to transfer information from HEC-DAMCAL to HEC-PBA. The HEC-DSS utility programs used in conjunction with the flood damage programs are: DSSUTL, DSPLAY, REPGEN and DSSPD.

<u>DSSUTL</u>. The DSSUTL program provides a means of performing utility functions on data stored in HEC-DSS. These functions include tabulating, editing, copying, renaming, and deleting data. The program also offers the capability of formatting and copying data into an ASCII sequential file for transfer to another computer, or for use by a program without HEC-DSS capabilities.

<u>DSPLAY</u>. The DSPLAY program enables a graphical display of data contained in an HEC-DSS file. Time-series and paired data can both be displayed. Up to seven curves and six different y-scales may be displayed at one time. The program is useful for visualizing the data generated by HEC-DAMCAL to verify that the results are reasonable. It is also useful to view the crop loss functions to be used by HEC-PBA and verify that the curves are consistent and meaningful.

<u>REPGEN</u>. The report generator, REPGEN, is used to simplify and automate the production of routine reports. REPGEN provides for the retrieval and presentation of data from an HEC-DSS file or text file on a pre-specified, user defined, fixed format. The format is the equivalent of a blank form onto which variable information is entered in designated locations.

<u>DSSPD</u>. The DSSPD program provides a means of entering paired function data into an HEC-DSS file. The crop loss functions used in HEC-PBA are paired data functions that relate percent crop loss to days of the year. They can be entered into HEC-DSS using the DSSPD program.

2. System Installation

2.1. Directory and File Structure

The flood damage analysis package for the Omaha District RMS was set up with four directories. Each directory contains specific files. It is important that these directories be created prior to installation. The required directories are:

- (1) HECEXE
- (2) RMS
- (3) DAMCAL
- (4) PBA
- (1) The HECEXE directory contains all of the executable versions of HEC programs. The HEC programs needed for flood damage computations within the RMS are;
 - COED.EXE Corps editor used for file editing.
 - DAMCAL.EXE Flood damage calculation model for GIS data.
 - DRIVERS.EXE File to manage display drivers.
 - DSPLAY.EXE DSS program for graphical displays.
 - DSSPD.EXE DSS program for entering paired data.
 - DSSTS.EXE DSS program for entering time series data.
 - DSSUTL.EXE DSS program for editing DSS records.

- MATHPK.EXE Program for manipulating DSS records.
- PREPBA.EXE Preprocessor program for PBA
- PBA.EXE Flood damage and benefit calculations.
- (2) The RMS directory contains all of the screen, macro and batch files necessary for operation of the RMS menu screens. All files with no extension are batch files that are substituted into one of the TEMP.BAT files when needed. Files with a BAT extension are normal batch files. Files with a MAC extension are macro files used by the PREADR program to evoke different responses when choices are made within the menu screens. Files with an SCN extension are screen files used by PREADR to display the menu screens.
- (3) The DAMCAL directory contains the input and output files necessary for operation of the HEC-DAMCAL program. This directory also contains the HEC-DSS file and the macro and batch files used to reformat the DSS records. It is essential that the names of these files always remain the same in order for the menu selections to operate properly. The following is a list of the files in the DAMCAL directory:
 - MISSOURI.DSS HEC-DSS file which contains all of the DSS records output from HEC-DAMCAL and records to be used as input to HEC-PBA.
 - MOAGRI.DC Input file used by HEC-DAMCAL to compute damages in agricultural areas.
 - MOAGRI.DCO Output file from HEC-DAMCAL for agricultural areas.
 - MOURBAN.DC Input file used by HEC-DAMCAL to compute damages in urban areas.
 - MOURBAN.DCO Output file from HEC-DAMCAL for urban areas.
 - AGRISTAT.GDB Grid cell data file containing attribute information for grid cells in agricultural areas.
 - URBSTAT.GDB Grid cell database file containing attribute information for grid cells in urban areas.
- * NOTE The files with a GDB extension are generated on the workstation using the GIS. The RMS flood damage analysis package was developed to allow the GDB files to remain on the workstation and be accessed automatically through a local area network. If a network is not available, it will be necessary for these files to be copied and installed on the PC.
- (3) The PBA directory contains the input and output files necessary for operation of the HEC-PBA Preprocessor and Analysis programs. It is essential that the names of these files remain the same in order for the menu selections to operate properly. The following is a list of files in the PBA directory;
 - PREPBA.IN Input file for the HEC-PBA Preprocessor program.
 - PREPBA.OUT Output file from the HEC-PBA Preprocessor program.
 - PBA.IN Input file for the HEC-PBA Analysis program.
 - PBA.OUT Output from the HEC-PBA Analysis program.

2.2. Installation Procedure

The installation procedure is generally similar to installation of other HEC products. As previously mentioned, the appropriate directories must be created prior to installation and files placed directly in those directories. The installation disks contains the same directories and files as will be needed on the PC. It is important that all files are copied from each directory on the disk to directories of the same name on the PC. The PKUNZIP program is used to decompress those files with a ZIP extension.

It will also be necessary to load GSS device drivers for producing graphical displays with the DSPLAY program. The installation instructions and diskettes are provided separately. The installation of drivers is menu driven and user friendly.

This product has minimum hardware requirements because of the amount of computing required. It may also be necessary to modify the AUTOEXEC.BAT and CONFIG.SYS files on the PC prior to beginning operation. The following sections describe the requirement and necessary modifications.

(1) Hardware Requirements. This product was developed using a 486/33C personal computer with 8 MB's of extended memory. The HEC-DAMCAL, MATHPK, and HEC-PBA programs all require extended memory. The programs will not operate properly if the EMM 386 memory manager is being used.

It is recommended that this product be installed on nothing less than a 386/25C computer with a math coprocessor and at least 3 MB's of extended memory. The DSPLAY program requires a minimum of 450K of resident memory, with the device drivers loaded, to operate properly. In most instances it will be necessary to have all network software unloaded while running DSPLAY. This product was designed to have the network software running only during operation of the HEC-DAMCAL program.

(2) AUTOEXEC.BAT Modifications. The AUTOEXEC.BAT file must contain the following statements:

PATH C:\HECEXE - The HECEXE directory must be listed in the path statement.

SET CGIPATH=C:\GSS - Statement to define the directory in which the device drivers are located.

(3) CONFIG.SYS Modifications. The CONFIG.SYS file must contain the following statements:

DEVICE=C:\DOS\ANSI.SYS - To allow display of the menu screens.

LASTDRIVE=Z - Needed if a fictitious drive is created to allow access to data on the workstation.

3. Flood Damage Computations

3.1. Overview of Computational Procedure

Calculation of the potential flood damage within the Readiness Management System (RMS) framework relies on the Geographic Information System (GIS) to provide input data for the HEC-DAMCAL program. HEC-DAMCAL generates relationships between water surface elevations and the damages, number of structures, and total area that could be flooded. These relationships are then applied to a particular flood event using the HEC-PBA program. The information is transferred to HEC-PBA from HEC-DAMCAL using HEC-DSS. HEC-DSS is also used to graphically view program inputs and outputs. Selected input for HEC-PBA is directly from HEC-DSS.

The Appendices contain examples of flood damage computations using the procedure described above. Examples of the data used during development of the flood damage analysis package is shown in Appendix B, for the HEC-DAMCAL program, and Appendix C, for the HEC-PBA program. The Appendices also contain example output results.

3.2. Input Requirements

There are three mechanisms for defining input for flood damage computations. Data from the GIS is used as input to HEC-DAMCAL. The HEC-DAMCAL and HEC-PBA programs both require instructions from an input file.

(1) GIS Data. The flood damage computations are determined based on data generated by the (GIS). The Geographic Resources Analysis Support System (GRASS), Version 4.0, was the GIS software used in this exercise.

The information, necessary for flood damage analysis, developed using the GIS are:

- Damage Reach Designations,
- Landuse Classification,
- Ground Elevations; and,
- Perence Flood Elevations.

GRASS uses the Relational Information Manager (RIM) to manage its data base. The HEC-DAMCAL program requires a data file in ASCII form which specifies the attributes listed above for each grid cell to be analyzed. After all of the necessary attribute maps have been created, GRASS is able to generate the data file using RIM.

<u>Damage Reach Designations</u>. The damage reaches were defined based on the largest possible flood boundary, corporate limits, reservation boundaries and county lines. The flood boundary that would result from failure of Oahe Dam was chosen to define the maximum possible flooded area. Information from the U.S. Census Bureau's TIGER files was used to define the city, county and reservation boundaries.

The damage reach boundaries were digitized using the v.digit program in GRASS. The flood boundary for dam failure was used as the base map. TIGER data was used to overlay the other boundaries. A new vector file was created which divided the flooded area into polygons which represent the damage reaches. A raster map was then generated using GRASS to label all of the grid cells within a polygon with the appropriate damage reach number. The area between Oahe Dam and Big Bend Dam includes 15 damage reaches, as defined in Table 1.

TABLE 1
Damage Reach Definitions

Reach	Reach Definition
1	Hughes County, upstream of Pierre.
2	Stanley County, upstream of Fort Pierre.
3	City of Pierre.
4	City of Fort Pierre.
5	Stanley County, Bad River, upstream of Fort Pierre.
6	Stanley County, downstream of Fort Pierre.
7	Hughes County, downstream of Pierre to Reservation.
8	Stanley County, downstream of Reach 6 to Reservation.
9	Lower Brule Reservation, Stanley County.
10	Crow Creek Reservation, Hughes County.
11	Lower Brule Reservation, Lyman County.
12	Crow Creek Reservation, Hyde County.
13	Crow Creek Reservation, Buffalo County.
14	City of Lower Brule.
15	City of Fort Thompson.

Landuse Classification. The landuse for this exercise was defined for urban areas and rural areas separately using different methods. It is important to realize that landuse classification can be done many different ways. The landuse classifications used during the development of the flood damage programs should be considered approximate and used for test purposes only. It is recommended that the landuse be reclassified by a qualified analysts to provide more meaningful flood damage computations.

Landuse for the urban areas, Pierre and Fort Pierre, was classified based on aerial photographs at a scale of 1" = 1000'. The photos were converted into GIS format at the Omaha District office. The v.digit program within GRASS was used to divide the urban area into polygons of similar landuse. The flood boundary for dam failure was used as the base map to define the outer edge. The aerial photos were used as a backdrop for the area. A new vector map was created which divided the urban areas into 12 different landuse types. A raster map was then generated from the vector map to label all of the grid cells within each polygon with the appropriate landuse category. The landuse categories for the urban areas are shown in Table 2.

TABLE 2
Urban Landuse Categories

Category	Category Type
1	Residential
2	Mobile Homes
3	Schools
4	Offices
5	Warehouses
6	Department Stores
7	Grocery Stores
8	Motels
9	Industrial
10	Recreation Areas / Golf Courses
11	Undeveloped Open Area
12	Water Bodies

The most difficult classification within the urban areas is for industrial and commercial properties. Categories 5, 6, 7 & 8 were chosen as being representative of typical commercial enterprises. It is important that landuse, and especially industrial and commercial areas, be verified by a qualified economist.

Landuse classification for rural areas was based on the National Oceanic and Atmospheric Administration (NOAA) Advanced Very High Resolution Radiometer (AVHRR) data for land cover characterization in the conterminous United States. The AVHRR data used was originally developed at a spatial resolution of 1 kilometer. Although the data is somewhat crude, it does distinguish between cropland and natural vegetation. The data are also collected frequently which also adds to its accuracy.

The original AVHRR data had 150 land cover categories. The data was reclassified using GRASS for the area within the flood boundary between Oahe and Big Bend Dams. It is necessary to distinguish between cropland and undeveloped land for flood damage computations. Therefore, the land cover was reclassified into 4 categories, as listed in Table 3.

TABLE 3
Rural Landuse Categories

Category	Category Type
1 2	Cropland Grassland
3	Woodland
4	Water

Ground Elevations. The topographic data, which defines the ground elevations within the study area, was developed at the Omaha District office. The data was not modified prior to being used in the flood damage analysis. It was evident that the data does contain some errors. It is recommended that the topographic data be verified in regard to its relationship with the landuse.

Reference Flood Elevations. The reference flood information was developed using the GIS and HEC-2 output. There are several different floods that could be used to represent the reference flood. The flood elevations associated with a release of 200,000 cfs from Lake Oahe and a pool level of 1423 ft msl at Lake Sharpe was chosen as the reference flood for testing purposes.

A vector file was created using the v.digit program in GRASS. The flood boundary for dam failure was used as the base map and a vector map showing the HEC-2 cross section locations was used as an overlay. The cross section locations were digitized onto the base map along with some intermediate sections. The sections were labeled with the water surface elevations calculated by HEC-2. A raster map was generated from the vector map which labeled those grid cells that fell along the labeled lines. A surface contour algorithm was then used to assign values to the grid cells between cross sections.

The result is a data file in ASCII form which defines the damage reach, landuse classification, ground elevation, and reference flood elevation for each grid cell in the study area. Separate data files are created for urban and rural areas because they are analyzed separately. The data files generated by GRASS are in free format and cannot be used directly by HEC-DAMCAL. A shell script was written which converts the data file into a fixed format for use in HEC-DAMCAL.

- (2) HEC-DAMCAL Input. The HEC-DAMCAL program requires input from two sources: the GIS and an input file. The input file contains the following types of information:
 - Job Control Information,
 - Grid Cell Data File Definitions,
 - Depth-damage Functions,
 - Structure and Content Values.
 - Landuse Densities,
 - Damage Reach Information; and,
 - Single Event Flood Elevations (optional).

Job control information specifies the number of reaches to be analyzed, number of landuse conditions and output specifications. Definitions for the data file includes the size of the file (rows and columns), number of grid cells, physical size of the grid cells (acres) and how the data file is formatted.

Depth-damage functions define the potential damage to structures and contents as a percentage of their value for a range of flood depths. Structure values are specified in terms of an average for the particular land use type. Content values can be specified in dollars or as a percentage of the structure value. Landuse density is specified based on the average number of structures per grid cell for a particular landuse type.

Damage reach information includes a reach label, elevation of the reference flood at the index location and the range of elevation values to be analyzed. Damages for single flood events can be analyzed by specifying the flood elevations at the index location for each event.

A more detailed description of the format and definitions of input records for HEC-DAMCAL is contained in the DAMCAL User's Manual, dated February 1979, and is available from the Hydrologic Engineering Center, Davis, California.

(3) HEC-PBA Input. The HEC-PBA program is separated into two different programs known as the Preprocessor and the Analysis programs. Each program requires different input data. The advantage of having the program divided is that normally the Preprocessor only needs to be run once, unless the landuse crop functions, or other conditions change. If there are no changes, the Analysis program can analyze several different flood events.

The Preprocessor program uses the following data stored in HEC-DSS:

- Elevation-Damage Relationships,
- Elevation-Area Relationships,
- Elevation-Structures Relationships,
- Crop Loss Functions; and,
- Flood Hydrographs.

The elevation-damage, area and structures relationships are output from HEC-DAMCAL. The crop loss functions define the potential crop losses for each crop type throughout the entire year. They are put into HEC-DSS format using DSSPD, which was developed for entering paired data. Flood hydrographs are usually input to HEC-DSS by a rainfall-runoff model such as HEC-1.

The Preprocessor program requires the following information in its input file:

- Job Control Information,
- Boundary Definitions,
- Crop Production and Market Statistics,
- Damage Reach Information; and,
- Project Information (optional).

Job control information specifies the type of output desired. Boundary definitions are used to aggregate damages within specified political boundaries such as communities, Counties, Corps Districts, Congressional Districts and Flood Control Districts. These boundaries do not necessarily correspond to damage reach boundaries. There may be several damage reaches within a single political boundary.

Crop production and market statistics specify the planting dates, average annual yield, average market price and harvest costs for each crop type. The spatial distribution of crops must also be specified. The distribution is usually specified as a percentage of the total cropland being planted in a particular crop within each damage reach; however, the actual area planted in a particular crop can also be specified.

Damage reach information specifies a label for the reach, the political boundaries within the reach and the appropriate hydrographs for the reach. The flood stage must also be specified as the elevation at which damages begin within each reach. It is important that the damage reach designations be exactly the same as those defined in the HEC-DAMCAL program.

Project information for levees and/or reservoirs may be specified if the user is interested in analyzing both with- and without-project conditions. The program allocates benefits to one or several projects based on a reduction in damages and a weighting scheme defined by the user.

The Analysis program requires little input. The following is a list of the necessary input:

- Job Specifications,
- Period of Analysis,
- Project Benefit Allocations for Reservoirs (optional); and,
- Summary Report Table Selection.

Job specifications define output options and allow for adjustment of crop market values using price index factors. The period of analysis is specified by beginning date, ending date and look-back date. Project benefit allocation for reservoir is specified as a percentage of the total benefits for each project. Summary report table selection can be based on any of the political boundaries and/or damage reach boundaries.

A more detailed description of the format and input records for both the Preprocessor and the Analysis programs will be contained in the HEC-PBA User's Manual. The manual is expected to be published in the Fall of 1992. It will be available from the Hydrologic Engineering Center, Davis, California.

3.3. Program Operation

This section describes how the flood damage programs are operated. The process has been automated by using screens, macros and batch files to create a menu driven interface which makes it easy to use. The screens are shown in this section along with brief definitions of each command.

Screen 1 - Banner

U.S. AMMY CORPS OF ENGINEERS, OWNER DISTRICT

READINESS MANAGEMENT SYSTEM FLOOD DAMAGE ANALYSIS



U.S. ARMY CORPS OF ENGINEERS HYDROLOGIC ENGINEERING CENTER

The following commands can be used with this screen:

<ENTER> - Continue to the next screen.

" X " - Exit the flood damage analysis.

Screen 2 - Flood Damage Program Choice

FLOOD DANACE ANALYSIS PROCEAMS

MAYCAL - Banage Reach Stage-Banage Calculation

PBA - Project Benefit Accomplishment

eXit - Return to main screen

Enter letter for desired program ====>)

The following commands can be used with this screen:

- "D" Choose the HEC-DAMCAL program options. From there the user is able to perform the operations necessary for executing the HEC-DAMCAL program.
- "P" Choose the HEC-PBA program options. From there the user is able to perform the operations necessary for executing the HEC-PBA program.
- "X" Exit to the Banner screen.

Screen 3 - Selections for executing the HEC-DAMCAL Program

DAMAGE REACH STACE-BANAGE CALCULATION

Input - Modify BANCAL input files

BANCAL - Execute DANCAL program

Output - View MANCAL output files

Graphe - View graphs using the BSPLAY program

ELEVATION VS DAMACE
ELEVATION VS AREA
ELEVATION VS STRUCTURES

exit - Return to previous nemu

Enter letter for desired command ====> G

The following commands can be used with this screen:

- "I" Allows the user to edit the input files for HEC-DAMCAL using the COED editor. The user chooses the input for urban areas or agricultural areas.
- "D" Executes the HEC-DAMCAL program. The user chooses to compute urban damages or agricultural damages.
- "O" Allows the user to view the HEC-DAMCAL output files using the LIST program. The user chooses to view output for urban areas or agricultural areas.
- "G" Executes the DSPLAY program to allow the elevation-damage, area or structures relationships to be viewed graphically. The user must specify the river name, reach number, landuse type (URBAN or AGRICULTURAL) and landuse condition (EXISTING, FUTURE or MODIFIED). All entries must be UPPERCASE.
- "X" Exits to the Program Selection screen.

Screen 4 - Selections for executing the HEC-PBA Program

PROJECT REMETIT ACCOMPLISHENT

Input - Hodify PMA imput files

Losses - Modify crop loss functions

Crops - View crop loss functions

Format - Format HEC-BSS file

PBA - Execute PBA programs

Output - View PBA output files

exit - Return to previous nemu

Enter letter for desired command ====> P

The following commands can be used with this screen:

- "I" Allows the user to edit the HEC-PBA input files using the COED editor.

 The user must specify input for the Preprocessor program or input for the Analysis program.
- "L" Allows the user to edit the crop loss functions using the DSSUTL program.

 New crop loss functions must be entered externally using the DSSPD program.
- "C" Executes the DSPLAY program to allow crop loss functions to be viewed graphically. The user must specify the crop type. All entries must be UPPERCASE.
- "F" Reformats the HEC-DSS file using HEC-MATHPK.
- "P" Execute the HEC-PBA program. The user must choose the Preprocessor or Analysis program.
- "O" Allows the user to view the HEC-PBA output files using the LIST program.
- "X" Exits to the Program Selection screen.

3.4. Output Capabilities

There are two types of output from the flood damage computations. They are Damage Summary Reports and Graphical Displays. HEC-DAMCAL generates output in HEC-DSS format which can be viewed graphically. HEC-PBA provides only Damage Summary Reports.

(1) Damage Summary Reports. Both the HEC-DAMCAL and HEC-PBA programs provide summary reports. The reports can be viewed on the screen or printed out for documentation purposes.

The output from HEC-DAMCAL lists the stage-damage, elevation-damage, elevation-structures and elevation-area relationships in tabular form for all of the landuse categories and for each damage reach. The program also lists total the damage, structures flooded, and area flooded for single flood events if that option is used. The HEC-DAMCAL output tends to be lengthy because it restates many of the input definitions.

The output from HEC-PBA comes in two forms, the Preprocessor output and the Analysis output. Normally, once the Preprocessor output is verified, there is no need to generate another report unless some function or conditions change. The most meaningful output, in terms of summary reports, comes from the Analysis program. It lists the damage values for each damage reach, each damage categories (land-use) category, and each boundary specified. The Analysis output lists urban and agricultural damages separately. The program also defines damages throughout the range of elevations (zones) defined by the hydrographs for both with- and without-project conditions.

(2) Graphical Displays. Output from the HEC-DAMCAL program is best interpreted by viewing it graphically. The elevation-damage, area and structures flooded relationships can all be viewed using the DSPLAY program. Graphical displays are useful for detecting anomalies in the results. The DSPLAY program is limited to 7 curves per plot, and in some cases all of the damage categories (land use) categories cannot be viewed.

It is useful to view the crop loss functions used by HEC-PBA graphically. If these functions do not appear to be similar in form to the typical crop loss function, the HEC-PBA program will not provide meaningful results. The flood hydrographs can also be viewed to verify beginning and ending dates to be used in the analysis.

APPENDIX A REFERENCES

APPENDIX A

REFERENCES

The following documents were used as references during the writing of this report. Most of the material in these documents was summarized in various ways with few if any word for word quotations. Therefore, footnotes were not used in the text to reference specific documents.

- 1. GRASS, Geographic Resources Analysis Support System, Version 4.0, User's Reference Manual, July 1991, U.S. Army Corps of Engineers, Construction Engineering Research Laboratory, Champaign, Illinois.
- 2. DAMCAL, Damage Reach Stage-Damage Calculation, User's Manual, February 1979, U.S. Army Corps of Engineers, Hydrologic Engineering Center, Davis, California.
- 3. HECDSS, User's Guide and Utility Program Manuals, December 1990, U.S. Army Corps of Engineers, Hydrologic Engineering Center, Davis, California.
- 4. COED, Corps of Engineers Editor, User's Manual, February 1987, U.S. Army Corps of Engineers, Hydrologic Engineering Center, Davis, California.
- 5. PREAD, Functions, Macros, Menus and Screens, User Information, September 1990, U.S. Army Corps of Engineers, Hydrologic Engineering Center, Davis, California.
- 6. PBA, Project Benefit Accomplishment Package, Draft User's Manual, October 1991, U.S. Army Corps of Engineers, Hydrologic Engineering Center, Davis, California.
- 7. PE&RS, Photogrammetric Engineering & Remote Sensing, Development of a Land-Cover Characteristics Database for the Conterminous U.S., November 1991, American Society for Photogrammetry and Remote Sensing.
- 8. South Dakota, Agricultural Statistics, Livestock Crops Prices, 1991-1992, South Dakota Agricultural Statistics Service, Sioux Falls, South Dakota.

APPENDIX B STUDY EXAMPLE

APPENDIX B

STUDY EXAMPLE

Table of Contents

Section	Pag	e
	Study Description	
	Input Data 2	
B-3.	Output Data 2	8

APPENDIX B

STUDY EXAMPLE

B-1. Study Description

The study area includes all of the property from Oahe Dam to Big Bend Dam in South Dakota, that lies within the flood boundary that would result from failure of Oahe Dam. The sample data was developed at the Hydrologic Engineering Center (HEC) with the exception of the flood boundary, the original AVHRR data and the Digital Elevation Model (DEM), which were developed at the Omaha District office.

The flood event analyzed was based on a release of 200,000 cfs from Lake Oahe with a pool elevation of 1423 ft msl at Lake Sharpe. All of the damage reaches, as defined in Table 1, were analyzed with the exception of reaches 5, 14 and 15. These reaches were excluded because of a lack of data.

B-2. Input Data

(1) Economic data for Urban Areas

Economic input data generated using the GIS is shown in Appendix B Section 1. The original data file generated by GRASS is in a free format. A shell script titled "form" is used to reformat the data into a fixed format as shown in the Appendix. The user simply types:

form [Input filename] [Output filename] to reformat the data base file.

Structure and content values were estimated using little information. As stated in section III, it is essential that the landuse classification, including all of the necessary economic data, be verified by a qualified economist to ensure more accurate results. The data developed at HEC is intended to be used for test purposes only. The composite damage functions, which define the depth-damage relationships, for the urban land use categories described in Table 2 were obtained from the Economics Branch of Planning Division at the Omaha District office. The functions were modified to include depths greater than 10 feet by a simple linear extrapolation. The composite damage functions, structure and content values are listed in the HEC-DAMCAL input file in Appendix B Section 2 and summarized in the HEC-DAMCAL output file in Appendix B Section 3.

(2) Economic Data for Agricultural Areas

The South Dakota Agricultural Statistics Service and South Dakota State University were contacted to obtain information on crop planting dates, crop production statistics, harvest costs and market values. The information provided was based on the 1990-1991

crop year, and was used to develop all of the necessary data for flood damage computations.

Crop loss functions were developed based on the average planting and harvest dates for the study area. Crop densities were based on production statistics for each county. It was found that 87 percent of the entire area was comprised of combinations of wheat, corn oats and sorghum. Soybeans and sunflowers comprised the other 13 percent and were neglected in this analysis. The crop loss functions used in the analysis are shown with the HEC-PBA input in Appendix D Section 2.

Market statistics, crop prices and yields, for the crops mentioned above were based on average values for the entire state. Harvest costs were estimated based on information from the Agricultural Economics Department at South Dakota State University. Harvest costs were based on average fees charged by commercial harvesters. Hauling fees were also included. The economic data for agricultural areas used in the analysis is listed in the HEC-PBA Preprocessor input file in Appendix C Section 1 and is summarized in the HEC-PBA Preprocessor output file in Appendix D Section 4.

(3) Flood Hydrographs

A simple triangular hydrograph with a peak stage of 1435 ft msl and a duration of 7 days was used to calculate damages in the cities of Pierre and Fort Pierre, as well as the agricultural areas upstream. Another simplified hydrograph with a peak stage of 1423 ft msl and a duration of 7 days was used to calculate damages for the agricultural areas around Lake Sharpe. The hydrographs are shown in Appendix D Section 3 with the input data for HEC-PBA.

B-3. Output Data

(1) Output from HEC-DAMCAL

Sample output from the HEC-DAMCAL program is shown in Appendix C Section 1. The report generated by the program is shown along with examples of the elevation-damage, elevation-area and elevation-structures flooded relationships. The plots shown in Appendix C Section 4 were generated using the DSPLAY program. The HEC-DAMCAL results were reviewed to confirm that the program is operating properly and writing the elevation relationships to HEC-DSS properly. The results were not thoroughly reviewed for accuracy because of the limitations in the accuracy of the input data.

(2) Output from HEC-PBA

Sample output from the HEC-PBA program is shown in Appendix D Section 4. The Preprocessor output summarizes all of the original input data from its input file and from HEC-DSS. The Preprocessor output does not list flood damage values. These are listed in the output from the HEC-PBA Analysis program. The Analysis output lists damages by reaches and specific boundaries. Damages are listed for agricultural areas and urban areas separately for both with- and without-project conditions. There is no graphical output from HEC-PBA.

The results from HEC-PBA were verified by comparison with output from HEC-DAMCAL for single flood events. The results were not reviewed for accuracy in terms of providing meaningful estimates of damages because of the inaccuracies in the input data. The program will provide more meaningful results when better data is used.

APPENDIX C HEC-DAMCAL DATA

APPENDIX C

HEC-DAMCAL DATA

Table of Contents

C-1. GRASS Output	
C-2. HEC-DAMCAL Input C-3. HEC-DAMCAL Output C-4. HEC-DSS Displays	. 44
Figures	
C-1. Damage Reach Boundaries	
C-3. Rural Landuse Pattern	
C-4. Topographic Definition	
C-5. Missouri River Reference Flood Elevations	
C-6. Lake Sharpe Reference Flood Elevations	
C-7. Damage Reach 1 Elevation - Area Relationships	
C-8. Damage Reach 2 Elevation - Area Relationships	
C-9. Damage Reach/Urban Categories Elevation - Damage Relationships	. 66
C-10. Damage Reach 3 Urban Categories Elevation - Number of Structures	
Relationships	
C-11. Damage Reach 4 Urban Categories Elevation - Damage Relationships	. 6 8
C-12. Damage Reach 4 Urban Categories Elevation - Number of Structures	-
Relationships	
C-13. Damage Reach 6 Crop Elevation - Area Relationships	
C-14. Damage Reach 7 Crop Elevation - Area Relationships	
C-15. Damage Reach 9 Crop Elevation - Area Relationships	
C-17. Damage Reach 10 Crop Elevation - Area Relationships	
C-17. Damage Reach 10 Crop Elevation - Area Relationships	
C-19. Damage Reach 12 Crop Elevation - Area Relationships	
C-20. Damage Reach 13 Crop Elevation - Area Relationships	

APPENDIX C

HEC-DAMCAL DATA

C-1. GRASS Output

Grid Cell Data Base File - Urban Areas

Column	Row	R	LU	GND	REFD	Colu	n Rov	R	LU	GND	REFD
42	5	3	12	85	96.1	42	7	3	12	85	96.0
43	5	3	12	93	96.1	43	7	3	12	93	96.0
44	5	3	12	101	96.1	44	7	3	12	101	96.0
45	5	3	12	111	96.1	45	7	3	12	111	96.0
46	5	3	12	119	96.1	46	7	3	12	119	96.0
47	5 5	3	12	127	96.1	47	7	3	12	127	96.0
48	5	3	12	130	96.1	48	7	3	12	130	96.0
49	5 5 5 5 5	3	11	129	96.1	49	7	3	11	129	96.0
50	5	3	11	128	96.1	50	7	3	11	127	96.0
51	5	3	11	127	96.1	51	7	3	11	125	96.0
52	5	3	11	126	96.1	52	7	3	11	124	96.0
53	5	3	11	125	96.1	53	7	3	11	122	96.0
54	5	3	11	123	96.1	55	7	3	-1	119	96.0
55	5	3	11	122	96.1	59	7	3	11	121	96.1
56	5	3	11	121	96.1	60	7	3	11	127	96.1
57	5	3	11	120	96.1	61	7	3	-1	131	96.1
58	5	3	11	121	96.1	63	7	3 3	11	142	96.1
59	5	3	11	126	96.1	64	7	3	11	146	96.1
60	5	3	11	132	96.1	43	8	3	12	93	96.0
61	ž	3	11	136	96.1	44	8	3	12	101	96.0
62	٥	3		140	96.1	45	8	3	12	111	96.0
63	555555555555	3	11	146	96.1	46	8	3	12	119	96.0
64	5	3	11	151	96.1	47	8	3	12	127	96.0
65 66	5 5 5	3	11	155	96.1	48	8	3	12	130	96.0
66 67	Ş	3	11	160	96.1	49 50	8	3	12	128 127	96.0
67 42	5 6	3	-1 12	165 85	96.1	51	8 8	3 3	11		96.0
42 43	6	3	12	93	96.1	59	8	3	11 11	124 119	96.0
43	6	3	12		96.1 96.1	60		3			96.1
	6	3	12	101 111	96.1	61	8 8	3	11 11	125 129	96.1 96.1
45 46	6	3	12	119	96.1	43	9	3	12	93	96.0
47	6	3	12	127	96.1	44	9	3	12	101	96.0
48	6	3	12	130	96.1	45	9	3	12	111	96.0
49	6	3	11	129	96.1	46	9	3	12	119	96.0
50	6	3	11	128	96.1	47	9	3	12	127	96.0
51	6	3	11	126	96.1	48	9	3	12	130	96.0
52	6	3	11	125	96.1	49	9	3	12	128	96.0
53	Ğ	3	11	123	96.1	50	9	3	11	126	96.0
54	6	3	11	122	96.1	51	9	3	11	124	96.0
55	6	3	11	120	96.1	52	9	3	11	122	96.0
56	6	3	11	119	96.1	53	9	3	11	120	96.0
57	6	3	11	117	96.1	60	9	3	11	123	96.1
58	6	3	11	119	96.1	61	9	3	-1	127	96.1
59	6	3	11	123	96.1	43	10	3	12	93	96.0
60	6	3	11	129	96.1				•		•
62	6	3	11	138	96.1		•				•
63	6	3	11	144	96.1						•
64	6	3	11	148	96.1	196	125	3	12	42	89.6
66	6	3	11	157	96.1	197	125	3	12	42	89.6
67	6	3	11	163	96.0	9999	99999	99	99	999	999.9

Grid Cell Data Base - Rural Areas

Column	Row R	LU	GND	REFD		Colu	mn Ro	w R	LU	GND	REFD
281	7 1	3	181	-1.0		269	12	1	3	168	210.0
275	8 1	3	181	210.0		270	12		ž		210.0
276	8 1	3	181	210.0		271	12	1	3	173	210.0
277	8 1	3	181	210.0		272	12		3	175	210.0
278	8 1	3	181	210.0		273	12		3		210.0
279	8 1	3	181	210.0		274	12		3		210.0
280 281	8 1 8 1	3 3	181 181	210.0 210.0		275 276	12		3		210.0
282	8 1	3		210.0		277	12 12		3 3	181 181	210.0 210.0
283	8 1	3	181	210.0		278	12		3		210.0
284	8 1	3	181	210.0		279	12		3	181	210.0
273	9 1	4		210.0		280	12	1	3	181	
274	9 1	4		210.0		281	12	1	3	181	
275 276	9 1 9 1	3 3	101	210.0 210.0		282	12		3		210.0
277	9 1	3	181	210.0		283 .284	12 12	1	3 3	181	210.0
278	9 1	3	181			235	12		3	181	210.0 210.0
279	9 1	3	181	210.0		286	12	i	š	181	
280	9 1	3	181	210.0		266	13	1	3		210.0
281	9 1	3		210.0		267	13		3	162	210.0
282	9 1			210.0		268	13	1	3	164	210.0
283 284	9 1 9 1	3		210.0		269	13		3	166	210.0
270	10 1		181 175	210.0 210.0		270 271	13 13		3 3	169	210.0
271	10 1	4	176	210.0		272	13	1	3	174	210.0 210.0
272	10 1	4	177	210.0		273	13	i	3	177	210.0
273	10 1	4	179	210.0		274	13	1	3	179	210.0
274	10 1	4		210.0		275	13	1	3	181	210.0
275	10 1	3		210.0		276	13		3		210.0
276 277	10 1 10 1	3 3		210.0		277	13	1	3		210.0
278	10 1	3		210.0		278 279	13 13	1	3 3	181	210.0 210.0
279	10 1	3	181	210.0	·	280	13	. 1	3		210.0
280	10 1	3	181	210.0		281	13	i	3	181	210.0
281	10 1	3	181	210.0		282	13	1	3	181	
282	10 1	3	181	210.0		283	13	1	3	181	210.0
283 284	10 1	3	181	210.0		284	13	1	3		210.0
285	10 1	3 3	181 181	210.0 210.0		285 286	13	1	3	181	210.0
286	10 1	-1	-1	-1.0		263	13 14	1 2	3 -1	181 -1	210.0 -1.0
268	11 1	4		210.0		264	14	2	3		210.0
269	11 1	4	171	210.0		265	14	2	š	155	210.0
270	11 1	4				266	14	1	3	157	210.0
271	11 1		175	210.0		267	14	1	3		210.0
272 273	11 1	4	177	210.0 210.0		268 269	14	1			210.0
274	ii i	4		210.0		270	14 14	1	3 3	169	210.0 210.0
275	ii i		181	210.0		271	14	i	3	171	210.0
276	11 1	3		210.0		272	14	i	3	173	210.0
277	11 1	3	181	210.0		273	14	1	3	176	210.0
278	11 1	3		210.0		274	14	1	3	178	210.0
279 280	11 1	3 3		210.0		275	14	1	3	181	210.0
280 281	11 1	3		210.0 210.0		276 277	14 14	1	3		210.0
282	ii i			210.0				1	3		210.0
283	11 1	3	181	210.0		•	•	•	•	•	•
284	11 1	3	181	210.0		•		•	•	:	•
285	11 1			210.0		•					•
286 267	11 1 12 1			210.0		1077	807	11	1	181	
268	12 1 12 1			210.0 210.0	•	1339	807	11	1	181	150.0
200	1 -	3	/	£10.0	8	9999	99999	99	99	ลลล	999.9



FIGURE C-1. Damage Reach Boundaries




FIGURE C-2. Urban Landuse Pattern




FIGURE C-3. Rural Landuse Pattern




FIGURE C-4. Topographic Definition




FIGURE C-5. Missouri River Reference Flood Elevations




FIGURE C-6. Lake Sharpe Reference Flood Elevations

C-2. HEC-DAMCAL Input

Input Data for Reach 3 (Pierre) and Reach 4 (Fort Pierre)

T1 T2		DAI Pi	MCAL Inp erre, SD	ut File - - Resolut	Urban	areas 64m (1 ac	cre)			
T3	0	Re O	ference 0	flood: 200	0,000 c	fs, 1423 0	pool 0	6	1	
J2	1	1	6	204	128	1	6	10	1 00	
J3 ZW	3 A=MISSO	2 URI E=1	4 992 F=UR	0 Ban-Existi	12 NG	5	6	18	-1.00	
FT((F5.0,F6	.0,2F3.	0,F4.0,F	6.0)						
ST	10 YR 1	50 YR 1	100 YR 1.5	500 YR 50000	200K 50	400K -1	1.00	10	0	1
ĹŤ	i	3	RESIDEN		50	-,	1.00	10	U	•
DF	Õ	. 1	2	3	4	5	.8	10	100	200
DS DC	7 0	14 36	21 47	27 53	31 57	36 60	48 66	57 78	75 99	99 99
DO	ŏ	5	5	5	5	5	5	5	5	5
ΓŪ	2	1	3.0	10000	70	-1	1.00	10	0	1
LT DF	2 0	3	MOBILE 2	HOMES 3	4	5	8	10	100	200
DS	15	20	31	44	60	74	94	96	98	99
DC	Õ	51	76	85	89	92	95	96	97	98
DO LU	0 3	5 1	0.3	5 1500000	5 15	5 -1	5 1.00	5 10	5 0	5 2
LT	3	2	SCHOOLS	}					_	
DF	0	1 8	2 12	3 15	4 15	5	8	10	100	200
DS DC	ő	18	26	30	33	16 35	22 50	28 66	50 99	75 99
DO	Ō	5	5	5	5	5	5	5	5	5
ΤŪ	4	1	0.5	500000	30	-1	1.00	10	0	2
LT DF	4 0	2	OFFICES	3	4	5	8	10	100	200
DS	ŏ	12	14	17	19	23	35	45	75	99
DC	0	16	21	24	25	26	36	50	99	99
DO LU	0 5	5 1	,25	5 250000	5 -1.00	5 -1	1.00	5 10	5 0	5 3
LT	5	i	WAREHOU	ISES						
DF	0	1	2	3	4	5	. 8	10	100	200
DS	0	11	1 16	1 19	1 21	3 23	12 47	21 99	50 9 9	75 99
DO	Ō	5	5	5	5	5	5	5	5	5
LU	6 6	1 2	.25	500000 Ent Stores	-1.00	-1	1.00	10	0	3
DF	ő	1	2	ENI SIONES	4	5	8	10	100	200
DS	0	3	7	7	7	9	17	23	50	75
DC	Ŏ	18	33	65	88	95	99	99	99	99
DO LU	0 7	5 1	.50	5 300000	-1.50	5 -1	5 1.00	5 10	5 0	5 3
LŤ	7	Ż	GROCERY	STORES		_	_		•	•
DF	0	1	2 4	3	4 6	5 7	8	10	100	200
DS	0 50	3 99	99	5 99	99	99	20 99	37 99	50 99	75 99
DO	0	5	5	5	5	5	5	5	5	5
ΓÃ	8	1	.50 Motels	750000	50	-1	1.00	10	0	3
LT DF	8 0	2 1	MUTELS	3	4	5	8	10	100	200
DS	0	4	7	10	12	15	26	37	50	75
DC	0	10 5	16	21 5	25 5	30	52	76	99	99
DO LU	9	1	.50	1000000	50	5 -1	5 1.00	5 10	5 0	5 4
LT	9 9 0	2	INDUSTR	IAL						
DF DS	0	1	2	3 1	4	5 3	8	10 21	100	200
DC	Ö	11	16	19	21	23	12 47	99	50 99	75 99
DO	0	5	5	5	5	5	5	5	5	5 5
LU LT	10 10	0	0.10	O ION AREAS	0	0	1.00	10	0	5
DF	0	1	2	3	4	5	8	10	100	200
DD	0	.50	1.00	1.50	2.00	2.00	2.00	2.00	2.00	2.00
LU	11	0	0	0	0	0	1.00	2	0	5

LT	11	0	OPEN SP	ACE						
DF	0	200								
DD	0	0.50								
LU	12	0	0	0	0	0	1.00	2	0	5
LT	12	0	WATER B	ODIES	_	•		-	v	J
DF	0	200								
OD	0	0								
DR	3	94.9	0	0	٥	66	2.00	0	0	
DT	RCH 3	CITY OF	PIERRE	_	•	-		•	v	
SE	87.0	87.5	87.8	88.6	94.9	102.3				
DR	4	94.9	0	Ö	٥	40	1.00	٥	0	
DT	RCH 4	CITY OF	FORT PIE	RRE	_			•	•	
SE	43.5	43.8	43.9	44.3	47.5	51.1				
ENC)									

Input Data for Reaches 1, 2, 6, 7, 8, 9, 10, 11, 12 & 13

T1 T2	Oá	AMCAL input she Dam to	Big Bend	i Dam - R	esoluti	on = 64m	(1 acre)	
T3		sterence fl						
J1 0 J2 1	0	0 6	0 1484	0 816	0 1	0	1	1
J3 3	10	4	0	4	5	6	18	1,00
		1992 F=AG-E		•	•	•	, 0	
FT(F5.0.	F6.0,2F3	.0,F4.0,F6.	1)					
ST` 200K	•	• •	•					
LU 1	0	1.00	0	0	0	1.00	6	0
LT 1	.0	CROPLAND	400	450				
DF 0	10	50	100	150	200			
DD 0	100	100 1.00	100 0	100	100	1.00	•	^
LU 2 LT 2	0	WOODLAND	U	C	V	1.00	0	U
DF 0	10	50	100	150	200			
00 0	5	5	5	5	5			
LU 3	ŏ	1.00	ŏ	ŏ	ŏ	1.00	6	0
LT 3	ō	GRASSLAND	•	•	_		•	•
DF 0	10	50	100	150	200			
DD 0	1	1	1	1	1			
LU 4	0	1.00	0	0	0	1.00	6	0
LT 4	Ō	WATER						
DF Q	10	50	100	150	200			
DD 0	0	Q	Ō	Ō	0		_	_
DR 1	210	0	0	0	0	10.00	0	0
DT RCH 1	HUGHES (COUNTY						
SE 95	210	^		•	•	10.00	^	_
DR 2 DT RCH 2	210	COLINTY	0	0	0	10.00	0	0
SE 95	SIMILLI	COOKT						
DR 6	210	0	0	0	0	10.00	٥	0
DT RCH 6			•	•	•		•	•
SE 95								
DR 7	150	0	0	0	0	10.00	0	0
DT RCH 7	HUGHES (COUNTY						
SE 83								
DR 8	150	0	0	. 0	0 -	10.00	0	0
DT RCH 8	STANLEY	COUNTY						
SE 83	450	_	_	_		40.00	_	_
DR 9	150	0	47700	O .	O WEY	10.00	0	0
	LOWER BI	RULE RESERV	AIION, S	SIANLEY C	OUNTY			
SE 83 DR 10	150	•	^	^	•	10.00	•	^
	150	O EEK RESERVA	TTON LI	IGHES COL	NTV 0	10.00	0	0
SE 83	ONOW ON	LLK NESENYA	11011, 110	Junes Coo	17 ()			
DR 11	150	0	0	0	0	10.00	0	0
		RULE RESERV	_	_		.0.00	•	•
SE 83			,					
DR 12	150	0	0	0	0	10.00	0	0
	CROW CRI	EEK RESERVA	TION, HY	DE COUNT	Υ			
SE 83	_		•					
DR 13	150	0	0	0	0	10.00	0	0
	CROW CR	EEK RESERVA	TION, BL	JFFALO CO	UNTY			
SE 83								
END								

C-3. HEC-DAMCAL Output

Output Data for Reach 3 (Pierre) and Reach 4 (Fort Pierre)

****	*******************	r 🐲
*	Damage Reach Stage-Damage Calculation Program	•
*	Users Manual February 1979	•
*	Version 2.0.13; July 1992	1
*	IBM-PC Compatible (MS)	•
*	Run date 24JUL92 time 09:51:50	*

DDD	DD		A	M	M	CC	CCC		١	L
D	D	Α	Α	MM	MM	C	C	Α	Α	L
D	D	Α	Α	M	MMM	C		Α	Α	L
D	D	AAA	AAAA	M	M M	C		AAA	AAA	L
D	D	Α	Α	M	М	C		Α	Α	L
D	D	Α	Α	M	M	C	C	A	A	L
מממ	מח	Α	A	М	u	CC	CCC	A	A	1111111

* U.S. Army Corps of Engineers * The Hydrologic Engineering Center * 609 Second Street, Suite B * Davis, California 95616 * (916) 756-1104

ANALYSIS INFORMATION

IPOL - 0, THERE IS NO POLICY CONTROL IN THIS RUN

IPROF - 0, THERE IS NO FLOOD PROOFING IN THIS BUN

IEVAC - 0, THERE IS NO PERMANENT EVACUATION IN THIS RUN

IEVOLU = 0, THERE IS NO PERMANENT EVACUATION IN THIS RUN

IPRNT - 0, NORMAL PRINTOUT

ITRACE - 0, NO TRACE OUTPUT WILL BE DISPLAYED

ITYPE - 6, NUMBER OF SINGLE EVENT DAMAGES TO BE CALCULATED

IAG . 1, AGGREGATE SINGLE EVENT DAMAGES

DATA BANK INFORMATION

NFILE - 1, THE DAYA BANK IS ON THIS COMPUTER UNIT

NFORM = 1, THE DATA BANK IS FORMATTED

NOV - 8, THE NUMBER OF DATA VARIABLES

IROW = 204, THE NUMBER OF ROWS IN THE DATA BANK

ICOL . 128, THE NUMBER OF COLUMNS IN THE DATA BANK

IMAGE - 1, PRINTED IMAGE OF INPUT DECK

DATA VARIABLE INFORMATION

IDAMRC . 3, THE DATA VARIABLE THAT IS THE DAMAGE REACH CODE

NOOR = 2, THE NUMBER OF DAMAGE REACHES IN THIS ANALYSIS

ILAND - 4, THE DATA VARIABLE THAT IS THE LAND USE ANALYZED

NOLUC . 12, THE NUMBER OF LAND USE CATEGORIES

ITOPO = 5, THE DATA VARIABLE THAT IS TOPOGRAPHY

IELV . 18, THE MUMBER OF ELEVATION-DAMAGE POINTS TO BE CALCULATED

GSIZE - -1., AN ELEVATION-STRUCTURES FLOQUED TABLE WILL BE PRINTED

FILE SYSTEM INFORMATION - A FILE WILL BE CREATED TO PASS DEPTH-AREA DATA TO OTHER HEC PROGRAMS USING THE HEC DATA STORAGE SYSTEM (HECDSS).

PROJ = MISSOURI

ALT - URBAN-EXISTING

YEAR - 1992

LAND USE CATEGORY 1 DAMAGE CATEGORY NO. 1

AGGREGATED LAND USE CATEGORY NO. # 1

RESIDENTIAL

••	BTAGE	•••	RTAGE	•	PERCENT	•	PERCENT	•••	PERCENT	•••	AMOUNT OF DAMAGE
			ADJUSTED	·					DAMAGE	•	PER GRID CELL
•	FLOOP					:	CONTENTS	•	OTHER	•1	
•	0.00		3.00	•	7.00		0.00	•	0.00	•	5.25
٠	1.00		4.00	•	14.00	•	36.00	•	8.00	•	25.20
•	2.00		6.00	•	21.00		47.00	•	5.00	•	35.04 *
٠	3.00			•	27.00		63.00	•	5.00	٠	42.13
•	4.00		7.00	•	31.00	٠	67.00	•	5.00	•	46.86
٠	5.00		0.00	•	36.00		60.00	•	5.00	•	51.96
•	8.00		11.00	•	48.00	٠	88.00		5.00	•	63.79 *
•	10.00				67.00		78.00	•	5.00	•	75.00
٠	100.00				75.00	٠	99.00	•	5.00	•	98.04
٠	200.00			٠	99.00	٠	99.00	•	5.00		118.94

DENSITY OF THE LAND USE UNITS PER GRID CELL = 1.50

BASE VALUE OF THE STRUCTURE = 50000.00
BASE VALUE OF THE CONTENTS (50.00 PERCENT OF THE STRUCTURE VALUE) = 25000.00
TOTAL DAMAGE OF OTHER WILL SE THE RESPECTIVE PECENTAGE OF THE TOTAL VACANCY FACTOR (PERCENT DEVELOPED) = 100.0
STRUCTURE FIRST FLOOR ADJUSTMENT RELATIVE TO GROUND LEVEL = 3.00

LAND USE CATEGORY 2 DAMAGE CATEGORY NO. 2

AGGREGATED LAND USE CATEGORY NO. = 1

MOBILE HOMES

•				••				•	********		************
•	STAGE	•	STAGE	•	PERCENT .	,	PERCENT	٠	PERCENT	•	AMOUNT OF DAMAGE *
•	FROM 1S1		ADJUSTED	٠	DAMAGE *	•	DAMAGE		DAMAGE	•	PER GRID CELL .
:	FLOOR			••	STRUCTURE		CONTENTS		OTHER	:	N THOUSAND DOLLARS*
•	0.00	•	3.00	•	15.00	,	0.00	•	0.06	•	4.50 *
•	1.00	•	4.00	٠	20.00	٠	51.00	•	5.00	•	17.56 *
•	2.00	•	5.00	•	31.00 4	۰	76.00	•	5.00	•	26.52
	3.00	•	8.00	•	44.00	•	85.00		5.00	٠	32.60 *
•	4.00	•	7.00	•	80.00	•	89.00		5.00	٠	38.52 *
	5.00		8.00	•	74.00	r	92.00		5.00	٠	43.60
•	8.00	•	11.00	٠	94.00	•	95.00	•	5.00	٠	50.56
•	10.00	•	13.00	٠	96.00	•	96.00	٠	5.00	٠	51,41
•	100.00	•	103.00		98.00	•	97.00	•	5.00	٠	52.26
•	200.00	. •	203.00	٠	98.00	•	96.00	•	5.00	•	52.70

DENSITY OF THE LAND USE UNITS PER GRID CELL = 3.09

BASE VALUE OF THE STRUCTURE = 10000.00
BASE VALUE OF THE CONTENTS (70.00 PERCENT OF THE STRUCTURE VALUE) = 7000.00
TOTAL DAMAGE OF OTHER WILL BE THE RESPECTIVE PECENTAGE OF THE TOTAL VALANCY FACTOR (PERCENT DEVELOPED) = 100.0
STRUCTURE FIRST FLOOR ADJUSTMENT RELATIVE TO GROUND LEVEL = 3.00

LAND USE CATEGORY 3 DAMAGE CATEGORY NO. 3

AGGREGATED LAND USE CATEGORY NO. = 2

SCHOOLS

•	*******	• •	*******	••	*******	•	*******	•••	*******	•••	************
•	STACE	•	STAGE	٠	PERCENT	•	PERCENT	•	PERCENT	٠	AMOUNT OF DAMAGE .
٠	FROM 18T	•	ADJUSTED		DAMAGE	•	DAMAGE	•	DAMAGE	•	PER GRID CELL .
•	FLOOR	•		•	STRUCTURE	•	CONTENTS		OTHER	•1	N THOUSAND DOLLARS"
•		•••	********	•••	********	•		•••	,	•••	*****************
•	0.00	•	2.00	•	0.00	•	0.00	•	0.00	•	0.00
•	1.00	•	3.00	•	8.00	•	18.00	•	5.00	•	50.56
٠	2.00		4.00	٠	12.00	*	26.00	•	5.00	•	75.13 *
٠	3.00		5.00	•	15.00	٠	30.00	•	5.00	•	92.14 *
•	4.00	٠	6.00		15.00	٠	33.00		5.00		94.26 *
٠	5.00	٠	7.00	•	16.00	٠	35.00		5.00	٠	100.41
٠	8.00		10.00	٠	22.00	*	50.00		5.00	•	139.39 *
٠	10.00	٠	12.00	•	28.00	•	66.00	•	5.00	•	179.08
٠	100.00		102.00		50.00	٠	99.00		5.00		308.42
•	200.00	٠	202.00	•	75.00	•	99.00	•	5.00	٠	424.54

DENSITY OF THE LAND USE UNITS PER GRID CELL = 0.30

LAND USE CATEGORY 4 DAMAGE CATEGORY NO. 4

AGGREGATED LAND USE CATEGORY NO. = 2

OFFICES

•	STAGE		STAGE	•	PERCENT	•	PEACENT	•	PERCENT	•	AMOUNT OF DAMAGE .
•	FROM 18T	٠	ACJUSTED	٠	DAMAGE	٠	DAMAGE	•	DANAGE	•	PER GRID CELL .
•	FLOOR	•		:	STRUCTURE	:	CONTENTE	•	OTHER	::	N THOUSAND DOLLARS
•	0.00	•	2.00	•	0.00	•	0.00	•	0.00	•	0.00
٠	1.00		3.00	•	12.00	•	16.00	•	5.00	•	44.10
•	2.00	•	4.00	•	14.00	•	21.00	•	5.00	•	53.20 *
•	3.00	٠	5.00	٠	17.00	•	24.00	•	5.00	•	63.53
*	4.00	•	8.00	•	19.00	•	25.00	•	5.00	•	99.58
•	5.00	٠	7.00	•	23.00	٠	26.00	•	5.00	•	80.86
٠	8.00	٠	10.00	•	36.00	•	36.00	٠	5.00	•	120.23 *
•	10.00	•	12.00	•	45.00		80.00	•	5.00	٠	157.50 *
٠	100.00	•	102.00		75.00	•	99.00	•	5.00	٠	274.84
٠	200.00	•	202.00	•	99.00	•	99.00	•	5.00	٠	337.84 *

DENSITY OF THE LAND USE UNITS PER GRID CELL = 0.50

BASE VALUE OF THE STRUCTURE #500000.00
BASE VALUE OF THE CONTENTS (30.00 PERCENT OF THE STRUCTURE VALUE) = 150000.00
TOTAL DAMAGE OF OTHER WILL BE THE RESPECTIVE PECENTAGE OF THE TOTAL
VACANCY ACTOR (PERCENT DEVELOPED) = 100.0
STRUCTURE FIRST FLOOR ADJUSTMENT NELATIVE TO GROUND LEVEL = 2.00

LAND USE CATEGORY 8 DAMAGE CATEGORY NO. 5

AGGREGATED LAND USE CATEGORY NO. = 3

WAREHOUSES

•		•••	• • •		• •		•	********	•••	*******		************
•	61/	IGE	٠	BTAGE		PERCENT	٠	PERCENT	٠	PERCENT	•	AMOUNT OF DAMAGE *
	FROM	181	•	ADJUSTED	•	DAMAGE	٠	DAMAGE	•	DAMAGE	•	PER GRID CELL .
٠	FLO	OOR			٠	STRUCTURE	٠	CONTENTS		OTHER	•1	N THOUSAND DOLLARS*
•	*****	***	••	*******	•••	********	•	*******	•••	*******	•	*************
4	0.	.00	٠	1.00	•	0.00	٠	0.00		0.00	٠	0.00 *
•	1.	.00	٠	2.00	•	1.00	•	11.00	•	5.00	٠	7.88 *
•	2	.00	•	3.00	٠	1.00	٠	16.00	٠	5.00	•	11.16 *
•	3.	.00	٠	4.00	٠	1.00	٠	19.00	•	6.00	•	13.13 *
•	4.	.00	٠	5.00	•	1.00	٠	21.00		5.00	٠	14.44 *
•	5.	00	٠	8.00	•	3.00	•	23.00	•	5.00	•	17.08 *
•	8.	.00	٠	9.00	٠	12.00	•	47.00	٠	5.00	•	38.72 *
•	10.	.00	•	11.00	٠	21.00	٠	99.00	•	5.00	٠	78.75 •
•	100.	00	•	101.00		50.00	•	99.00	٠	5.00	٠	97.78 *
•	200.	00	•	201.00	•	75.00	•	99.00	•	5.00	•	114.19 *
	5. 8. 10.	00	•	8.00 9.00 11.00 101.00	:	3,00 12,00 21,00 50,00		23.00 47.00 99.00 99.00	:	5.00 5.00 5.00 5.00	•	17.06 38.72 78.75 97.78

DENSITY OF THE LAND USE UNITS PER GRID CELL = 0.25

BASE VALUE OF THE STRUCTURF =250000.00
BASE VALUE OF THE CONTENTS (100.00 PERCENT OF THE STRUCTURE VALUE) = 250000.00
TOTAL DAMAGE OF OTHER WILL BE THE RESPECTIVE PECENTAGE OF THE TOTAL
VACANCY FACTOR (PERCENT DEVELOPED) =100.0
STRUCTURE FIRST FLOOR ADJUSTMENT RELATIVE TO GROUND LEVEL = 1.00

LAND USE CATEGORY 6 DAMAGE CATEGORY NO. 6

AGGREGATED LAND USE CATEGORY NO. = 3

DEPARTMENT STORES

	*******	••	*******	**			********	•••	*******	••	************
	STAGE	•	STAGE		PERCENT	•	PERCENT		PERCENT	•	AMOUNT OF DAMAGE *
	FROM 1ST		ADJUSTED		DAMAGE		DAMAGE	٠	DAMAGE	•	PER GRID CELL .
٠	FLOOR			*	STRUCTURE	۰	CONTENTS	٠	OTHER	•1	N THOUSAND DOLLARS*
•	********	**	*******	**	*********		********	•	********	**	*************
٠	0.00	٠	2.00	•	0.00	•	0.00	٠	0.00	•	0.00 *
•	1.00	•	3.00	•	3.00	•	18.00	•	5.00	•	27.56 *
٠	2.00	*	4.00	٠	7.00	٠	33.00	٠	5,00	•	52.50
٠	3.00	•	5.00	*	7.00	•	65.00	•	5,00	•	94.50
٠	4.00	•	6.00	٠	7.00	•	88.00	٠	5.00	•	124.89 *
٠	5.00	٠	7.00		9.00	•	95.00	٠	5.00	٠	136,50 *
*	8.00	٠	10.00	٠	17.00	٠	99.00	•	5.00	•	152.25
•	10.00	٠	12.00	٠	23.00	•	99.00	*	5.00		180,12 *
•	100.00	٠	102.00	٠	50.00	٠	99.00	٠	5.00	•	195.58 *
•	200.00	•	202.00		75.00	•	98.00	•	8.00	•	228.38 *

DENSITY OF THE LAND USE UNITS PER GRID CELL = 0.25

BASE VALUE OF THE STRUCTURE =500000.00
BASE VALUE OF THE CONTENTS (100.00 PERCENT OF THE STRUCTURE VALUE) = 500000.00
TOTAL DAMAGE OF OTHER WILL SE THE RESPECTIVE PECENTAGE OF THE TOTAL
VACANCY FACTOR (PERCENT DEVELOPED) = 100.0
STRUCTURE FIRST FLOOR ADJUSTMENT RELATIVE TO GROUND LEVEL = 2.00

LAND USE CATEGORY 7 DAMAGE CATEGORY NO. 7

AGGREGATED LAND USE CATEGORY NO. - 3

GROCERY STORES

:	BTAGE	•••	ATAGE	•••	PERCENT	:	PERCENT	•••	PERCENT	•	ANOUNT OF DAMAGE	
	FROM 18T	٠	ADJUSTED		DAMAGE	•	DAMAGE	٠	DAMAGE	٠	PER GRID CELL	٠
:	FLOOR	•		••	STRUCTUR	::	CONTENTS	•	OTHER		N THOUSAND DOLLARS	:
•	0.00	•	2.00	•	0.00	•	50.00	•	0.00	•	112.50	•
٠	1.00	٠	3.00	٠	3.00	٠	99.00	•	5.00	•	238.81	٠
•	2.00	•	4.00	٠	4.00	•	99.00	•	5.00	•	240.18	٠
٠	3.00	•	5.00	٠	5.00	•	99.00	•	5.00	•	241.76	٠
٠	4.00	٠	6.00	•	6.00	•	89.00		5.00	•	243.34	•
٠	5.00	•	7.00	•	7.00	•	99.00	•	8.00	٠	244.91	•
٠	8.00	•	10.00	•	20.00	•	99.00	•	5.00	٠	265.39	•
٠	10.00	٠	12.00	٠	37.00	٠	99.00	•	5.00	•	292.10	٠
٠	100.00	•	102.00	•	50.00	٠	99.00	٠	5.00	٠	312.64	•
•	200.00	. •	202.00	•	78.00		99.00	•	6.00	•	362.01	•

DENSITY OF THE LAND USE UNITS PER GRID CELL = 0.50

BASE VALUE OF THE STRUCTURE =300000.00
BASE VALUE OF THE CONTENTS (150.00 PERCENT OF THE STRUCTURE VALUE) = 480000.00
TOTAL DAMAGE OF OTHER WILL BE THE RESPECTIVE PECENTAGE OF THE TOTAL
VACANCY FACTOR (PERCENT DEVELOPED) =100.0
STRUCTURE FIRST FLOOR ADJUSTMENT RELATIVE TO GROUND LEVEL = 2.00

LAND USE CATEGORY 8 DAMAGE CATEGORY NO. 8

AGGREGATED LAND USE CATEGORY NO. = 3

MOTELS

••	******	•••	*******	••	********	•	*******	•••	*******	•••	**************
٠	STAGE	•	STAGE		PERCENT '	٠	PERCENT	٠	PERCENT	٠	AMOUNT OF DAMAGE *
•	FROM 18	T •	ADJUSTED	*	DAMAGE 1	•	DANAGE	٠	DAMAGE	٠	PER GRID CELL .
٠	FLOOR			•	STRUCTURE	•	CONTENTS	٠	OTHER	•1	N THOUSAND DOLLARS*
• •	******	•••	*******	••	*******	•	*******	•••	********	•••	***********
	0.00		2.00	•	0.00	٠	0.00	•	0.00	•	0.00 *
•	1.00		3.00		4.00	•	10.00	•	5.00	٠	35.44 *
•	2.00		4.00		7.00	٠	16.00	•	5.00	٠	59.08 *
•	3.00		5.00		10.00	٠	21.00	•	5.00	٠	80.72 *
•	4.00		6.00	٠	12.00	٠	25.00		5.00	٠	96.47 •
•	5.00		7.00	٠	15.00	٠	30.00		5.00	٠	118.13
٠	8.00		10.00		28.00	•	52.00	•	5.00	٠	204.75
٠	10.00		12.00	•	37.00		78.00	•	5.00	*	295.31 *
٠	100.00		102.00		50.00	٠	99.00		5.00		391.78 •
•	200.00		202.00		75.00	•	89.00	•	5.00	٠	490.22
			*******			•					************

DENSITY OF THE LAND USE UNITS PER GRID CELL = 0.50

BASE VALUE OF THE STRUCTURE =750000.00
BASE VALUE OF THE CONTENTS (50.00 PERCENT OF THE STRUCTURE VALUE) = 375000.00
TOTAL DAMAGE OF OTHER WILL BE THE RESPECTIVE PECENTAGE OF THE TOTAL
VACANCY FACTOR (PERCENT DEVELOPED) =100.0
STRUCTURE FIRST FLOOR ADJUSTMENT RELATIVE TO GROUND LEVEL = 2.00

LAND USE CATEGORY 0 DAMAGE CATEGORY NO. 9

AGGREGATED LAND USE CATEGORY NO. = 4

INDUSTRIAL

		• • •		••			******	• • •	*******	••	**********
	STACE	•	STAGE		PERCENT "	•	PERCENT	•	PERCENT	٠	AMOUNT OF DAMAGE *
*	FROM 18T	*	ADJUSTED	•	DAMAGE *		DAMAGE -	•	DAMAGE	٠	PER GRID CELL .
•	FLOOR	•			STRUCTURE*	•	CONTENTS	•	OTHER	•1	N THOUSAND DOLLARS"
•	*******	•••	******	••	*******	•	******	•••		•••	***********
•	0.00	•	₹.00	•	0.00	•	0.00		0.00	•	0.00 *
•	1.00	٠	3.00	•	1.00 1	•	11.00	•	5.00	٠	34.13 *
	2.00	٠	4.00	•	1.00 4	•	16.00	٠	5.00	•	47.25
٠	3.00	•	5.00	٠	1.00	•	19.00	٠	5.00	٠	55.13
٠	4.00		8.00	٠	1.00	•	21.00	٠	5.00	٠	60.36 *
	5.00	•	7.00		3.00	•	23.00	٠	5.00	٠	76.13 *
	8.00		10.00		12.00	•	47.00	٠	5.00	٠	186.36
	10.00	•	12.00		21.00	•	99.00	٠	5.00	•	370.13 *
•	100.00		102.00	٠	50.00	,	99.00	٠	5.00	٠	522.38
٠	200.00	•	202.00	•	75.00	•	99.00	•	5.00	•	653.63

DENSITY OF THE LAND USE UNITS PER GRID CELL = 0.50

LAND USE CATEGORY 10 DAMAGE CATEGORY NO. 10 AGGREGATED LAND USE CATEGORY NO. = 6

RECREATION AREAS

				 THOUSAND DOLLARS	•
* 0.00 * 0.00 * 1.00 * 0.00 * 2.00 * 0.00 * 3.00 * 0.00 * 4.00 * 0.00 * 5.00 * 0.00 * 10.00 * 0.00 * 10.00 * 0.00	• • • • • • • •	0.00 0.00 0.00 0.00 0.00 0.00 0.00	 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.50 1.00 1.50 2.00 2.00 2.00 2.00	

DENSITY OF THE LAND USE UNITS PER GRID CELL = 0.10

BASE VALUE OF THE STRUCTURE = 0.00
BASE VALUE OF THE CONTENTS = 0.00
BASE VALUE OF OTHER = 0.00
VACANCY FACTOR (PERCENT DEVELOPED) =100.0

LAND USE CATEGORY 11 DAMAGE CATEGORY NO. 11

AGGREGATED LAND USE CATEGORY NO. * 5

OPEN SPACE

•	DEPTH OF WATER	:	PERCENT DAMAGE STRUCTURE	:	PERCENT DAMAGE CONTENTS	:	PERCENT DAMAGE OTHER	:	AMOUNT OF PER GRIC N THOUSAND	DAMAGE CELL DOLLAR	18*
:	0.00	:	0.00	:	0.00 0.00	:	9.00	:		0.00	:

DENSITY OF THE LAND USE UNITS PER GRID CELL = 0.00

BASE VALUE OF THE STRUCTURE = 0.00
BASE VALUE OF THE CONTENTS = 0.00
BASE VALUE OF OTHER = 0.00
VACANCY FACTOR (PERCENT DEVELOPED) =100.0

LAND USE CATEGORY 12 DAMAGE CATEGORY NO. 12

AGGREGATED LAND USE CATEGORY NO. = 5

WATER BODIES

:	DEPTH OF WATER	:	PERCENT DAMAGE STRUCTUR	E.	PERCENT DAMAGE CONTENTS	:	PERCENT DAMAGE OTHER	:	AMOUNT OF PER GRIC THOUGANE	DAMAGE CELL DOLLAI	E :
٠	0.00 200.00	٠	0.00	•	0.00 0.00	:	0.00	:		0.00 0.00	:

DENSITY OF THE LAND USE UNITS PER GRID CELL = 0.00

BASE VALUE OF THE STRUCTURE = 0.00 BASE VALUE OF THE CONTENTS = 0.00 BASE VALUE OF OTHER = 0.00 VACANCY FACTOR (PERCENT DEVELOPED) =100.0

DAMAGE REACH INDEX LOCATION BURNARY

ID.	REFERENCE FLOOD ELEVATION	POLICY FLOOD ELEVATION	FLOOD PROOF ING ELEVATION	EVACUATION ELEVATION	ENITRATA BAMAD MOITAVELE	CAMAGE ELEVATION INCREMENT	AGGREGATED DAMAGE RCH. ID.	MODIFY LAND USE DENSITY	PRINT MODIFIED LAND USE

3.	94.9	0.0	0.0	0.0	66 .6	2.00	0	0	0
4.	84.9	0.0	0.0	0.0	40.0	1.00	0	0	0

SINGLE EVENTS FOR DAMAGE REACHES

DAMAGE REACH NO.	10 YR EVENT	50 YR EVENT	100 YR EVENT	500 YR EVENT	SOOK SOOK	400K EVENT

3.	87.0	87.5	87.8	66.6	94.9	102.3
À	43.6	43 .	43.6	44 9	47.8	R1 1

DAMAGE CATEGORY	LAND USE	LAND USE

1 2 3 4 5 6 7 8	1 2 3 4 5 6 7 8	RESIDENTIAL MOBILE HOMES SCHOOLS OFFICES WAREHOUSES DEPARTMENT STORES GROCERY STORES INDUSTRIAL RECREATION AREAS
10	19	OPEN SPACE
12	12	WATER BODIES

DAMAGE REACH NO. 3 DAMAGE REACH CODE RCH 3

CITY OF PIERRE

																							Ņ	w	AQ		CA	TE	30	1E	8																									
:			ER				1		:			2		:		_	3					4		,			5	,	•		•)	:			7		:			•	•			9		:			0	:	-	TC	TAL	_	:
•	EL	EV.	TI	ON:		١	!)	•	١,	•••	2)	١	•	١.	••	3)	•••		••		1).			٤.	!	5)	•••	•	١.,)	•	١.	•••	7)	••	•	١.		?).	•	.(••	.:)	•	١.	. 1	Ō)		••	***			
:			6. 8.					00)(C					9 9				. OC						ָ פ				00	:			0.0					.00				0.4					.00					. 80 . 71	
•		7	ō.	Ō١			O.	ÕÕ	٠		Ò	0.0	×	•		ŏ	ō		•		ŏ	. OC	•	•		Ō	. O	Ď	•		õ.	00	٠		ō). Õ	Õ	٠		Ö	. OC	•			Ö.	ÕÕ	•		5	. 80				50.	. 67	•
•		7	4.	Ō١			Ō.	8			-	0.0	×	٠		Õ	.o	Ď٩	•		Ö	. oc	•			Ō	. O	Ō	•		O.	8	•		6). 0). 0	Ū			Õ	. oc	•		29	ě.	54	•		86	. 96 . 26			4	22.	. 83 . 84	•
:			8.					54 12	:				ж Ж					ָ פּ				. œ		,	1		. 3 . 2		:			8	:). Q					. 00 . 00				7.: 4.:		:			.45					. 40 . 63	
:			10.			146		86 87	:				X0 X0				.0	ָרָ לָּבְּי	:			. OC		,			. 41 . 11		•			00	:). Q		:			. 00				0.1 4.1		:			. 30					. 91	*
•		ì	4.	Õ'	• ;	370	и.	90	•		i	1.4	iī			5Ö	. 5	•	•	4	ě	.51	•		41	X	. O	8	•		2.	76	•	•	164	. 8	7	•	8	48	.44	•	Ì	41	4.	10	•		108	.40	•		110	ÃÕ.	. 64	•
•			16. 18.	Ō١	• (818	10.	28 96	•		ě	3. 7 3. 3	36	•	2	38	.7	5 1		54	7	. OI	•		121	14		•	•	37	ñ.	20 57	•	3	264		1	٠	10	17	. oc	•	•	62	9.: 1.:	16	•	4	183	. 55	•		171 237	88.	.11	•
:			10.					68 63	:			5.(3.(:			. 1	7 :				. 23 . 64			180 260				:			97 34	:			2.0).2					. 61 . 66				1. O.					. 05			316		. 68 . 20	:
:			14.					90	:			8.4 1.3		:			.8					. 10			33:							37	•			3					. 21				8. 2.		•			.15			497		.79	:
:		Ē	8.	Õ۱	•1:	336	12.	61	:	14	14	7.3	31	:	18	50	. ō	٠	. 2	33	16	. 61	•	,	461	17	.0	3	•	128	8	34	•	127	774	1.1	4	•	42	D4	. 05	•	20	61	6.	50			187	. 66	•		662	93.	.41	•
•		• • •	10 .	•••	• •	• • •	٠.	83			• • •	1.4		٠		• •	.2	•••		٠.	٠.	. 52			54:	• •		• •				57	• • •	• • •		. 2	٠.		••	••	.00	• •		••	5.	• •		• • •	• • •	. 26	• •			• • •	.40	
:	(1		17.1 M			554	17.	02	:	,	112	2.1	51	:	•	65	. 3	• ;	•			. 10	•	;			. 9:	-				.77	•	20	-42	2.7	4	:	13	01	. 67	•	•		0.	30	:			. 00	•	,	202	43.	. 10	:
•			17.:	5 '	• ;	580	6.	54	:	•	34)5	:	2	01	. 1	• ;		62	14	. 21	•	•	10	56	. 3	•	:	21	Ю.	.00	:	31	14 1		0	:	14	53	. 20	;	•	90	3.	84	:	4	173	. 56	:	!	221	∞.	, 84	•
•			7.	8 '	• (500	18 .	15	:	•	151	1.3	34	:	2	23	. 3	ָי ס		67	2	.46	•	•	110	14	. 7	0	•	33	14 .	03	:	31	174	1.3	3	:	16	44	. 94	•	•	131	2.	87	:	4	170	. 80	:		231	33.	. 52	:
٠	•		8.	6 '	• (956	١.	44	•	1	191	١, ١	96	•	2	94	.7	9		06	Ю	. 21	1	•	140	9	. 8:	3	•	46	12.	13	٠	3(373	1.4	6	•	18	43	. 80		10	12	4.	47	•	4	196	. 20	•		254	30.	. 34	•
•	•) Y	9	•16	082	20.	88	•	;	786	9.2	27	•	11	43	. 1	4	1	86	15	. 34	,		36	17	.4	7	• ;	267	79.	30	•	lo	90().6	3	•	30	27	. 86	•	17	54	ο.	87	•		563	. 36	; -		537	46.	. 82	•
:	(10	100	3 '	17	771	5.	32	•	2:	341	9.6	37	•	34	86	.0			e	8	.51	, ;	٠,	621	26	.71	•	• (884	35 .	60	•	130	10:	2.3	4	•	42	66	. 57		21	73	5.	57	•	-	314	. 90	, :		800	100	. 45	•
	١		00	K)	•			•••	•	•	•••	• • •		•	•	••	••	••		•	•=	•••			••		••	••	•••	•••	•••	• • •	•••	••	•••	•••		•	••	••	**		•	•	••	••	•••	•••		•••	•	•		***		

DAMAGE REACH NO. 3 DAMAGE REACH CODE RCH 3
CITY OF PIERRE

* WATER * * * * * * * * * * * * * * * * * * *	
* SURFACE * 11 * 12 * 13 * 14 * 15 * 16 * 17 * 18 * 19 * 20 * TOTAL * ELEVATION* (11) * (12) * (-1)	
* 68.0 * 32.80 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 32.	
* 68.0 * 38.66 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 *	
* 68.0 * 38.66 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 *	****
* 72.0 * 51.91 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 107.	
- 74.0 - 59.09 - 0.00 -	
* 76.0 * 66.61 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 *	
* 78.0 * 74.45 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 *	33 *
* 80.0 * 82.62 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 4000.	
* 82.0 * 91.13 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 7128.	
* 84.0 * 100.01 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 11640.	
* 86.0 * 109.20 * 0.00	
* 88.0 * 118.72 * 0.00	
* 92.0 * 138.51 * 0.00	
* 94.0 * 148.78 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 *	
* 95,0 * 159,31 * 0,00 * 0,00 * 0,00 * 0,00 * 0,00 * 0,00 * 0,00 * 0,00 * 6,00 * 8157.	
* 98.0 * 170.07 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 *	
* 100.0 * 181.08 * 0.00	
•	, •
87.0 * 113.92 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 20243.	. 0
(10 YR)	•
* 87.5 116.31 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 22108.	19 .
(50 YR)	
* 87.8 117.75 0.00 0.00 0.00 0.00 0.00 0.00 0.00	~ :
* 88.6 121.62 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 *	.
(500 YR)	~ •
* 94.9'* 153.48 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 *	12 *
(200K) * * * * * * * * * * * * * * * * * *	•
* 102.3 * 194.02 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 0.00 * 80080.	15 *
(400K) * * * * * * * * * * *	

DAMAGE REACH NO. 3 DAMAGE REACH CODE RCH 3

ELEVATION - STRUCTURES PLOQUED

_												M	MOE CA	TEG	WIE														
:	WATER	•			,		•		•	•		•		•			•		•			•		•	*****		•	,	•
	SURFAC	E •	1.		•	2	•	3		•	4.	٠					•	7	•			•	•	•	10		•	TOTAL	•
٠	ELEVATI	ON"	(!)		. J	3)	•	. 3	١	• (4)		(5)	•	.1	•)	• 1	71	•	(•	<u>)</u>	• ()		(10)		•		. •
:	6 5.		Ö.	**		0.0	••••		٠,-		0.0	•:•	0.1		,	0.0		0.0			.0	-	0.0	•••	۵.	••	•••	0.0	••
	66.		ĕ.		•	0.8	•	ŏ	. 0 . 0	•	0.0	•	0.1			ö.ö	•	6.0			ă	•	0.0		ö.			0.0	•
•	70.		ŏ.			ŏ.ŏ	•		ō.	•	0.0	•	0.	•		ŏ.ŏ	•	0.0			ŏ.	•	0.0		ĭ		٠	1.4	
٠	72.		Ō.		•	0.0	٠			•	0.0	•	0.0	•		0.0	•	0.0			.0	•	1.0	•	6.	2	•	6.2	•
•	74.		.0.			<u>0.0</u>			٠o.	•	0:0	:	0.			0.0	:	0.0			٠0	:	3.5	•		4	•	11.0	
	78. 78.		10. 30.			0.0			.o.		0.0	:	0.:			ă.ă		0.0			0.0	:	5.5 8.8		12. 15.		:	28.3 63.5	
	8 0.		73.		•	0.0	• .		ŏ	•	ŏ.ŏ	٠	2.			0.0		0.0			ŏ	•	10.4		17		•	103.8	
•	62.		96.		•	0.0	•			•	0.0	٠	4.			0.0		0.5			ŏ.	•	14.0		20.		•		•
•	84.		121.			3.0	•		. \$	•	1.0	•	7.			0.3	•	2.5			.5	•	16.5		22.		•		•
•	56.		145.			2.0			٠٠.	:	3.5	:				0.5	:	4.5			٠o	:	20.		24.		•	226.7	. •
	66. 90.		185.			8.0 4.0			••.		5.0	-	11.: 14.:			1.8		7.0 11.0			<u>.</u> 0	:	24.0 27.0		20. 27.		:	267.6 312.2	
	82.		217.			3.0	•		. 1	•	7.0					4.0		t5.0			ŏ	•	20.0		27		•	307.0	
•	94.	ŏ٠	252.	Ō١	, (0.9	•			٠.	8.0	•	18.	•		5.5	•	19.5		7	Ö		28.0		20.		•	420.4	•
•	90.		283.			16. 0	٠			•	8.5	•	20.			7.8		22.0			Q.		26.0		20.		•	505.5	•
•	98.		327.			<u>0.0</u>			•	•	0.5	:	22.			9.3		24.0			٠0	•	26.0		30.		•	682.4	•
:	100.		372.	0	14	7.0				-	9.5	Ξ.	23.			1.3		24.0			.0	-	26.0		30.	•	•	950.9	; -
٠	87.		154.	5	,	5.0	•	٥	. 8	•	4.5		10.	6 *		0.8	•	5.5	•	•	.0	•	21.5		26	3	•	244.2	
	(10 YR	٠,٠		٠,	•		•	-		•				•						_	-	•		•		_	•		•
٠	87.		154.	5 '	1	5.0	•	0		•	5.0		10.	•		1.5	•	7.0		•	.0	•	23.5	•	25.	7	•	240.5	•
:	(50 Y			_ `:	: .		•		_	•		:		. :			:		. :	_	_	:		:		_	•	***	. :
	87. (100 Y		166.	9	•	8.0	-	U	. 9	•	6.0		11.	٠;		1.8	•	7.0	•	•	٥,	-	24.0		25 .	•	:	200.2	
•	88.		169.	5 .		1.0		1	.2.	•	5.0	•	11.5			1.8		8.0	•	7	.0	•	25.5		26.		•	277.0	
٠				٠,	•					• '		•	•	•				•••				•		•		_	•	5	•
•	94.		267.	٥ '	• 1	5.0	•	3	. 3	•	8.0	•	19.	٠,		6.3	•	21.0		7	٥.	•	28.0	•	28.	9	•	403.4	
:			447	. :			:			-		•		. :			-	24.0			_	-		:		_	•	300.0	. :
	102.		417.	v ;	. 1	2.0		•	.4	• .	10.0		26.	٠.	,	3.3	•	24.0	•	•	.0	-	28.0		31.	•	:	728.2	
	1 400	<u> </u>					••••							•••								-					-		

DAMAGE REACH NO. 3 DAMAGE REACH CODE RCH 3

CITY OF PIERME

			•••							• • •			•••						•••		DAI	wo	E (CAT	EG	ORI	£6		••	•••				•••	••	•••				•••		•••	•••	••	•••	••••			
		VAT	60		,												•				•								•				•				•				•				•			•	
•		JRF		E 4	•		1		•			2	•		3		٠		4		٠		- 1	6			-		•		7		•				•		٠		•		10		٠	101	[AL	•	
٠	ΕĽ					•	i		٠	1	- 3	2)	٠	•	3	1)	•	•	4	11	•	(-	51	٠	ŧ	ì	3)	٠		7	١.	٠	•	Ĭ	1	٠	4	ě	1	٠		١Ŏ١		•			•	
•	•::	•	•••	•••	•	ì.	•••	•	•••	•	••	•••	•••	•••	•••	•••	•••		•	•••	•••	· i ·	••	•••	••	•••	•••			de:		•••	•	٠.,	••	•••	•	è.	**	•	•••		•••	••	••	****	***		
٠		6	6.	0 '	•		0.	00	•			.00				00	•			.00				. 00				.00	٠		0.0	00	٠			00	•			00			0.0		•		32 . BI		
٠			8.(•	•			00				.00				00	•			.00				.00				.00	•		0.4					00	•			00			0.0		•		38.71		
٠			0.0		•			00	•			.00				00	٠			.00				.00				.00	•		0.		٠		٥.		٠			00	•		5.4		•		50.87		
٠			2.0		,			00	٠			.00				00	•			00				. oc				.00	٠		0.1		٠		٥.		•		ю.		•		6.9				37.S		
٠			4.(•			00	•			.00				00	•			00				.00				.00	•		0.1		•		٥.٠		•		Ħ,		•		6.2		•		2.8		
•			6.		•			54	•			.00				00	•			00				. 30				.00	•		0.0		•			00	•		77.		•		3.4		•		20.4		
•			8.(•			12	•			. 00				00	•			00				. 24				00	•		0.0		•		٥.			100		36	•		1.4		•		10.6		
•			0.0					96	•			.00				00	:			.00				.40				.00	•		0.0	90	•		۰.و			215			•		6.3		-		0,0		
•			2.0					87	•			.00	•			œ	:			90	-			. 16				.00	:		ğ.	17	-		ğ.	75	-	357	•••		•		1.1		-		20.84		
•			4.					99	-			-41	•			56	:			51	:			.00				.78	:			97	:	.54		48		541		49	-		9.4		:		10.6		
•			6.					28	-			. 72	-			70	:			.00	:			.41			œ.		:	197			:	102		<u></u>		72		οS	:		1.5		-		27.0		
:			9.					95	:			. 38			3 9 .		:				:			-44			<u>71</u> .		:		<u>u.</u>		_	101		==		952		96	-		ş. <u>ş</u>		:		10.1 1		
•			9 .9					88	:			. 60			37.		:	12		23	:			. 91 . 06			78. 40.			52: 74:				342 330		51		100		13	:		1.0		:		96.80 12.20		
:			2.					63	:			.08				12				10	:			.47			93							330 376				411 648			-		2.4 7.1				58.71		
:			4.1 6.1					90	-			.37				22		20						. 26				03		140				401				868			-		7 . I 2 . 2				57.8		
			8.					61				.31		19				23						.03			58.			277				420				051		56	-		7.6		-		3.4		
			Ö.					83				. e2		25				26						.37						320				425				13					3.2		-		58.41		
			٠.٠			934					::	. ••				20			•				~				30			944				724					~	•			•	٠.	-			'	
			7.			KA.	17	02	•	•	12	.51		1	80.	30	•	4	12	18	•	•	25	. 82		1	•	.77	٠	254	19	74	•	130	11.	87	•	234	m.	30		45	2.6	'n.	•	202	13.10	a •	
	(1					•	•••	-	٠	•	••		٠	•	٠.	•	٠	_	•		٠	•		-	٠.	•	•	,							•••	••	•		٠.	•	•	-	•••	~	•			' .	
	٠.		7.			5.0	M.	54	٠	1	34	.02		2	Dŧ.	19	٠	6:	24	28	٠	10	86	. 36		2	80	.00		304	11.4	80	٠	145	3.	26	•	200	13.	84		47	3.5	6	•	2211	DO . BI		
٠	ı		Y			_		-		•	_			_				_			•	•		-	٠	_			٠	_	•••		•				•			_	•	٠.		_	٠			•	
•	٠		7			80	18.	15	٠	1	51	. 34	٠	2	23.	30	٠	5	72	49	•	11	54	. 70	•	3	34	.03	٠	317	14 .:	33	٠	154	4.	94	٠	931	12.	67	٠	47	9.6	0	٠	231:	33.6		
٠		100						•		-	•		•	_			•	-	_		•		-		٠	_	-		•				•		-	•	٠				•			-	٠				
٠	•					85	51.	44	•	11	91	. 96	٠	21	94.	79	•	8	80.	.21	•	14	00	. 83		4	82	.13	٠	307	13.	86	٠	184	3.	80	•1	012	24.	47	٠	40	6.2	0	•	258	30.34		
•	(500							•	•	- •			_		_	٠	_			•				•				٠				٠				•				٠			_	•			•	
•	•		4			08:	20.	86	٠	7	89	.27	٠	11	43.	14	٠	18	82	. 38	٠	30	47	.47		26	79	.30	*1	086	ю.	83	٠	302	7.	86	•1	754	10.	87	٠	56	3.3	15	٠	537	18.6	2 •	
•			00						•	-			٠		-		٠	_	_		•				٠		-	_	•				•			_	•	_	-		٠		-	-	٠			•	
•	•		2.			77	15.	32	•	23	49	. 87	•	34	86.	06	٠	28	58.	.51	•	62	95	. 76	•	66	96	. 60	•1	386	12.	34	٠	426	4.	57	•	17:	36.	57	٠	61	8.6	ю	٠	800	90.4	5 .	
•	í	4	00	Ř۱	•			_	•			-	•				•		_		•				٠				•			- '	•	-			•		-			-	-		٠			•	
•	•••	•••	• •	• • •		• •	•••		• • •		••		•••	**	•••		•••		•	***	**	•••	••	***				****		**	***		**				**		•••		•••	***	***			****	****		

DAMAGE REACH NO. 3 DAMAGE REACH CODE RCH 3
CITY OF PIERRE

					•••									••••		D	AMAG	E C	ATE	00RI	8												•••			
	w	ATER	2	•									,	•			•			•					•			•			•					•
		RFA			1	1	•		12			13		•	14		•	15		•	16			17	•	18		•	19	,	•	20	•	TOTA	M.	٠
•		VAT		• (i)	•	1	12)		•	-11		• (-11		• (.	-1	3	• (-1)	. •		-1)	. (-1)	• (-1)		• (-1)	•	•••	_	•
• •	***		• • •	•••	•••	•••	•••		****	•••		***		****	***	•••	***	***	•••	****	****	••	****	****	****	•••	•••	****	•••	••		****	***	*****	****	
		66		•		. 80			0.00			0.0		•	0.0		•	0.1		•	0.00			0.00		0.			0.0			0.00			2.80	
٠		68		•		. 66			0.00			0.0		•	0.0		•	0.0		•	0.00			0.00		0.0			0.0			0.00			3.71	
٠		70.		•		. 07			0.00			0.0		•	0.9		•	0.		•	0.00			0.00		0.0			0.0			0.00). 87	•
•		72		•		.01			0.00			0.0		-	0.0		-	0.		•	0.00			0.00		0.			<u>0.0</u>			0.00			7.63	•
•		74		•		.09			0.00			0.0		-	0.9		:	0.0		-	0.00			0.00		0.			0.0		-	0.00			2.88	:
-		76 78		:		. 61			0.00			0.0		-	0.0		-	0.		:	0.00			0.00		0.0			0.0		-	0.00			9.40	Ξ
-		80		:		.62			٥.۵		,	0.0		•	0.0			ŏ.			0.00			0.00		Ö.			0.0		-	0.00		409		
		82				. 13			o.oc		,	0.0		•	ŏ. č			ŏ.			0.00			0.00		ŏ.			ŏ.ŏ			0.00			3.88	
•		84				. 61			ŏ.o		,	ŏ.č			0.0				õõ	•	0.00			0.00		Ď.			0.0			ŏ. oc		1164		
		86		•		. 20			0.00			0.0		•	ŏ.				õõ		0.00			ă. öö		ō.			ŏ.ŏ			0.00		1712		•
		88				. 72			0.00		•	0.0		•	ŏ.		•		ŏŏ		0.00			6.00		0.			0.0			0.00		2376		•
•		90				.49			ă. oc			0.0		•	0.0		•	0.		•	0.00			ā.00		Ŏ.			ã.õ			ā. 00		3189		•
•		92		•	138	. 51			0.00	•	,	0.0	X	•	0.0	Ň	•	0.	00	•	0.00			0.00	•	Ŏ.		•	0.0	ŏ		0.00		4089		•
		94	. o	٠	148	. 78	•		Ó.OC	•	•	0.0	ю	•	0.0		•	0.		•	0.00	•		0.00	•	0.	0	•	0.0	Ō,	•	0.00		4975	3.79	•
*		96	.0	•	159	.31	•		0.00		,	0.0		•	0.6		•	0.		•	0.00		,	0.00		0.0	20	•	0.0	0	•	0.00		5815		•
		98			170	. 07	•		0.00		,	0.0		•	0.0		•	0.		•	0.00		1	0.00		0.			0.0			0.00		6629		•
٠		100.	.0	•	181	.08	. •		0.O	•	•	0.0	Ю	•	0.6	Ø	•	0,0	00	•	0.00	•		0.00	•	0.	20	•	0.0	0 '	•	0.00	•	7296	3.46	•
•.				•••	• • •		• • •	• • • •		• • •		• • • •	•••		• • • •	• • •				•		••	••••	• • • • •	••••	•••	• • •		•••		••••		• • •	••••	•••	
•		87			113	. 92	•		0.00	•	'	0.0	Ю.	•	0.0	X	•	0.	00	•	0.00	•		0.00		0.	Ж	•	0.0	0	*	0.00	•	2024	3.10	•
•	10	YR					•			. :	'			•			•	_		•					•	_		•		_ '	•		•			•
•		87			116	. 31	•		0.00	•		0.0	Ю	•	0.0	X 0	•	0.	00	:	0.00			0.00	:	0.	20	•	0.0	0	•	0.00	•	2210	9.88	•
•		50_					-		_ ~	. :				-			:		00	-					-			-		_ `	-					•
		87.			117	. 75			0.00	':	,	0.6	N	-	0.6	w		0.	w	-	0.00	' :		0.00	:	v.	20	:	0.0		:	0.00	':	2313	3.52	
:	•	88			121	. 82			0.00	٠.	,	0.0	~		0.6	w		Λ	00		0.00			0.00		•	00		0.0	•	•	0.00		2583		•
•		ೲಁಁ			441	. 02			J. J.	٠.	,	٠.١		•	٠.١		•	٧.	•	•	J. J.			J. 00		٠.,	~		J. U	~	•	J. J.		€0 00 3	·. 	
•		94			153	. 48			0.00	•	,	0.0	20	•	0.6	20	•	٥.	00	•	0.00		,	0.00	•	0.	30	•	0.0	ο.	•	0.00		5378	. 89	•
•		200					•			•	,			•			•	٠.		•			,		•					_	•			-3.0		•
• '	•	102			194	. 02			0.00	•	,	0.0	ю	•	0.0	ю		0.	00	•	0.00	•	r	0.00	•	0.	33		0.0	0	•	0.00	•	8009	0.46	•
• (4											-	•			*			•		•						•		_	•		•			•
														****				***			****				****		**							****		

DAMAGE REACH NO. 3 DAMAGE REACH CODE RCH 3 CITY OF PIERRE

ELEVATION - STRUCTURES PLOGGED

														***	MOE C	ATE	30A I	ES													
	WAT SURF ELEVA	ACE	. (.	1)		. (2)		{	3)	:	<u> </u>	4	•	()		•)		, 7 (7)		()		•)		(10 10)	:	TOTAL	
	6 7 7 7 7 7 7 8 8 8 8 8 8		:	0.0 0.0 0.0 10.1 39.1 73.1 121.1 145.1 186.1 192.2			0.0000000000000000000000000000000000000	••••••		6.0000000000000000000000000000000000000	• • • • • •		0.0000000000000000000000000000000000000	***********	00 00 00 00 00 24 47 78 11 14 15 18	0003505323053		0.00 0.00 0.00 0.00 0.00 0.00 0.03		0.0 0.0 0.0 0.0 0.0 0.6 2.5 4.8 7.0	*****	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 7	00000000000000		0. 0. 1. 3. 5. 8. 10. 14. 16. 20. 27. 28.	0005555055000	•	0.0 0.1 1.4 5.2 8.4 12.0 15.5 17.8 20.3 24.3 24.3 27.2 27.2		0.0 0.1 1.4 8.2 11.6 83.8 103.6 138.1 179.0 229.1 267.4 429.4	
•		8.0	•	283.1 327.1 372.	• 0	1	98.0 20.0 17.0	•		3.4 5.4 6.6			8.5 0.5 0.5		22	.0	•	7.5 9.3 11.3		22.0 24.0 84.0	•	7	.0 .0	•	20. 20. 20.	Ō١		20.4 30.2 30.6	:	505. 582. 960.	
	10	R) 17.5	•	154.: 154.:	•		15.0 15.0	•		0.6 0.8	•		7.0	:			•	0.6	•	5.6 7.0	•	-		•	21. 23.	•		25.7 25.7	٠	244.2 249.6	•
	100	YR) 17.8 YR) 18.6	•	166. 169.	•		18.0 21.0	•		0.6	•		5.0 5.0	:		.3 .5	•	1.8	•	7,0 8.0	•		.0	:	24 . 25 .	•		26.8 26.6	•	206.2 277.0	•
	(500 (2	YR) 4.8 (OOK)	•	267.	•		75.0	•		3.3	•		8.0	•	10	.0	•	6.3		21.0	•	7	.0	:	28.	0		20.0	:	463.4	:
Ξ,		2.3 00K)		417.	•	. 1	32 .0	•		8.4	•	1	0.0	•	26		•	13.3	•	24.0	•	7	۰.0	:	28.	ָי פ		31.8	:	728.1	' :

DAMAGE REACH NO. 4 DAMAGE REACH CODE RCH 4

CITY OF FORT PIERRE

**************************************		DAMAGE CATEGOR	IES	**********
41.0 * 0.00 * 0.	* SURFACE * 1 * 2 *	3 4 5 5 (5) (5)		
* 57.0 *11867.18 * 0.00	* 41.0 * 0.00 * 0.00 * 42.0 * 0.00 * 0.00 * 0.00 * 43.0 * 0.00 * 0.00 * 0.00 * 44.0 * 0.00 * 0.00 * 0.00 * 44.0 * 0.00 * 0.00 * 0.00 * 45.0 * 384.77 * 0.00 * 46.0 * 1986.39 * 0.00 * 47.0 * 3367.90 * 0.00 * 48.0 * 4836.84 * 0.00 * 5771.99 * 0.00 * 55.0 * 6741.48 * 0.00 * 55.0 * 6741.48 * 0.00 * 55.0 * 6741.48 * 0.00 * 55.0 * 6741.48 * 0.00 * 55.0 * 6741.89 * 0.00 * 55.0 * 6741.89 * 0.00 * 55.0 * 6741.89 * 0.00 * 55.0 * 6741.89 * 0.00 * 55.0 * 6741.89 * 0.00 * 55.0 * 6741.89 * 0.00 * 55.0 * 6741.89 * 0.00 * 55.0 * 6741.89 * 0.00 * 55.0 * 6741.89 * 0.00 * 55.0 * 6741.89 * 0.00 * 55.0 * 6741.89 * 0.00 * 55.0 * 6741.89 * 0.00 * 55.0 * 6741.89 * 0.00 * 55.0 * 6741.89 * 0.00 * 55.0 * 6741.89 * 0.00 * 55.0 * 6741.89 * 0.00 * 0.00 * 55.0 * 6741.89 * 0.00 *	* 0.00 *	0.00 * 0.	0.00 * 0.00 * 0.03 * 0.03 * 0.00 * 0.06 * 0.06 * 0.06 * 0.06 * 0.00 * 0.06 * 0.00 * 0.
(50 YR)	* 43.5 * 0.00 * 0.00 * *(10 YR) *	* 0.00 * 0.00 * 0.00 *	0.00 * 0.00 * 0.00 *	0.00 0.00 0.06
*(500 YR) * 0.00 * 0.0	*(50 YR)* * * 0.00 * 0.00 * * (100 YR)*	0.00 0.00 0.00	0.00 1627.45 0.00	0.00 0.00 1628.66
	(500 YR) * * 47.5 * 4059.46 * 0.00 *	0.00 0.00 0.00	0.00 \$ 5476.94 \$ 0.00	0.00 0.00 8541,14

DAMAGE REACH NO. 4 DAMAGE REACH CODE RCH 4 CITY OF FORT PIERRE

								••-							اـــا	AMAC	E (ATE	GORI	ES														
		ATE					•			•			•	•••		•			•		•			•					•				,,,,,,,,,	
٠		RF/			11		•	1	2		1	3		1	4	•	18	,	•	16	•	٠,	7	•	18		•	10	•		20	•	TOTAL	
•			ION	۱۰ (-11	•	• (2)	•		1)	. (-	1)	• (-1)	• (-1)	. (1)	• (-1)		• (-1)	٠		-1)	•		•
* *	***	***	***	****	***	•••	****	•••	***	•••	••••	•••	****	•••	***	****	***	***	****	****	****	***	****	****	****	**		****	• • •	•••	****	***	******	
٠		40	0.0			00	•		00.0	•		00.0			.00			00		0.00			.00	•	0.0			0.00			0.00		0.0	
•				•		03	:		.00	•		.00			.00			00		0.00			.00	•	0.0			0.00			0.00		0.0	
:			0.0	:		16 64	:		0.00	:		.00			.00			00		0.00			00.0	:	0.0			0.00			0.∞		0.1	
						31	•		.00						.86			õ		0.00			.00		0.0			0.00			0.00 0.00		0.6 1780.0	
									. 66	•		, oo			.00			ŏ		0.00					ŏ. č			ŏ. œ			ŏ.ळ		3849.5	
*				•		07	•		.00			. 00			.õõ			õõ		0.00			.00	•	ŏ.c			0.00			ŏ.ŏŏ		5996.5	
٠			.0			15	•		.00			00.0		ă	.00		Ō.	00	*	0.00			00.6	•	0.0			0.00			0.00		8302.7	
•				•		37	•		.00	٠		0.00			.00			00		0.00	•	0	.00	•	0.0	0	•	0.00	•		0.00	*	10663.2	0 -
•				•		75	•		00.0	•		0.00			.00			00		0.00			0.00	•	0.0			0.00			0.00		12934.7	
*			,,,	•		29	•		.00	•		0.00			.00			00		0.00			00.0	•	0.0			0.00			0.00		14723.8	
•			.0	•		96	•		.00	•		0.00			.00	•		00		0.00			0.00	•	0.0			0.∞			0.00		15790.0	
•			.0		11.		:		.00	-		00			.00	:		00		0.00			.00	-	0.0			0.00			0.00		18693.8	
:			0.0		13.				.00			3.00			.00			80		0.00			0.00	:	0.0			0.00 8.00			0.00 0.00		17714.4	
:			1.0		17.							3.∞			.₩			õ	•	0.00					0.0			ŏ.œ			0.00		19960.6	
			ĭŏ		20.		•			•					. <u>ळ</u>			õ		6.00			. 80		ŏ.c			ŏ.õ			ŏ. 60		20728.1	
			Ö		22.				. 80						.ळ	•		õ		0.00				•	ŏ. c			ŏ.õ			ŏ.õõ		21346.0	
٠.						∵.																			• • • • •	Ξ.		****			••••			
٠		43	1.5	•	٥.	95	٠	0	.00	•		0.00	•	0	.00		0.	00	•	0.00	•	0	.00	•	0.0	0	•	0.00	•		0.00		0.9	5 *
• ((10	Y)	•			•									•			•		•			•			•							•
			.8		1.	16	•	0	0.00	•	(0.00	•	0	.00	•	٥.	00	•	0.00	•	Q	00.6	•	0.0	(X	•	0.00	•		0.00	•	1027.2	7 =
*((YR)				•	_		•			•	_		•	_		•		•			•		'	•		•			•		•
•			9.9		1.	23	:	C	.00	:	•	0.00	:	0	.00	:	0,	00	:	0.00	-	C	.00	•	0.0	0	-	0.00			0.00	•	1626.6	# *
-1	(;		YR)			54	:	_		:			:	_	~~	:	^	00	:		-			:			•		. :			-		
٠,			YRI		٠.	34		U	0.00		,	0.00		0	.00		٥.	w	•	0.00		Ü	3.00	•	0.0	~	-	0.00			0.00	:	2252.8	~ :
•	٠ ١		.5		4.	74		•	.00		-	.00	•	0	.00		0	00		0.00			3.00		0.0	20	•	0.00			0.00		9641.1	
•	ŧ		œκı		٠.			٠			'		٠	٠		•	٠.		•	5.50	•	٠		•	٠.٠	•	•		•		J. 00	•	•~	-
•	•		.1		10.	13	•	0	3.00	•		0.00	•	0	.00	•	0.	00	•	0.00	•	٥	00.0	•	0.0	ю	•	0.00			0.00	•	15877.7	/5 *
•	(OK)			-				٠			•	-		•			•		•	-		*		-	•		•					
• •	• • • •	•••		****	***	• • •		***	****	***	***	***	••••	***	•••				****	****	****	•••	****	****	****	••	****	****	•••	***	****	* • •	******	***

DAMAGE REACH NO. 4 DAMAGE REACH CODE NON 4

CITY OF FORT PIERRE

ELEVATION - STRUCTURES FLOODED

DAMAGE	CAT	EGOR	IE8

	WATER SURFACE LEVATION	1 (1)	2 . (2))) (4)	(5)	(0)	7	(8)	()	10 (10)	TOTAL
:	40.0 * 41.0 * 42.0 * 43.0 *	0.0	• 0.0 • 0.0 • 0.0	: 0).0 •).0 •).0 •	0.0	0.0	• 0.0	0.0	• 0.0	0.0	0.0	
:	44.0 * 45.0 * 46.0 * 47.0 *	0.0 49.5	• 0.0 • 0.0 • 0.0	: 0).0 •).0 •	0.0	0.0 0.0 0.0	0.0		• 0.0 • 0.0 • 0.0	0.0	0.0	0.0 · 57.5
:	48.0 ° 49.0 ° 50.0 °	190.5 214.5 220.5	• 0.0 • 0.0 • 0.0	• 6	.0 •	0.0 0.0 0.0	0.0 0.0 0.0	0.0	13.0 15.5 16.5	• 0.0 • 0.0 • 0.0	0.0 0.0	0.0 0.0 0.0	203.6 230.0 237.0
:	52.0 ° 53.0 ° 54.0 °	229.5 236.5	• 0.0 • 0.0 • 0.0		0.0 •	0,0 0.0 0.0	0.0 0.0 0.0	0.0	18.5 18.5 18.5	• 0.0 • 0.0 • 0.0	0.0 0.0	0.0	244.0 • 252.0 •
•	56.0 • 57.0 •		0.0		 	0.0	0.0	0.0	16.5	0.0	0.0	0.0 0.0	200.6 271.6
1	10 YR)* 43.6 * 50 YR)*	0.0	•).0 •).0 •	0.0	0.0	0.0	•	0.0	0.0	0.0	4.0
	100 YR) 44.3 500 YR)	3.0 186.0	0.0		0.0	0.0	0.0	0.0	6.0	•	0.0	0.0	9.0
	200K) 51.1 400K)	223.5	•	•	.0 :	0.0	•	•	•	• 0.0	•	•	•

SINGLE EVENT DAMAGES

AGGREGATED DAMAGE CATEGORIES

								••	•••					••	••			•						•				•			 																		
D		:		. 8 . E\		:		1		:		2		:		3)				4		•	•••	5	,			•			7		•	•	1	•	••••	9		:	1	o •			TO1	ial.	•	
	3 3 3 3 3 3 3		8 8 9 10	7.6 7.8 8.6 4.6 2.3	50 50 50 50 50	•	59 62 67 16	90 19 43 10 64	.53 .55 .50 .42 .13		7 9 30 63	25 95 65 06 24	. 55 . 46 . 79 . 01 . 52		5 6 7: 20: 31	840 208 389 915 152	.4	1 2 7	17	196 131 112 154 173	3. 2. 4. 5.	64 67 47 67 57		5 6 7 8	589 597 517 716 512	. 5: . 5: . 8:	8		0000	.00 .00 .00		0.	00 00 00 00 00 00 00 00 00 00 00 00 00	•		0.00			0.000	00 00 00 00 00	•		0.0 0.0 0.0 0.0	00000	22 23 26 83	100 133 830 786	3.10 9.80 3.53 0.34 8.83	8	
	4 4 4 4 4	• • • • • •	4	3.6 3.6 1.5	30 30 30 30 30	•	40	0 0 18 59	.00 .00 .00 .48 .48	•		0000	.00	•	11 2:	026 827 232 476	.4	5			0. 0. 0.	00 00 00 00 00	•	•••	1 1 4	.1(.2; .54	3 4		0000	.00		0.	00	•		0.00	•		0.000	00 00 00 00 00	• • •		0.0 0.0	0000	1 2	027 626 252 641	7.21 8.61 2.61 1.14 7.71	7	•

END OF RUN DAMCAL PROGRAM STOP

Elapsed CPU time is

24 seconds or

0.400 minutes.

Output Data for Reaches 1, 2, 6, 7, 8, 9, 10, 11, 12 & 13

Damage Reach Stage-Damage Calculation Program Users Manual February 1979 Version 2.0.13; July 1992 IBM-PC Compatible (MS) Run date 24JUL92 time 08:56:55

DDDI	DO		A	M	M	CCC	CCC		N	L	
D	D	Α	Α	MM	MM	C	C	Α	Α	L	
D	D	Α	Α	MM	MM	C		Α	Α	L	
D	D	AAA	AAAA	M	M M	C		AAA		L	
D	D	Α	Α	M	M	C		Α	Α	L	
D	D	Α	Α	M	M	C	C	Α	Α	L	
DDD	CO	Α	Α	M	u	CC	CCC	Α	Α	LLLLLL	_L

* U.S. Army Corps of Engineers
* The Hydrologic Engineering Center
* 609 Second Street, Suite B
* Davis, California 95616
* (916) 756-1104

ANALYSIS INFORMATION

IPOL . O, THERE IS NO POLICY CONTROL IN THIS RUN

IPROF - 0, THERE IS NO FLOOD PROOFING IN THIS BUR

IEVAC - O, THERE IS NO PERMANENT EVACUATION IN THIS PLAN

IEVOLU - 0, THERE IS NO PERMANENT EVACUATION IN THIS RUN

IPRNT = 0. NORMAL PRINTOUT

ITRACE - 0, NO TRACE OUTPUT WILL BE DISPLAYED

ITYPE . 1, NUMBER OF SINGLE EVENT DAMAGES TO BE CALCULATED

IAG . 1, AGGREGATE SINGLE EVENT DAMAGES

DATA BANK INFORMATION

NFILE . 1, THE DATA BANK IS ON THIS COMPUTER UNIT

NFORM = 1, THE DATA BANK IS FORMATTED

NOV = 8, THE NUMBER OF DATA VARIABLES

IRON - 1484, THE NUMBER OF ROWS IN THE DATA BANK

ICOL . 818, THE NUMBER OF COLUMNS IN THE DATA BANK

IMAGE - 1, PRINTED IMAGE OF INPUT DECK

DATA VARIABLE INFORMATION

IDAMEC . 3, THE DATA VARIABLE THAT IS THE DAMAGE REACH CODE

NOOR = 10, THE NUMBER OF DAMAGE REACHES IN THIS ANALYSIS

ILAND - 4, THE DATA VARIABLE THAT IS THE LAND USE AMALYZED

HOLUC = 4, THE NUMBER OF LAND UME CATEGORIES

ITOPO . S, THE DATA VARIABLE THAT IS TOPOGRAPHY

IRFFD - 6, THE DATA VARIABLE THAT IS THE REFERENCE FLOOD ELEVATION

IELY . 18, THE NUMBER OF ELEVATION-DAMAGE POINTS TO BE CALCULATED

GRIZE - 1.00, GRID CELL BIZE IN ACRES, ELEVATION-AREA TABLE DEVELOPED

ZW A-MISSOURI E-1902 F-AG-EXISTING

FILE SYSTEM INFORMATION - A FILE WILL BE CREATED TO PAGE DEPTH-AREA DATA TO OTHER NEC PROGRAMS USING THE NEC DATA STORAGE SYSTEM (NECDSS).

PROJ = MISSOURI

ALT = AG-EXISTING

YEAR = 1992

LAND USE CATEGORY 1 DAMAGE CATEGORY NO. 1

AGGREGATED LAND USE CATEGORY NO. = 0

CROPLAND

•	DEPTH OF WATER	:	PERCENT DAMAGE STRUCTURE	•	PERCENT DAMAGE	:	PERCENT DAMAGE	:	AMOUNT OF DAMAGE * PER GRID CELL * IT THOURAND DOLLARS*
	0.00	•	0.00	•	9.00	•	0.00	•	0.00
•	10.00	٠	0.00	٠	0.00	•	0.00	•	100.00 *
٠	50.00	٠	0.00	•	0.00		0.00	•	100.00
•	100.00	•	0.00	٠	0.00		0.00	•	100.00
٠	150.00	٠	0.00	٠	0.00	٠	0.00	•	100.00
•	200.00		0.00	•	0.00	•	0.00	•	100.00 •

DENSITY OF THE LAND USE UNITS PER GRID CELL = 1.00

BASE VALUE OF THE STRUCTURE = 0.00 BASE VALUE OF THE CONTENTS = 0.00 BASE VALUE OF OTHER = 0.00 VACANCY FACTOR (PERCENT DEVELOPED) =100.0

LAND USE CATEGORY 2 DAMAGE CATEGORY NO. 2

AGGREGATED LAND USE CATEGORY NO. # 0

WOODLAND

* DEPTH * OF * WATER	:	PERCENT DAMAGE STRUCTURE	•	PERCENT DAMAGE CONTENTS	•	PERCENT DAMAGE OTHER	• 11	AMBUNT OF DAMAG PER GRIO CELL I THOUGAND DOLLA	E :
0.00 10.00 50.00 100.00	•	0.00 0.00 0.00 0.00 0.00		0.00 0.00 0.00 0.00 0.00		0.00 0.00 0.00 0.00 0.00	•	0.00 8.00 8.00 8.00 8.00 8.00	

DENSITY OF THE LAND USE UNITS PER GRID CELL = 1.00

BASE VALUE OF THE STRUCTURE = 0.00
BASE VALUE OF THE CONTENTS = 0.00
BASE VALUE OF OTHER = 0.00
VACANCY FACTOR (PERCENT DEVELOPED) =100.0

LAND USE CATEGORY 3 DAMAGE CATEGORY NO. 3

AGGREGATED LAND USE CATEGORY NO. = 0

GRASSLAND

	DEPTH OF WATER	•	PERCENT DAMAGE STRUCTURE	:	PERCENT DAMAGE CONTENTS	•	PERCENT DAMAGE OTHER	:	AMOUNT OF PER GRID N THOUSAND	DAMAGE CELL COLLARS	
:		:	0.00	:	0.00	:	0.00	•	0	.00	
:	100.00	:	0.00 0.00 0.00	:	0.00 0.00 0.00	:	0.00 0.00 0.00	:	i	.00	,
:	200.00	•	0.00	•	0.00	•	0.00	•		,00	,

DENSITY OF THE LAND USE UNITS PER GRID CELL = 1.00

BASE VALUE OF THE STRUCTURE = 0.00
BASE VALUE OF THE CONTENTS = 0.00
BASE VALUE OF OTHER = 0.00
VACANCY FACTOR (PERCENT DEVELOPED) =100.0

LAND USE CATEGORY 4 DAMAGE CATEGORY NO. 4

AGGREGATED LAND USE CATEGORY NO. . 0

MATER

••	*****	•		•	*******	•••	*******	•••	
٠	DEPTH	٠	PERCENT	•	PERCENT	•	PERCENT	•	AMOUNT OF DAMAGE S
٠	OF	•	DAMAGE	•	DAMAGE	•	DAMAGE	•	PER GAID CELL 4
			STRUCTURE						THOUGAND DOLLARS
	0.00		0.00		0.00		0.00	•	0.00
	10.00		0.00	•	0.00		0.00	•	0.00
,		•	0.00	•	8.00	٠	0.00	•	0.00
•	100.00	٠	0.00	٠	0.00	•	0.00		0.00
•	150.00	٠	0.00	•	0.00	•	0.00	•	0.00
•	200.00	٠	0.00	٠	0.00	•	0.00	•	0.00

DENSITY OF THE LAND USE UNITS PER GRID CELL = 1.00

BASE VALUE OF THE STRUCTURE = 0.00 BASE VALUE OF THE CONTENTS = 0.00 BASE VALUE OF OTHER = 0.00 VACANCY FACTOR (PERCENT DEVELOPED) =100.0

DAMAGE REACH INDEX LOCATION SUMMARY

ID. NG.	REFERENCE FLOOD ELEVATION	POLICY PLOOD ELEVATION	FLOOD PROOFING ELEVATION	EVACUATION ELEVATION	STARTING DAMAGE ELEVATION	DAMAGE ELEVATION INCREMENT	AGGREGATED DAMAGE RCH. IO.	MODIFY LAND USE DENSITY	PRINT MODIFIED LAND UNE
1.	210.0	0.0	0.0	0.0	0.0	10.00	٥	0	٥
2.	210.0	ŏ.ŏ	0.0	0.0	Õ.Õ	10.00	Ŏ	Ŏ	Ŏ
8.	210.0	0.0	0.0	0.0	0.0	10.00	0	0	Ò
7.	150.0	0.0	0.0	0.0	0.0	10.00	0	0	0
8.	150.0	0.0	0.0	0.0	0.0	10.00	0	. 0	Ö
9.	150.0	0.0	0.0	0.0	0.0	10.00	Ó	0	Ò
10.	150.0	0.0	0.0	0.0	0.0	10.00	0	0	0
11.	150.0	0.0	0.0	0.0	0.0	10.00	0	0	0
12.	150.0	0.0	0.0	0.0	0.0	10.00	0	0	0
13.	150.0	0.0	0.0	0.0	0.0	10.00	0	0	0

SINGLE EVENTS FOR DAMAGE REACHES

DAMAGE REACH NO.	200K EVENT
********	•••••
1.	95.0
2.	95.0
6.	95.0
7.	83.0
8.	83.0
Ď.	83.0
10.	83.0
11.	83.0
12.	83.0
iš.	83.0

DAMAGE CATEGORY	LAND USE CODE	LAND USE
1	1	CROPLAND
2	2	WOODLAND
3	3	GRASSLAND
4	4	WATER

DAMAGE REACH NO. 1 DAMAGE REACH CODE RCH 1

HUGHES COUNTY, UPSTREAM OF PIERRE

ELEVATION - AREA FLOODED (IN ACRES) DAMAGE CATEGORIES

	WATER SURFACE SLEVATIONS (1) (2 2)	3 (3)	4 (4)	5 (-1)	6 { -1} {	7 -1) (·1) (·1)	10 (-1)	TOTAL
:	0.0 * 10.0 * 20.0 * 30.0 *	0.0	0.0	• 0.0	0.0 0.0		0.0 * 0.0 * 0.0 *	0.0 • 0.0 • 0.0 •	0.0 * 0.0 0.0 * 0.0 0.0 * 0.0	0.0	0.0
:	40.0 * 50.0 * 60.0 * 70.0 * 80.0 *	0.0 * 0.0 * 0.0 *	0.0	22.0 59.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 * 0.0 * 0.0 * 0.0 *	0.0 • 0.0 • 0.0 • 0.0 •	0.0 * 0.0 0.0 * 0.0 0.0 * 0.0 0.0 * 0.0	0.0	22.0 · 50.0 ·
:	90.0 * 100.0 * 110.0 * 120.0 *	0.0 • 0.0 • 0.0 •	0.0	163.0 222.0 292.0 362.0	0.0 0.0 0.0	0.0	0.0 • 0.0 • 0.0 •	0.0 • 0.0 • 0.0 •	0.0 * 0.0 0.0 * 0.0 0.0 * 0.0	• 0.0 • 0.0 • 0.0	163.0 * 222.0 * 262.0 * 362.0 *
:	130.0 * 140.0 * 150.0 * 160.0 *	0.0 • 0.0 • 0.0 •	V. U	* 462.0 * 596.0 * 686.0 * 807.0 * 968.0	• 0.0 • 0.0 • 0.0 • 0.0	0.0 0.0 0.0	0.0 • 0.0 • 0.0 • 0.0 •	0.0 • 0.0 • 0.0 • 0.0 •	0.0 * 0.0 0.0 * 0.0 0.0 * 0.0	0.0	* 696.0 * 696.0 * 807.0 *
•	95.0 200K)	0.0	0.0				0.0	0.0	0.0		

DAMAGE REACH NO. 2 DAMAGE REACH CODE RCH 2 STANLEY COUNTY, UPSTREAM OF FORT PIERRE

ELEVATION - AREA FLOCOED (IN ACRES) DAMAGE CATEGORIES

					••			••			 					••		•			*****					•
	SUR	TER FACE AT IO		(1)	••	. (2)	•	3 (3)		 4 4)		, . · · ·)		6 (-1)	•	.(1).	:	(-1)	: (• 1)	• (10 -1)	1	OTAL	
		0.0 10.0 20.0 30.0 40.0 50.0 60.0 70.0 90.0 10.0 20.0 30.0 40.0 50.0 60.0		0. 0. 0. 0. 0. 0. 0. 29. 58. 93. 146. 218. 218.	0000000000000000	•			0. 0. 0. 0. 1237. 1889. 2731. 3100. 3268. 3436. 3674. 3714. 3815. 4005.	000000000000000	0.0	******	0. 0. 0. 0. 0. 0.	0000000000000	0.00		0.0 0.0 0.0 0.0 0.0 0.0 0.0		0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0			• • • • • • • • • • • • • • • • • • • •			0.0 0.0 0.0 0.0 1237.0 1237.0 1237.0 3107.0 3305.0 3404.0 4107.0 4107.0 4109.0 4223.0	
•	· · · · · ·	95.0	• • •	39.	٠.	•	0.0				 0.0	•		o ;							0.0		0.0		3300.0	

DAMAGE REACH NO. 6 DAMAGE REACH CODE RCH 6

STANLEY COUNTY, DOWNSTREAM OF FORT PIERRE

ELEVATION - AREA FLOODED (IN ACRES) DAMAGE CATEGORIES

	**********	*********	***********	********	*********	********	***********		*********	**********
	WATER SURFACE SLEVATIONS	<u> i) : (.</u>	2 : 3 2) : (3)	(4)	6 (-1)	6 (-1)	7 · (-1)	1) (-1)	10 { -1}	TOTAL
***********	0.0 = 10.0 = 20.0 = 30.0 = 40.0 = 60.0 = 70.0 = 100.0 = 110.0	0.0 * 0.0 * 0.0 * 0.0 * 578.0 * 580.0 * 580.0 * 580.0 *	0.0 * 0.0 0.0 * 0.0 0.0 * 0.0 0.0 * 0.0 0.0 * 607.0 0.0 * 607.0 0.0 * 753.0 0.0 * 752.0 0.0 * 785.0	0.0	0.0 9	0.0	0.0 * 0.0 *	0.0 0 0.0 0.0 0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 • 0.0 • 0.0 • 0.0 • 1040.0 • 1284.0 • 1333.0 • 1362.0 • 1375.0 • 1386.0 •
* * * * * * * * * * *	120.0 = 130.0 = 140.0 = 150.0 = 180.0 = 170.0	580.0 * 580.0	0.0 * 810.0 0.0 * 810.0 0.0 * 810.0 0.0 * 810.0 0.0 * 810.0 0.0 * 810.0	0.0 0.0 0.0	0.0	0.0	0.0 * (0.	0.0 * 0.0 0.0 * 0.0 0.0 * 0.0 0.0 * 0.0 0.0 * 0.0	0.0 7 0.0 9 0.0 9 0.0 9 0.0	1390.0 • 1390.0 • 1390.0 • 1390.0 • 1390.0 •

DAMAGE REACH NO. 7 DAMAGE REACH CODE RCH 7

HUGHES COUNTY, DOWNSTREAM OF PIERRE

ELEVATION - AREA FLOODED (IN ACRES)
DAMAGE CATEGORIES

	WATE SURFA ELEVAT	ČE .	(1)	,	(2 2)	•	3		4			5 -1)	:	6 (-1)		(:1)	:	(-1)	. (-1)	. (10 -1)	ΤO	TAL	
*************	10 20 30 40 80 80 70 80 100 110 120 130 140		9. 14. 16. 789. 1775. 2615. 3459. 3984. 4446. 4590. 4780. 4855. 4836. 5048. 5048.	0000000000000		0.0000000000000000000000000000000000000		1. 250. 621. 1196 166C. 2245. 3316. 4360. 5270. 6030. 6942. 7791. 8386. 8875.	••••••••••••		000000000000				0.0 0.0 0.0 0.0 0.0 0.0 0.0		0.0 0.0 0.0 0.0 0.0 0.0		0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	•	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		0.0	1 2 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	10.0 15.0 17.0 039.0 396.0 611.0 1119.0 1229.0 957.0 956.0 610.0 797.0 7727.0 434.0	
:	180 170		5190. 5226. 4524.	0		0.0	:	9190. 9373. 3859.	ō·	Ŏ	0	•	0.0	. . .	0.0	•		•	0.0	•	0.0 0.0	•	0.0	14	380.0 589.0	•
•	(2000				•		•		•			•		•		•		•		•		•		•		•

DAMAGE REACH NO. . 8 DAMAGE REACH CODE RCH &

STANLEY COUNTY, DS OF REACH \$

ELEVATION - AREA FLOCOED (IN ACRES) DAMAGE CATEGORIES

								*********			**********
	WATER SURFACE SELEVATION (1 . (2 2) (3 3) • (4 4) (-1) (.1) (7 -1) (-1) (9 10 -1) (-1)	TOTAL
:	0.0	0.0	0.0	3.0 · 3.0 ·	0.0 •	0.0	0.0	0.0 • 0.0 •	0.0	0.0 • 0.0	3.0 *
:	20.0 * 30.0 * 40.0 *	0.0 • 0.0 • 0.0 •	0.0 ° 0.0 ° 0.0 ° 1!	3.0 * 3.0 * 511.0 *	0.0 •	0.0 * 0.0 * 0.0 *	0.0 * 0.0 *	0.0 * 0.0 *	0.0 • 0.0 •	0.0 • 0.0 0.0 • 0.0	* 3.0 *
:	50.0 * 60.0 *	0.0	0.0 - 24	403.0 * 828.0 *	0.0	0.0 • 0.0 •	0.0	0.0	0.0	0.0 * 0.0	2403.0
:	70.0 • 80.0 •	0.0	0.0 * 3	100.0 * 361.0 *	0.0	0.0	0.0	0.0	0.0	0.0 * 0.0	* 3361.0 *
:	90.0 * 100.0 * 110.0 *	0.0 * 0.0 *	0.0 * 41	870.0 * 111.0 * 327.0 *	0.0 • 0.0 •	0.0 0.0 0.0	0.0	0.0 • 0.0 • 0.0 •	0.0 • 0.0 •	0.0 • 0.0 0.0 • 0.0	4111.0 *
:	120.0 * 130.0 *	0.0	0.0 • 40	499.0 * 802.0 *	0.0	0.0	0.0	0.0	0.0	0.0 • 0.0	* 4802.0 *
:	140.0 * 150.0 * 160.0 *	0.0 * 0.0 *	0.0 * 40	841.0 * 853.0 * 854.0 *	0.0 • 0.0 •	0.0 * 0.0 * 0.0 *	0.0 • 0.0 • 0.0 •	0.0 * 0.0 * 0.0 *	0.0 • 0.0 •	0.0 • 0.0 0.0 • 0.0	4663.0 *
:.	170.0 *	0.0 -	0.0 * 40	854.0 *	0.0 •	0.0 *	0.0 •	0.0 •	0.0 *	0.0 * 0.0	************
:	00.0	0.0	0.0 2 3	567.0	0.0 :	0.0	0.0	0.0	0.0	0.0 0.0	3567.0

DAMAGE REACH NO. 9 DAMAGE REACH CODE RCH 9

LOWER BRULE RESERVATION, STANLEY COUNTY

ELEVATION - AREA FLOODED (IM ACRES) DAMAGE CATEGORIES

** 0.0 * 0.0	WATER SURFACE LEVATION		(1)	•	(²)	•	3 (3)	.(4)	5 (-1)	 6	:	· ·1)		(-1)	(• •1)	(10 -1)	•	TOTAL
	 10.0 20.0 30.0 40.0 50.0 70.0 80.0 100.0 110.0 130.0 140.0 150.0 170.0	****	0.0 635.0 1730.0 2281.0 2823.0 3274.0 3374.0 3374.0 3374.0 3374.0 3374.0 3374.0		0.0 0.0 3.0 225.0 425.0 464.0 464.0 464.0 464.0 464.0 464.0 464.0 464.0		0.0 1628.0 2332.0 2820.0 3189.0 3366.0 3549.0 3719.0 3780.0 3803.0 3814.0 3822.0 3831.0 3838.0 3844.0	• • • •	0.00	 0.0	 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	**********	0.0	*************	0.0		0.00	•	0.0		0.0 0.0 2264.0 4287.0 5367.0 6437.0 7104.0 7567.0 7618.0 7641.0 7662.0 7660.0 7676.0 7682.0 7682.0

DAMAGE REACH NO. 10 DAMAGE REACH CODE RCH 10

CROW CREEK RESERVATION, HUGHES COUNTY

ELEVATION - AREA FLOODED (IN ACRES) DAMAGE CATEGORIES

				••											••					*****				•••	***			 			**		*****		,
٠		ATER		•						•			•		٠			•	•		•			•			٠		•			•		•	•
•		RFAC		•		•			•	٠	3		•	4	•		6	•	•			,	7					•	•	10		•	TOTAL	•	
		VATI			,	i.					(3		• /	41		,	-11			-11			. 11	٠		٠		ň		(-i)				•	
	ErE	10:1	-		1				٠						••	·		•••	٠		•			•••			••	 			••			•••	
-			_	•			•		0.0	•		۰0.		0.0		,	0.			0.0			0.0			0.0		 0.0	•	^	٥	•		0 '	
•		٠.		-		0.0				-																									
•		10.		•		<u>0</u> .0			0.0	•		••		0.0			0.			0.0			Q.Q			0.0		<u>o.o</u>			0			9 9	
•		20.		•		6.0			3.0	•	1569		•	0.0			0.0			0.0			0.0			0.0		0.0			0		2513.		
•		30.	0	•	236	3.0	•	293	2.0	•	3027			0.0			0.			0.0			0.0	•		0.0		0.0			0		5002.		
•		40.	0	٠	406	0.0	•	431	.0	•	3724	۰ 0.	•	0.0	•		0.0	0 '	•	0.0	•	,	0.0	•		0.0	•	0.0	•	0.	0	•	8215.	9 '	*
•		50.	٥		558	3.0	•	534	1.0	•	4384	۰0.	•	0.0	•		0.	0 '	•	0.0	•	,	0.0	٠		0.0		0.0	•	0.	0	•	10461.	0 '	•
•		60.		•	755			62	r.ō	•	5017	٠ō٠	•	0.0			0.	0 '	•	0.0	•	•	0.0	•		0.0		ō.ō		Ó.	0	•	13194.	0 '	٠
		70.		•	887				o.c	•	5422		•	0.0			0.			0.0			0.0			0.0		õ.õ			ō		15005.		
		80.			1011				i.ŏ	٠	6056			0.0			ō.			ŏ.č			0.0			0.0		ŏ.ŏ			ŏ		18977		
		SO.			1141			98			6391			ŏ.ŏ			ā.			ă. č			ă.ă			0.0		ŏ.ŏ		ŏ.			18793.		
-									i.ŏ	•	6568			0.0			ŏ.			ŏ.č			ŏ.ŏ			0.0					ŏ	•	19420.		
-		100.			1186					-							ŏ.											<u>o</u> .o			ŏ		19882		
•		110.			1198				1.0	-	8689		-	0.0						0.0			0.0			0.0		0.0							
•		120.			1207				1.0	•	6777			0.0			0.			0.0			0.0			0.0		0.0			Ō		19630.		
•		130.			1214				1.0	•	8871			0.0			0.			0.0			0.0			0.0		0.0			0		20004.		
•		140.	.0	•	1220	2.0	•	98	1.0	•	8973		•	0.0			Ø.			0.0			0.0	•		0.0	•	0.0	•		0		20150.		
•		150.	٥	٠	1222	1.0	٠	984	1.0		7046	۰0.	•	0.0			0.	0 '	•	0.0	•	•	0.0	•		0.0	•	0.0	٠	٥.	0	•	20261.	۰ 0	٠
٠		160	ō	٠	1224	5.0		98	1.0	•	7069	٠.	•	0.0			0.	۰ ۵	•	0.0	•	•	0.0	٠		0.0		0.0	٠	0.	0	٠	20298.	0	٠
					1227				i.ŏ	•	7071		•	ō.ŏ			Ŏ.			0.0			ă.ŏ			0.0		õ.õ			Ď		20320.		
٠.			· • •	٠.			٠.					Ξ.			٠.		:	Ξ.		• • • • • •	٠						٠.	 			٠.				
		83.	o.	•	1065	4.0	٠	96	3.0	•	6188	٥.	•	0.0			0.	Ò	•	0.0		•	0.0	•		0.0		0.0	•	٥.	0	•	17805.	0	
• (2	OOK					٠			•	-,		•				•	٠,	•	•••		•		•			•		•	-	-	•		- 4	
:			'.	••			• •								••			•••		*****				•••				 	•••		••		******	•••	

DAMAGE REACH NO. 11 DAMAGE REACH CODE RCH 11

LOWER BRULE RESERVATION, LYMAN COUNTY

ELEVATION - AREA FLOODED (IN ACRES) DAMAGE CATEGORIES

:	WATE SURFA ELEVAT	CE .	(; [1)		. (2 2)		3 (3)	•	(4)		5 (·1)		(-1)	•	, 7 (·1)	(-1)	(-1)	10 (-1)	TOTAL	
	10 20 30 40 50 60 70 80 100 110	0.0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0. 526. 3184. 5951. 7537. 8749. 9722. 0853. 1758. 3452. 4509. 5469. 55489.	000000000000	• • • • • • • • • • •	0.0 0.0 3.0 73.0 144.0 240.0 240.0 240.0 240.0 240.0 240.0 240.0		70.0 58.0 917.0 2009.0 3117.0 4285.0 5579.0 7292.0 9184.0 11554.0 13510.0 14978.0 16390.0	•		***********	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	* * * * * * * * * * * *	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		0.0		0.00	0.0	0.00	* 4104.0 * 8033.0 * 10798.0 * 13247.0 * 15541.0 * 21182.0 * 25248.0 * 26289.0 * 30289.0 * 31508.0 * 32626.0	•••••
	160 170	.0	1	6844. 7212. 7590.	0		240.0 240.0 240.0	•	16958.0 17131.0 17278.0 9891.0		0.0 0.0 0.0		0.0 0.0 0.0	:	0.0 0.0 0.0	•	0.0		0.0	0.0	0.0	* 34583.0	:

DAMAGE REACH NO. 12 DAMAGE REACH CODE RCH 12

CROW CREEK RESERVATION, HYDE COUNTY

ELEVATION - AREA FLOCOED (IN ACRES)

			•••			••					•••								 		••••								••	 	 			****	****	
	WA' SURI			.1.	1)_			2)	:	١	3		.1.	4		(5	:	6		: (7	7		(8 -1)	•	 e -1)	. [10 -1)		T	OTAL	
*******	10 11 11 11 11 11 11 11 11 11 11 11 11 1	0.0 10.0 20.0 30.0 40.0 50.0 80.0 90.0 10.0 20.0 40.0 50.0	*******		146 62 77 98 148 258 326 473 553 695 753	00000000	************		0000000000000000	000000000000000000000000000000000000000			0. 0. 0. 0. 0. 2. 10. 23. 35. 35. 35. 35.	0000000000000000		0.0000000000000000000000000000000000000	000000000000000	******		* * * * * * * * * * * * * * * * * * * *	0.000	000000000000000	****			**********				0.00		0.000	000000000000000000000000000000000000000		0. 0. 14, 46. 62. 77. 100. 159. 231. 287. 364. 441. 506. 566. 662. 730. 788.	0000000000000000
• • •		70.0 83.0 OK	; :	• • •	222	• •		• • • •		0.0	• • •		36 27	•••		• • • •	0	• • •	 0.0			0			0.0			0.0		 0.0	 • • •	0.	• •		\$30 249	•

DAMAGE REACH NO. 13 DAMAGE REACH CODE RCH 13

CROW CREEK RESERVATION, SUFFALO COUNTY

ELEVATION - AREA FLOODED (IN ACRES) DAMAGE CATEGORIES

														-	- ·	1500	W1E	·	 											
:	WATER SURFAC ELEVATI	E .	(2			())):.	: (4			5 -1)		٠	6	(-1	,	. (• • • • •)		-1)	:	10 (-1)		TOTAL	
	0. 10. 20. 30. 40. 50. 60. 70. 80. 110. 120. 130. 140, 150.	***************	185 202 321		• • • • • • • • • • • • • • • • • • • •	000000000000000000000000000000000000000	0000000000000000		: ((((((((((((((((0. 0. 0. 0.	. 000000000000000			************	••••	0.0000000000000000000000000000000000000					000000000000000000	***			0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	• • • • • • • • • • • • • • • • • • • •	0.0 182.0 202.0 337.0 632.0 1486.0 9047.0 10372.0 10009.0 10725.0 10844.0 10844.0	• • • • • • • • • • • • • • • • • • • •
	83. 200K	•	6502	2.0	:	0	0	•	2971	0.0		0.	0		0.	•	••••	0.0		0.0	:	0	.0	•	0.0		0.0	•	9481.0):

SINGLE EVENT DAMAGES

AGGREGATED	DAMAGE	REACH	NO.	1	200K	EVENT

AGGREGATED DAMAGE CATEGORIES

																																	*****	•
	DAM RCH		W.E		•	1		•	2		:	3		:	4		•	8		••••	•		7	,			:		1	•	10	•	TOTAL	:
•	1 2 8 7 8 9 10 11 12 13	• • • • • • • • • • • • • • • • • • • •	83 83 83 83	00 00 00 00 00 00	* 58 * 3:	332	.60 .30 .50	•	0000000	00 00 00 00 00 00 00	•	00000000	.00		0.0000000000000000000000000000000000000	00 00 00 00 00 00 00	• • • • • • • • • • • • • • • • • • • •	0.00 0.00 0.00 0.00 0.00 0.00	••••••		0.00 0.00 0.00 0.00 0.00 0.00 0.00		0.00.00.00.00.00.00.00.00.00.00.00.00.0	00 00 00 00 00 00 00		0.00 0.00 0.00 0.00 0.00 0.00 0.00	• • • • • • • • • • • • • • • • • • • •	0.	00 00 00 00 00	•	0.00 0.00 0.00 0.00 0.00 0.00	* 58	166.60 1066.30 1781.50 1332.50	•
•		TOT	AL.		***	•	•••	•	0	00	•	0	.00	•	0.	00	•	0,00	:		0.00	•	0.	00	•	0.00	•	0.	00	•			*****	


END OF RUN DAMCAL PROGRAM STOP


Elapsed CPU time is


302 seconds or 5.033 minutes.


C-4. HEC-DSS Displays


The following displays are output from HEC-DAMCAL into HEC-DSS.






































APPENDIX D HEC-PBA DATA

APPENDIX D

HEC-PBA DATA

Table of Contents

Section	Pe	age
D-1. D-2. D-3. D-4.	HEC-PBA Input - Preprocessor and Analysis Program Input Files HEC-PBA Input - Crop Loss Functions HEC-PBA Input - Flood Hydrographs HEC-PBA Output - Preprocessor and analysis Programs	81 84 89 93
	Figures	
D-1. D-2. D-3. D-4. D-5. D-6. D-7.	Sorghum Crop Loss Function Oats Crop Loss Function Corn Crop Loss Function Wheat Crop Loss Function Regulated Stage Hydrograph at Gage 3 Regulated Stage Hydrograph at Gage 4 Regulated Stage Hydrograph at Gage 11	85 86 87 88 90 91

APPENDIX D

HEC-PBA DATA

D-1. HEC-PBA Input - Preprocessor and Analysis Program Input Files


Preprocessor Program Input Data


```
T1 MISSOURI RIVER
T2 OAHE DAM TO BIG BEND DAM IN SOUTH DAKOTA
T3 TEST DATA JUNE 1992
.11
BD OMAHA OMAHA DISTRICT
      SD SOUTH DAKOTA
BS
    HUGH HUGHES COUNTY
BC
    STAN STANLEY COUNTY
BC
BC
    LYMN LYMAN COUNTY
BC
    HYDE HYDE COUNTY
    BUFF BUFFALO COUNTY
BC
    SUBA OPEN RIVER
SUBB LAKE SHARPE
BB
BB
    CROW CRW RESERVATION
BB
    LBRU LBR RESERVATION
BB
    MISS MISSOURI RIVER
BG CONG1 REP TIM JOHNSON
    PIER PIERRE
вх
    FTPR FORT PIERRE
BX
    LOWB LOWER BRULE
BX
BX
    FTTM FORT THOMPSON
    CHAM CHAMBERLAIN
BX
           GAGE 3
GA
ZH
         MISSOURI
                             GAGE 3
                                                 1DAY
                                                             REGULATED
GA
           GAGE 4
         MISSOURI
                            GAGE 4
                                                 1DAY
ZH
                                                             REGULATED
GA
          GAGE 11
        MISSOURI
                                                 1DAY
ZH
                           GAGE 11
                                                             REGULATED
CR WHEAT
               28
                    BUSHEL
                               3.15
                                       16.00
                                                    5
                                                         SPRING WHEAT
CS WHEAT
               90
                       115
                                140
ZC A=SOUTH DAKOTA B=WHEAT C=DAY-LOSS E=1992
CD
               1
                         3
                                 7
   CORN
               91
                    BUSHEL
                               2.20
                                       28.00
                                                                  CORN
CR
CS
   CORN
              120
                       145
                                165
ZC A=SOUTH DAKOTA B=CORN C=DAY-LOSS E=1992
CD
               50
                    BUSHEL
                               1.20
                                       23.00
CR
    OATS
                                                                  OATS
               90
                       127
                                145
CS
    OATS
ZC A=SOUTH DAKOTA B=OATS C=DAY-LOSS E=1992
CD
       0
                1
                         3
    MILO
               41
                    BUSHEL
                               2.04
                                                    5
                                                               SORGHUM
CR
    MILO
              125
                                180
CS
                       161
ZC A=SOUTH DAKOTA B=SORGHUM C=DAY-LOSS E=1992
                         3
                         O HUGHES COUNTY, US OF PIERRE
DR RCH 1
           GAGE 3
DB OMAHA
                      HUGH
               SD
                                                        CONG1
   OAHE OAHE RESERVOIR
FS
      40
ZR A=MISSOURI B=RCH 1 C=ELEVATION-CURVES E=1992 F=AG-EXISTING
CP WHEAT
```


```
CP
    CORN
               36
CP
    OATS
               14
CP
    MILO
               10
                       O STANLEY COUNTY, US OF FORT PIERRE
TAN MISS SUBA CONG1
          GAGE 4
DR RCH 2
DB OMAHA
               SD
                     STAN
    OAHE OAHE RESERVOIR
DS
FS
      40
ZR A=MISSOURI B=RCH 2 C=ELEVATION-CURVES E=1992 F=AG-EXISTING
CP
   WHEAT
               29
CP
    OATS
               21
CP
    MILO
               50
          GAGE 3
                         O CITY OF PIERRE
DR RCH 3
DB OMAHA
               SD
                     HUGH
                                      MISS
                                               SUBA
                                                       CONG<sub>1</sub>
    OAHE OAHE RESERVOIR
DS
FS
      66
ZR A=MISSOURI B=RCH 3 C=ELEVATION-CURVES E=1992 F=URBAN-EXISTING
              180 RESIDENTIAL
UC
     RES
     COM
              180 COMMERCIAL
UC
UC
     IND
              180 INDUSTRIAL
              180 PUBLIC WORKS
UC
     PUB
UC
   OTHER
               30 OPEN SPACE
                        O CITY OF FORT PIERRE
          GAGE 4
DR RCH 4
DB OMAHA
               SD
                     HUGH
                                      MISS
                                               SUBA
                                                       CONG<sub>1</sub>
    OAHE OAHE RESERVOIR
DS
FS
      40
ZR A=MISSOURI B=RCH 4 C=ELEVATION-CURVES E=1992 F=URBAN-EXISTING
              180 RESIDENTIAL
UC
     RES
UC
     COM
              180 COMMERCIAL
UC
     IND
              180 INDUSTRIAL
              180 PUBLIC WORKS
     PUB
UC
   OTHER
               30 OPEN SPACE
UC
                        O STANLEY COUNTY DS OF FORT PIERRE
          GAGE 4
DR
   RCH 6
DB OMAHA
               SD
                     STAN
                                      MISS
                                               SUBA
                                                       CONG1
    OAHE OAHE RESERVOIR
DS
FS
      40
ZR A=MISSOURI B=RCH 6 C=ELEVATION-CURVES E=1992 F=AG-EXISTING
CP WHEAT
               29
CP
    OATS
               21
    MILO
CP
               50
DR RCH 7 GAGE 11
                         O HUGHES COUNTY, DS OF PIERRE
                     HUGH
   OMAHA
               SD
                                      MISS
                                               SUBB
DB.
                                                      CONG1
    OAHE OAHE RESERVOIR
DS
FS
      20
ZR A=MISSOURI B=RCH 7 C=ELEVATION-CURVES E=1992 F=AG-EXISTING
CP WHEAT
               18
CP
    CORN
               36
CP
    OATS
               14
CP
    MILO
               10
                        O STANLEY COUNTY, DS OF FORT PIERRE
AN MISS SUBB CONG1
DR RCH 8 GAGE 11
                     STAN
DB OMAHA
               SD
    OAHE OAHE RESERVOIR
DS
FS
      30
   A=MISSOURI B=RCH 8 C=ELEVATION-CURVES E=1992 F=AG-EXISTING
ZR
CP
   WHEAT
               29
CP
    OATS
               21
CP
    MILO
DR RCH 9 GAGE 11
                         O LOWER BRULE RESERVATION, STANLEY COUNTY
               SD
                    STAN
                                      MISS
                                             LBRU
DB OMAHA
                                                       CONG1
    OAHE OAHE RESERVOIR
DS
FS
      20
ZR A=MISSOURI B=RCH 9 C=ELEVATION-CURVES E=1992 F=AG-EXISTING
  WHEAT
               29
CP
CP
    OATS
               21
CP
  MILO
               50
DR RCH10 GAGE 11
                         O CROW CREEK RESERVATION, HUGHES COUNTY
```


```
DB OMAHA
              SD
                    HUGH
                                      MISS
                                              CROW
                                                      CONG1
DS OAHE OAHE RESERVOIR
FS
      10
ZR A=MISSOURI B=RCH 10 C=ELEVATION-CURVES E=1992 F=AG-EXISTING
CP WHEAT
              18
CP
               36
    CORN
CP
    OATS
               14
CP
    MILO
               10
DR RCH11 GAGE 11
                       O LOWER BRULE RESERVATION, LYMAN COUNTY
                   LYMN
                                              LBRU'
DB OMAHA
                                      MISS
              SD
                                                     CONG1
DS
    OAHE OAHE RESERVOIR
FS
ZR A=MISSOURI B=RCH 11 C=ELEVATION-CURVES E=1992 F=AG-EXISTING
CP
               16
    CORN
CP
    OATS
               17
CP
    MILO
               67
                       O CROW CREEK RESERVATION, HYDE COUNTY DE MISS CROW CONG1
DR RCH12 GAGE 11
                   HYDE
DB OMAHA
              SD
DS OAHE OAHE RESERVOIR
FS
ZR A=MISSOURI B=RCH 12 C=ELEVATION-CURVES E=1992 F=AG-EXISTING
               29
CP WHEAT
CP
    OATS
               36
CP
    MILO
               17
                        O CROW CREEK RESERVATION, BUFFALO COUNTY
FF MISS CROW CONG1
DR RCH13 GAGE 11
                    BUFF
DB OMAHA
              SD
DS OAHE OAHE RESERVOIR
FS
ZR A=MISSOURI B=RCH 13 C=ELEVATION-CURVES E=1992 F=AG-EXISTING
CP WHEAT
               14
CP
    CORN
               39
CP
               12
    OATS
CP
    MILO
               25
EJ
```

D-2. HEC-PBA Input - Crop Loss Functions












D-3. HEC-PBA Input - Flood Hydrographs







D-4. HEC-PBA Output - Preprocessor and Analysis Programs

Preprocessor Program Output Data

A STAGE SALLER BRAINER BRAINERS ASSESSED ASSESSED	
SEPTEMBER 1991 VERSION 1.00	U.S. ARMY CORPS OF ENGINEERS THE HYDROLOGIC ENGINEERING CENTER 809 SECOND STREET, SUITE D DAVIS, CALIFORNIA 96618 (916) 756-1104 FAX (916) 756-8250



MISSOURI RIVER OAHE DAM TO BIG BEND DAM IN SOUTH DAKOTA

```
BD RECORD - COE DISTRICT
BD OMAHA OMAHA DISTRICT
BS RECORD - STATE
BS SD SOUTH DAKOTA
BC RECORD - COUNTY
BC HUGH HUGHES COUNTY
BC STAN STANLEY COUNTY
BC LYMN LYMAN COUNTY
BC HYDE HYDE COUNTY
BC BUFF BUFFALO COUNTY
BB RECORD - SUB-BASIN
BB SUBA OPEN RIVER
BB SUBB LAKE SHARPE
BB CROW CRW RESERVATION
BB LBRU LBR RESERVATION
BW RECORD - WATERSHED
BW MISS MISSOURI RIVER
BG RECORD - CONGRESSIONAL DISTRICT
BG CONGI REP TIM JOHNSON
BX RECORD - COMMUNITY
BX PIER PIERRE
BX FTPR FORT PIERRE
BX LOWB LOWER BRULE
BX FITM FORT THOMPSON
BX CHAM CHAMBERLAIN
GA RECORD - GAUGE MAME
GA GAGE 3
ZH RECORD - HYDROGRAPH DATA - DSS PATHMAME
ZH MISSOURI GAGE 3 10AY
                                                                                                                REGULATED
GA RECORD - GAUGE NAME
GA GAGE 4
ZH RECORD - HYDROGRAPH DATA - DES PATHMAME
ZH MISSOURI GAGE 4 1DAY
                                                                                                                REGULATED
GA RECORD - GAUGE NAME
GA GAGE 11
ZH RECORD - HYDROGRAPH DATA - DSS PATHMAME ZH MISSOURI GAGE 11 1DAY
                                                                                                                REGULATED
```

CR RECORD - CROP DEFINITION
CR WHEAT 28 BUSNEL 3.15 16.00 5 SPRING WHEAT CS RECORD - SEASONAL CROP VARIABLES CS WHEAT 90 115 140

115.00 LAST DATE TO PLANT WITHOUT LOSS OF YIELD 90.00 FIRST DATE TO PLANT 140.00 LAST DATE TO PLANT 7.00 DAYS

FULYLD = FSTPLT = LSTPLT = DRYOUT =

ZC Record - Crop Data - DSS Pathname ZC A=SOUTH DAKOTA B=WHEAT C=DAY-LOSS E=1992

CHOPID =
CYA =
CUP =
HRVCST =
ADLOSS =
FULYLD =
LSTPLT =
DRYOUT =
CRPTIT =

WHEAT CROP NAME
28.00 YIELD PER UNIT AREA
3.15 UNIT PRICE
18.00 HARVEST COST \$ PER ACRE
0.050 OTHER AGRICULTURAL LOSS FACTOR
115. LAST DATE TO PLANT
7.0 DAYS
8PRING WHEAT

CROP LOSS TABLE (PERCENT LOSS VALUES)

PERSONAL LAND BY PLAND DIRECTION (DAVID)

OATE	DAY OF YEAR	LOSS (%)	REDUCED YIELD (%)	0.0	PERCENT 1.0	3.0	7.0	(DAYS)
31 MARCH 20 MAY 19 JUNE 1 JULY 25 JULY 30 AUG	90. 140. 170. 182. 208. 242.	0.0 100.0 100.0 100.0 60.0	0.0 0.0 60.0 60.0 60.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 75.0 100.0 100.0	0.0 25.0 100.0 100.0 100.0	0.0 50.0 100.0 100.0 100.0	
DATE	DAY OF YEAR	POTENTIAL LOSS (\$)	REDUCED YIELD (\$)	CROP LOS	•			(DAYS) PER ACRE
31 MARCH 20 MAY 19 JUNE 1 JULY 25 JULY 30 AUG	90. 140. 170. 182. 206. 242.	0.00 72.20 72.20 72.20 43.32 0.00	0.00 0.00 43.32 43.32 43.32 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 54.15 72.20 43.32 0.00	0.00 18.05 72.20 72.20 43.32 0.00	36.10 72.20 72.20 43.32	

CR RECORD - CROP DEFINITION 2.20 28.00 5 CORM

CS RECORD - SEASONAL CROP VARIABLES 10 145 106 10

FULYLD = 145.00 LAST DATE TO PLANT WITHOUT LOSS OF VIELD 15TPLT = 185.00 LAST DATE TO PLANT LOSS OF VIELD 15TPLT = 185.00 LAST DATE TO PLANT 10.00 DAYS 10.00 DAYS 10.00 DAYS

2C Record - Crop Data - DSS Pathname 2C A=SOUTH DAKOTA B=CORN C=DAY-LOSS E=1992

| CROPID = | CORN CROP NAME | 91.00 YIELD PER UNIT AREA | 2.20 UNIT PRICE | 28.00 HARVEST COST \$ PER ACRE | ADLOSS = 0.050 OTHER AGRICULTURAL LOSS FACTOR | LSTPLT = 145. LAST DATE TO PLANT UTHOUT LOSS OF YIELD | CORN |

CROP LOSS TABLE (PERCENT LOSS VALUES)

DATE	DAY OF YEAR	POTENTIAL LOSS (%)	REDUCED YIELD (%)	0.0	PERCENT 1.0	3.0	FLOOD OURATION 7.0	(DAYS)
30 APRIL 14 JUNE 11 JULY 15 SEPT 11 OCT 19 NOV	120. 165. 192. 258. 264. 323.	0.0 100.0 100.0 100.0 80.0 0.0	0.0 0.0 60.0 60.0 60.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.0 50.0 100.0 100.0 100.0	0.0 75.0 100.0 100.0 100.0	

CROP LOSS TABLE (DOLLAR LOSS VALUES)

DATE	DAY OF YEAR	POTENTIAL LOSS (\$)	REDUCED YIELD (\$)	0.0	DOLLAR 1.0	1.068 BY FLO 3.0	7.0	(DAYS) PER ACRE
			***************************************	••••	••••		••••	
30 APRIL	120.	0.00	0.00	0.00	0.00	0.00	0.00	
14 JUNE	165.	172.20	0.00	0.00	0.00	88.10	129.15	
11 JULY	192.	172.20	103.32	0.00	0.00	172.20	172.20	
15 SEPT	258.	172.20	103.32	0.00	0.00	172.20	172.20	
11 OCT	284.	103.32	103.32	0.00	0.00	103.32	103.32	
19 NOV	323.	0.00	0.00	0.00	0.00	0.00	0.00	

```
CR RECORD - CROP DEFINITION
CR OATS 50 BUSHEL 1.20 23.00 5 OATS

CS RECORD - SEASONAL CROP VARIABLES
CS OATS 90 127 145 7

FULYLO = 127.00 LAST DATE TO PLANT WITHOUT LOSS OF YIELD
PSTPLT = 90.00 FIRST DATE TO PLANT
LSTPLT = 145.00 LAST DATE TO PLANT
DRYOUT = 7.00 DAYS

CROPID = CATS CROP NAME
CYA = 50.00 YIELD PER UNIT AREA
CUP = 1.20 UNIT PRICE
HAYCST = 23.00 MARVEST COST $ PER ACRE
ADLOSS = 0.050 OTHER AGRICULTURAL LOSS FACTOR
FULYLO = 127. LAST DATE TO PLANT WITHOUT LOSS OF YIELD
LSTPLT = 145. LAST DATE TO PLANT
ORYOUT = 7.0 DAYS

CRPTIT = 0ATS
```

2000	1 000	TADIE	/PERCENT	1000	

	DATE	DAY OF YEAR	POTENTIAL LOSS (%)	REDUCED YIELD (%)	0.0	PERCENT 1.0	1.068 BY	FLOOD DURATION (DAYS)
25 27 1 21	MARCH MAY JUNE JULY JULY AUG	90. 145. 178. 182. 202. 232.	0.0 100.0 100.0 100.0 60.0 0.0	0.0 0.0 60.0 60.0 60.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 75.0 100.0 100.0 100.0	0.0 25.0 100.0 100.0 100.0	0.0 50.0 100.0 100.0 100.0 100.0

CROP LOSS TABLE (DOLLAR LOSS VALUES)

DATE	DAY OF YEAR	POTENTIAL LOGS (\$)	REDUCED YIELD (\$)	0.0	1.0	LOSS BY FLOOR	7.0	(DAYS)	PER ACRE
31 MARCH 25 MAY 27 JUNE 1 JULY 21 JULY 20 AUG	90. 145. 178. 182. 202. 232.	0.00 37.00 37.00 37.00 22.20 0.00	0.00 0.00 22.20 22.20 22.20 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 27.75 37.00 22.20 0.00	0.00 9.25 37.00 37.00 22.20 0.00	0.00 18.50 37.00 37.00 22.20 0.00		

```
CR RECORD - CROP DEFINITION
CR WILO 41 BUSHEL 2.04 18.00 5 SORGHUM

CS RECORD - SEASONAL CROP VARIABLES
CS WILD 125 181 180 7

FULYLD = 161.00 LAST DATE TO PLANT WITHOUT LOSS OF VIELD
FSTPLT = 125.00 FIRST DATE TO PLANT
LSTPLT = 180.00 LAST DATE TO PLANT
DRYOUT = 7.00 DAYS

CR RECORD - Crop Data - DES Pathname
2C A=SOUTH DAKOTA B=SORGHUM C=DAY-LOSS E=1892

CROPID = WILO CROP NAME
CYA = 41.00 YIELD PER UNIT AREA
CUP = 2.04 UNIT PRICE
HRYCST = 18.00 MARVEST COST & PER ACRE
DLOSS = 0.050 OTHER AGRICULTURAL LOSS FACTOR
FULYLD = 181. LAST DATE TO PLANT
DRYOUT = 7.0 DAYS

CRPTIT = SORGHUM

SORGHUM

SORGHUM

SORGHUM

SORGHUM

CRAPTIT = SORGHUM

SORGH
```

cone			-		
	1.62636	TABLE	(PERCENT	LOGG	VALUES

								,	
	DATE	DAY OF YEAR	POTENTIAL LOSS (%)	REDUCED YIELD (%)	0.0	PERCENT 1.0	3.0	FLOOD DURATION 7.0	(DAYE)
29 1 5 5	MAY JUNE AUG SEPT OCT NOV	125. 180. 213. 248. 278. 323.	0.0 100.0 100.0 100.0 80.0 0.0	0.0 0.0 80.0 80.0 60.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 75.0 100.0 100.0	0.0 25.0 100.0 100.0 100.0	9.0 50.0 100.0 100.0 100.0	

CROP LOSS TABLE (DOLLAR LOSS VALUES)

DATE	YEAR	LOSS (\$)	REDUCED YIELD (\$)	0.0	1.0	1.068 BY FLOX	DURATION 7.0	(DAYS)	PER ACRE	
5 MAY 29 JUNE 1 AUG 5 SEPT 5 OCT 19 NOV	125. 180. 213. 248. 278. 323.	0.00 65.64 65.64 65.64 39.38 0.00	0.00 0.00 39.38 39.38 39.38	0.00 0.00 0.00 0.00 0.00	0.00 0.00 49.23 65.64 39.38 0.00	0.00 16.41 65.64 85.64 39.38 0.00	0.00 32.82 85.64 65.64 39.36 0.00			

WATER RESOURCE UNIT DR RCH 1 GAGE 3

O HUGHES COUNTY, US OF PIERRE

WRUID = GAGE 3

CELTEL = GAGE 3

O.00 GAUGE ELEVATION OFFSET WRUITIT = HUGHES COUNTY, UR OF PIERRE

WATER RESOURCE UNIT BOUNDARY SPECIFICATIONS DB OMAHA 80 HUGH NISS SUBA CON31

DIST = STATE = COUNTY = WATSHD = SUBASN = CONG =

OMAHA COE DISTRICT 80 Hugh Miss Watershed 808A Subbasin Cong1 Congressional District

DS RECORD - RESERVOIR PROJECT
DS QAME DAHE RESERVOIR
RESID - DAME RESERVOIR PROJECT ID
RESIT - DAME RESERVOIR RESERVOIR PROJECT TITLE

FS RECORD - FLOOD STAGE ELEVATION FS 40

ZR RECORD - REACH DATA - DSS PATHNAME
ZR A=MISSOURI B=RCH 1 C=ELEVATION-CURVES E=1992 F=AG-EXISTING

WHEAT 18.00 % OF REACH PLANTED

CROPID = CROPAR = CORN 36.00 % OF REACH PLANTED

CROPID = CROPAR = OATS 14.00 % OF REACH PLANTED

CROPID = CROPAR = MILO 10.00 % OF REACH PLANTED

RCH 1	GAUGE GAGE 3	OMAHA		HUGH	TOWN	WATSHD WISS	SUBASH SUBA	CONG CONG1	CMNTY	FLDIST	LEVEE	CHANNL	RESVR
			CUMULATIVE	CROP ARE	A (ACR	IF\$\							
ELEVATIO	•	TASHW	CORN		TS.	MIL	0						
40.00		0.00	0.00		.00	0.0							
50.00		0.00	0.00		.00	0.0							
60.00		0.00	0.00		.00	0.0							
70.0		0.60	0.00		.00	0.0							
80.0		0.07	0.00		.00	0.0							
90.0)	0.00	0.00	0	. 00	0.0	0						
100.0)	0.00	0.00	0	.00	0.0	ю						
110.0	3	0.00	0.00	0	.00	0.0	ю						
120.0)	0.00	0.00	Ó	.00	0.0							
130.0)	0.00	0.00		.00	0.0							
140.0	Ó	0.00	0.00		.00	0.0							
150.0		0.00	0.00		.00	0.0							
160.0		0.00	0.00		.00	0.0							
170.0		0.00	0.00		.00	0.0							
	-		0.00			0.0	-						

```
WATER RESOURCE UNIT
OR RCH 2 GAGE 4

O STANLEY COUNTY, US OF FORT PIERRE

WRUID = RCH 2 WATER RESOURCE UNIT ID
GAUGE = GAGE 4

DELTEL = 0.00 GAUGE ELEVATION OFFSET
WRUTIT = STANLEY COUNTY, US OF FORT PIERRE

WATER RESOURCE UNIT BOUNDARY SP CIFICATIONS
DB OMAHA SD STAN MISS SUBA CONG1

DIST = OMAHA COE DISTRICT
STATE = SD
COUNTY = STAN
WATSHO = MISS WATERSHED
SUBASN = SUBA SUBBASIN
COMG = CONG1 CONGRESSIONAL DISTRICT

DB RECORD - RESERVOIR PROJECT
DB OAHE GASERVOIR PROJECT
DB OAHE GASERVOIR RESERVOIR PROJECT TITLE

FS RECORD - FLOOD STAGE ELEVATION
FS 40

ZR RECORD - REACH DATA - OSS PATHNAME
ZR A=MISSOURI B=RCH 2 C=ELEVATION-CURVES E=1992 F=AG-EXISTING
CROPID = WHEAT
CROPAR = 29.00 % OF REACH PLANTED
```

CROPAR = 29.00 % OF REACH PLANTED

CROPID = OATS
CROPAR = 21.00 % OF REACH PLANTED

CROPID = MILO
CROPAR = 50.00 % OF REACH PLANTED

WRUID RCH 2	GAUGE GAGE 4	COE		COUNTY	TOWN	WATSHO MISS	SUBASN SUBA	CONG	CMNTY	FLDIST	LEVEE	CHANNL	RESVR
			CUMULATIVE	CROP A	AREA (ACR	E8)							
ELEVATIO	N	AREA	WHEAT		CATS	MIL	0						
40.0	0	0.00	0.00		0.00	0.0	0						
50.0	0	0.30	0.00		0.00	0.0	0						
60.0	0	0.00	0.00		0.00	0.0	0						
70.0	0	0.00	0.00		0.00	0.0	0						
80.0	0	7.00	2.03		1.47	3.5	O.						
90.0	0	29.00	8.41		6.09	14.5	0						
100.0	0	58.00	16.82		12.18	28.0	Ю .						
110.0	0	93.00	26.97		19.53	48.5	iO						
120.0	0 1	148.00	42.92		31.08	74.0	Ю						
130.0	0 2	216.00	62.64		45.36	108.0	Ю						
140.0		218.00	63.22		45.78	109.0	ю						
150.0	0 2	218.00	63.22		45.78	109.0	Ю						
160.0		218.00	63.22		45.78	100.0							
170.0		218.00	63.22		45.78	109.0							

```
WATER RESOURCE UNIT
DR RCH 3 GAGE 3
O CITY OF PIERRE

WHUID = RCH 3 WATER RESOUR E UNIT ID
GAUGE = GAGE 3
OELTEL = 0.00 GAUGE ELEVA ION OFFSET
WHITIT = CITY OF PIERRE

WATER RESOURCE UNIT BOUNDARY SP CIFICATIONS
DB OMANA SD HUGH MISS SIMA CONGI

DIST = OMANA COE DISTRICT
STATE = SD
COUNTY = HUGH
WATEND = MISS MATERSHED
SUBABN = SUBA SUBBASIN
COMG = CONGI CONGRESSIONAL DISTRICT

DS RECORD - RESERVOIR PROJECT
DS OAHE CAME RESERVOIR PROJECT ID
RESIIT = OAHE RESERVOIR RESERVOIR PROJECT TITLE

FS RECORD - FLOOD STAGE ELEVATION FS 66

ZR RECORD - REACH DATA - DSS PATHNAME
ZR A-MISSOURI B-RCH 3 C-ELEVATION-CURVES E-1992 F-URBAN-EXISTING
URBAN = RESURBAN DAMAGE CATEGORY ID
180.00 RECONSTRUCTION PERIOD
URBITT = COMMERCIAL

URBAN = IND URBAN DAMAGE CATEGORY ID
180.00 RECONSTRUCTION PERIOD
URBITT = JUBUSTRIAL

URBAN = PUB URBAN DAMAGE CATEGORY ID
180.00 RECONSTRUCTION PERIOD
URBITT = PUB URBAN DAMAGE CATEGORY ID
180.00 RECONSTRUCTION PERIOD
URBITT = PUB URBAN DAMAGE CATEGORY ID
180.00 RECONSTRUCTION PERIOD
URBITT = PUB URBAN DAMAGE CATEGORY ID
180.00 RECONSTRUCTION PERIOD
URBITT = PUB URBAN DAMAGE CATEGORY ID
180.00 RECONSTRUCTION PERIOD
URBITT = PUB URBAN DAMAGE CATEGORY ID
180.00 RECONSTRUCTION PERIOD
URBITT = PUB URBAN DAMAGE CATEGORY ID
180.00 RECONSTRUCTION PERIOD
URBITT = PUB URBAN DAMAGE CATEGORY ID
180.00 RECONSTRUCTION PERIOD
URBITT = OOPEN SPACE
```

	GAUGE AGE 3	COE		COUNTY TO HUGH	WATSHD Baim	SUBASN CON SUBA CON		FLDIST LEVEE	CHANNL	RESVR CAHE
ELEVATION			URBAN PROP	ERTY DAMAGE	(\$1000) STRUCTURES	S IND	STRUCTURE	S PUB	OTHER	STRUCTURES
66.00		0.00	0.00	0.00	0.00	0.00	0.0	0.00	32.80	0.00
68.00		0.00	0.00				0.0		38.71	0.10
70.00		0.00	0.00				0.0		50.87	1.40
72.00		0.00	0.00			0.00	0.0		87.88	5.20
74.00		0.00	0.00				0.0		154.34	8.40
76.00		5.54	10.50				0.2		230.06	12.00
78.00		.12	39.00				0.5		305.90	15.50
80.00	1494	1.66	73.50				2.0		378.92	17.60
82.00	2607	7.87	96.00	0.00			8.0		442.28	20.30
84.00	3713	3.40	124.50	99.07	7 1.30	1915,27	14.5		498.41	22.20
86.00	5037	7.99	157.50	440.78			20.2		550.75	24.30
88.00	6350	0.32	184.50	835.89			27.0		602.52	26.20
90.00	7733	3.48	216.00	1289.10	7.50	10333,44	34.5		649.54	27,20
92.00	9100	7.71	250.50	1888.76	9.10		41.5		680.96	27.90
94.00	1079	5.49	312.00	2611.93	10.70	19187.43	50.2		705.93	28.40
98.00	12655		379.50						731.51	29.40
98.00	14800	3.92	447.00	4285.62	14.90	25923.57	62.2		757.72	30.20
100.00	17237	7.76	519.00	5185.78	16.10	28393.24	66.0		784.33	30.80

WATER RESOURCE UNIT DR RCH 4 GAGE 4 O CITY OF FORT PIERRE

WRUID = RCH 4 WATER RESOURCE UNIT ID GAUGE = GAGE 4 O.OO GAUGE ELEVATION OFFSET WRUIT! = CITY OF FORT PIERME

WATER RESOURCE UNIT SOUNDARY SPECIFICATIONS DS OMAHA SD HUGH NISS SUBA CONG1 OMAHA COE DISTRICT

DIST = STATE = COUNTY = WATSHD = SUBASN = CONG =

OMAMA COE DISTRICT SOD HUGH MISS WATERSHED SUBA SUBBASIN CONGI CONGRESSIONAL DISTRICT

DS RECORD - RESERVOIR PROJECT
DS DAME CAME RESERVOIR
RESID = CAME RESERVOIR PROJECT ID
RESIT = CAME RESERVOIR RESERVOIR PROJECT TITLE

FS RECORD - FLOOD STAGE ELEVATION FS 40

ZR RECORD - REACH DATA - DSS PATHNAME ZR A-MISSOURI 8-RCH 4 C-ELEVATION-CURVES E-1982 F-URBAN-EXISTING

URBAN = RES URBAN DAMAGE CATEGORY ID RCONST = 180.00 RECONSTRUCTION PERIOD URBTIT = RESIDENTIAL

URBAN = COM URBAN DAMAGE CATEGORY ID RCONST = 180.00 RECONSTRUCTION PERIOD URBTIT = COMMERCIAL

URBAN = IND URBAN DAMAGE CATEGORY ID RCONST = 180.00 RECONSTRUCTION PERIOD URBIIT = INDUSTRIAL

URBAN = PUB URBAN DAMAGE CATEGORY ID
RCONST = 180.00 RECONSTRUCTION PERIOD
URBTIT = PUBLIC WORKS

URBAN = OTHER URBAN DAMAGE CATEGORY ID GRONST = 30.00 RECONSTRUCTION PERIOD OPEN SPACE

WATER RESOURCE UNIT DR RCH G GAGE 4 0 STANLEY COUNTY DG OF FORT PIERRE

WRUID = RCM 6 WATER RESOURCE UNIT ID
GAUGE = GAGE 4
OLOGO GAUGE ELEVATION OFFSET
WRUITIT = STANLEY COUNTY DS OF FORT PIERRE

WATER RESOURCE UNIT BOUNDARY SPECIFICATIONS DB OMAHA 60 STAN WISS SUBA CONGI

DS RECORD - RESERVOIR PROJECT
OS QAME QAME RESERVOIR
RESID = QAME RESERVOIR PROJECT ID
RESIT = QAME RESERVOIR RESERVOIR PROJECT TITLE

F8 RECORD - FLOOD STAGE ELEVATION F8 40

ZR RECORD - REACH DATA - DSS PATHNAME ZR A-MISSOURI 8-RCH 6 C-ELEVATION-CURVES E-1992 F-AG-EXISTING

CROPID = CROPAR =

WHEAT 29.00 % OF REACH PLANTED

CROPID = CROPAR =

OATS 21.00 % OF REACH PLANTED

CROPID = CROPAR =

MILO 50.00 % OF REACH PLANTED

WRUID RCH 6	GAUGE GAGE 4	COE		COUNTY STAN	TOWN	WATSHD 881M	SUBASN SUBA	CONG1	CHINTY	FLDIST	LEVEE	CHANNL	RESVR QAHE
			CUMULATIVE	CROP	AREA_(ACR		_						
ELEVATION		AREA	WHEAT		CATS	MIF	.0						
40.00		0.00	0.00		0.00	0.0	x 0						
50.00		578.00	167.62		121.38	289.0							
60.00		580.00	168.20		121.80	290.0							
70.00		580.00	168.20		121.80	290.0							
80.00	1	580.00	168.20	1	121.80	290.6	X 0						
90.00		580.00	168.20		121.80	290.0	X 0						
100.00	i	580.00	188,20		121.80	290.0	NÓ.						
110.00		580.00	168.20		121.80	290.0							
120.00		580.00	168.20		121.80	290.0							
130.00		580.00	168.20		121.80	290.0							
140.00		580.00	166.20		121.80	290.0							
150.00		580.00	168.20		121.80	290.0							
160.00		580.00	168.20		121.80	290.0	ю .						
170.00	:	580.00	168.20		121.80	290.0	ю .						

```
WATER RESOURCE UNIT
DR RCH 7 GAGE 11

O HUGHES COUNTY, DS OF PIERRE

WRUID = GAGE 11

OLITEL = 0.00 GAUGE ELEVATION OFFSET
WRUITT = HUGHES COUNTY, DS OF PIERRE

WATER RESOURCE UNIT BOUNDARY SPECIFICATIONS
DB OMAHA SD HUGH MISS SUBS CONG1

DIST = OMAHA COE DISTRICT
STATE = SD
COUNTY = HUGH
WATEN O = HIGH
W
```

WRUID RCH 7	GA GAGE	UGE 11	COE		COUNTY	TOWN	WATSHD NISS	BUBABUB BBUB	CONG CONG1	CHRITY	FLDIST	LEVEE	CHANNL	RESVR OAHE
ELEVATI	ION		AREA	CUMULATIVE WHEAT		EA (ACE	RES) OAT:	B	MILO					
20.		_	0.00	0.00		0.00	3.0		0.00					
30.			89.00	142.02		1.04	110.4		78.90					
40.			75.00	319.50		9.00	248.5		177.50					
50.			15.00	470.70		.40	386.1		261.50					
60.			59.00	622.62		5.24	484.20	3 :	345.90					
70.			84.00	717.12		1.24	557.7	3 :	398.40					
80.			46.00	800.28).56	622.44		144.60					
90.			97.00	827.48	1654	1.92	643.5		159.70					
100.			89.00	844.02	1684	3.04	656.4		168.90					
110.		47	80.00	880.40	1720	.80	669.2		78.00					
120.	.00	48	55.00	873.90	1747		679.7		85.50					
130.	.00	49	36.00	888.48	1776		691.0		93.60					
140.	00	50	48.00	908.64		7.28	706.7		04.80					
150.	00	51:	26.00	922.68	1845		717.84		12.60					
160.	00		90.00	934.20	1868		726.60		19.00					
170.			28.00	940.68	1881		731.64		22.60					

WATER RESOURCE UNIT DR RCH 8 GAGE 11 O STANLEY COUNTY, DS OF FORT PIERRE

WRUID = GAUGE = GAGE 11

DELTEL = 0.00 GAUGE ELEVATION OFFSET WRUITIY = STANLEY COUNTY, DS OF FORT PIERRE

WATER RESOURCE UNIT BOUNDARY SPECIFICATIONS
DB OMAHA SO STAN MISS SUBB CONGI

DIST = STATE = COUNTY = WATSHD = GUBASH = CONG = OMAHA COE DISTRICT
SD
STAN
MISS WATERSHED
SUBSASIN
CONGI CONGRESSIONAL DISTRICT

DS RECORD - RESERVOIR PROJECT
DS QAME QAME RESERVOIR
RESID - QAME RESERVOIR PROJECT ID
RESTIT - QAME RESERVOIR RESERVOIR PROJECT TITLE

F8 RECORD - FLOOD STAGE ELEVATION F8 30

ZR RECORD - REACH DATA - DSS PATHNAME ZR A-MISSOURI B-RCH 8 C-ELEVATION-CURVES E-1982 F-AG-EXISTING

CROPID = CROPAR =

WHEAT 29.00 % OF REACH PLANTED

CROPID *

OATS 21.00 % OF REACH PLANTED

CROPID = CROPAR =

MILO 50.00 % OF REACH PLANTED

WRUID GAUGE RCH 8 GAGE 11	COE OMAHA	STATE SD	COUNTY TOWN	WATSHD MISS	SUBASN SUBB	CONG CONG1	CMNTY	FLDIST	LEVEE	CHANNE	RESVR OAHE
ELEVATION	WHEAT CL	MALATIVE QATS	CROP AREA (ACR	IES)							
30.00	0.00	0.00	0.00								
40.00	0.00	0.00	0.00								
50.00	0.00	0.00	0.00								
60.00	0.00	0.00	0.00								
70.00	0.00	0.00	0.00								
80.00	0.00	0.00	0.00								
90.00	0.00	0.00	0.00								
100.00	0.00	0.00	0.00								
110.00	0.00	0.00	0.00								
120.00	0.00	0.00	0.00								
130.00	0.00	0.00	0.00								
140.00	0.00	0.00	0.00								
150.00	0.00	0.00	0.00								
160.00	0.00	0.00	0.00								
170.00	0.00	0.00	0.00								

WATER RESOURCE UNIT DR RCH 9 GAGE 11 O LOWER BRULE RESERVATION, STANLEY COUNTY

WRUID = GAGE 11
OELTEL = 0.00 GALGE ELEVATION OFFSET
WRUTIT = LOWER BRULE RESERVATION, STANLEY COUNTY

WATER RESOURCE UNIT BUUNDARY SPECIFICATIONS DS OMAHA SO STAN MISS LBRU CONG1

DIST = OMAHA COE DISTRICT
STATE = 80
COUNTY = STAM
WATSHO = MISS WATERSHED
SUBASN = LIRU SUBBASIN
CONG = CONG1 CONGRESSIONAL DISTRICT

DS RECORD - RESERVOIR PROJECT
DS QAME QAME RESERVOIR
RESID - QAME RESERVOIR PROJECT ID
RESIT - QAME RESERVOIR RESERVOIR PROJECT TITLE

F8 RECORD - FLOOD STAGE ELEVATION F8 20

ZR RECORD - REACH DATA - DSS PATHNAME ZR A=MISSOURI B=RCH 9 C=ELEVATION-CURVES E=1992 F=AG-EXISTING

CROPID = CROPAR =

WHEAT 29.00 % OF REACH PLANTED

CROPID = CROPAR = OATS 21.00 * OF REACH PLANTED

CROPID = CROPAR = MILO 50.00 % OF REACH PLANTED

WRU1		GAGE	UGE 11	OMAHA		COUNTY STAN	TOWN	WATSHO MISS	SUBASM LBRU	CONG1	CHINTY	FLDIST	LEVEE	CHANNL	RESVR
					CUMULATIVE	CROP A	AREA (ACR	(FS)							
ELEV	/ATI	ON		AREA	WHEAT		CATS	MIL	0						
	20.	.00		0.00	0.00	1	0.00	0.0	0						
	30.	.00	(835.00	184.15	. 1	133.35	317.5							
	40.	00	17	730.00	501.70		363.30	865.0	0						
	50.	.00	22	281.00	661.49	4	479.01	1140.5	Ò						
	60.	00	28	323.00	618.67		592.63	1411.5	Ō						
	70.	00	3	274.00	949.46		887.54	1837.0	Ò						
	80.	00		368.00	976.72		707.28	1884.0	Ō						
	90.	00	3:	374.00	978.46	1	708.54	1687.0							
1	100.	00	3:	374.00	978.46		708.54	1687.0							
	10.			374.00	978.46		708.54	1687.0							
	20.			374.00	978.46		708.54	1687.0							
	30.			374.00	978.46		708.54	1887.0							
	40.			374.00	978.46		708.54	1687.0							
	50.			374.00	978.46		708.54	1687.0							
	60.			374.00	978.46		708.54	1687.0							
	70			174 00	078 46		208 84	1007.0							

WATER RESOURCE UNIT DR RCH10 GAGE 11 0 CROW CREEK RESERVATION, HUGHES COUNTY

WRUID = GAUGE = GAGE 11
DELTEL = 0.00 GAUGE ELEVATION OFFSET
WRUITIT = CROW CREEK RESERVATION, HUGHES COUNTY

WATER RESOURCE UNIT BOUNDARY SPECIFICATIONS DB OMAHA 8D HUGH MISS CROW CONG!

DIST = STATE = COUNTY = WATSHD = SUBASN = CONG = OMAHA COE DISTRICT 8D HUGH MISS WATERSHED CROW SUBBASIN COMGI CONGRESSIONAL DISTRICT

DS RECORD - RESERVOIR PROJECT
DS OAHE CAHE RESERVOIR
RESID = CAHE RESERVOIR PROJECT ID
RESIT = CAHE RESERVOIR RESERVOIR PROJECT TITLE

F8 RECORD - FLOOD STAGE ELEVATION F8 10

ZR RECORD - REACH DATA - DSS PATHNAME ZR A-MISSOURI B-RCH 10 C-ELEVATION-CURVES E-1992 F-AG-EXISTING

CROPID = CROPAR =

WHEAT 18.00 % OF REACH PLANTED

CROPID = CROPAR =

CORN 36.00 % OF REACH PLANTED

CROPID = CROPAR =

OATS 14.00 % OF REACH PLANTED

CROPID = CROPAR =

MILO 10.00 % OF REACH PLANTED

	HIO		AUGE E 11	OMAHA		COUNTY		OHSTAW SSIM	SUBASN CROW	CONG1	CHINTY	FLDIST	LEVEE	CHANNL	RESVA CAHE
					CUMULATIVE	CROP	AREA (ACI	RES)							
EL	EVAT	ION		AREA	WHEAT		CORN	CATE	3	MILO					
	10	.00		0.00	0.00	,	0.00	0.00	•	0.00					
	20	.00	8	26.00	148.66) :	297.36	115.64		82.60					
	30	.00	23	63.00	425.34		850.68	330.82	! :	236.30					
		.00		60.00	730.80) 1.	461.60	568.40) .	106.00					
		.00		63.00	1001.34		002.68	778.82		558.30					
		.00		50.00	1359.00		718.00	1057.00	•	755.00					
		.00		74.00	1597.32		194.84	1242.36		887.40					
		.00		16.00	1820.88		641.76	1416.24		011.60					
	80	.00	114	18.00	2055.24		110.48	1598.52	1	141.80					
		.00		88.00	2138.24		272.48	1661.52		188.80					
		.00		89.00	2158.02		316.04	1678.46		198.90					
		.00		78.00	2174.04		348.08	1690.92		207.80					
		.00		49.00	2186.82		373.64	1700.86		214.90					
		.00		02.00	2196.36		392.72	1708.28		220.20					
		.00		21.00	2199.78		399.58	1710.94		222.10					
		.00		45.00	2204.10		408.20	1714.30		224.50					
	170	.00	122	74.00	2209.32	4	418.64	1718.36	1 1	227.40					

```
WATER RESOURCE UNIT
DR RCH11 GAGE 11

O LOWER BRULE RESERVATION, LYMAN COUNTY
WRUID = GAGE 11
DELTEL = 0.00 GAUGE ELEVATION OFFSET
WRUITT = LOWER BRULE RESERVATION, LYMAN COUNTY

WATER RESOURCE UNIT BOUNDARY SPECIFICATIONS
DB OMAHA SD LYMN MISS LBRU CONG1

DIST = OMAHA COE DISTRICT
STATE = ED
COUNTY = LYMN
WATERNED = HISS WATERSHED
SUBLASH = LBRU SUBBASIN
CONG = CONG1 CONGRESSIONAL DISTRICT

DB RECORD - RESERVOIR PROJECT
DB OAHE CAMER RESERVOIR PROJECT ID
RESTIT = OAHE RESERVOIR RESERVOIR PROJECT TITLE

FS RECORD - FLOOD STAGE ELEVATION
FS 0

CROPID = CORN
CROPID = CORN
CROPID = CORN
CROPAR = 18.00 % OF REACH PLANTED

CROPID = MILO
CROPID = MILO
CROPID = MILO
CROPAR = MILO
CROPAR
```

RCH11 G	GAUGE AGE 11	ONAHA		COUNTY LYMN	TOWN	Wateho 881m	SUBASN LBRU	CONG1	CMNTY	FLDIST	LEVEE	CHANNL	RESVR
			CUMULATIVE	CDOB ADI	EA (ACR	(50)							
ELEVATION		AREA	CORM		ATE	EO; MIL	0						
0.00		0.00	0.00		0.00	0.0	D						
10.00		26.00	84.16	86	3.42	352.4							
20.00		84.00	509.44		.28	2133.2	8						
30.00		51.00	952.18		1.67	3987.1	7						
40.00		37.00	1205.92		1.29	5049.7	9						
50.00		49.00	1399.84	1487	7.33	5861.8	3						
60.00		22.00	1555.52	165	2.74	6513.7	i						
70.00		53.00	1704.48	1811	.01	7137.5							
80.00		58.00	1881.28		3.86	7877.8							
90.00		52.00	2152.32	2286	3.84	9012.8							
100.00	145	09.00	2321.44	2466	3.53	9721.0							
110.00	150	73.00	2411.68	2562	.41	10098.9							
120.00	154	69.00	2475.04	2629		10304.2							
130.00	159	96.00	2559,36	2716		10717.3							
140.00	184	96.00	2639.36	2804		11062.3							
150.00	168	44.00	2695.04	2883		11285.4							
180.00	172	12.00	2753.92	2926	. 04	11532.3							
170.00		90.00	2814.40			11785.3							
							•						

```
WATER RESOURCE UNIT
DR RCH12 GAGE 11
                                              O CROW CREEK RESERVATION, HYDE COUNTY
WRUID = RCH12 WATER RESOURCE UNIT ID GAUGE = GAGE 11
DELTEL = 0.00 GAUGE ELEVATION OFFSET WRUITT = CROW CREEK RESERVATION, NYDE COUNTY
  WATER RESOURCE UNIT SOUNDARY SPECIFICATIONS DS OMAHA SD HYDE MISS CROW CONGI
DIST = STATE = COUNTY = WATSHO = SUBASN = CONG =
                       OMAMA COE DISTRICT
SD
HYDE
MISS WATERSHED
CROW SUBBASIN
CONGI CONGRESSIONAL DISTRICT
 DS RECORD - RESERVOIR PROJECT
DS OAHE CAHE RESERVOIR
RESID =
RESID = QAHE RESERVOIR PROJECT ID
RESIT = QAHE RESERVOIR RESERVOIR PROJECT TITLE
  FS RECORD - FLOOD STAGE ELEVATION FS 10
  ZR RECORD - REACH DATA - DSS PATHNAME
ZR A-MISSOURI B-RCH 12 C-ELEVATION-CURVES E-1992 F-AG-EXISTING
 CROPID = CROPAR =
                            WHEAT 29.00 % OF REACH PLANTED
 CROPID =
CROPAR =
```

OATS 36.00 % OF REACH PLANTED

MILO 17.00 % OF REACH PLANTED

CROPID = CROPAR =

WRUID RCH12	GAU GAGE		COE OMAHA		COUNTY HYDE		WATSHD MISS	SUBASN CROW	CONG CONG1	CMNTY	FLDIST	LEVEE	CHANNL	RESVR
				CUMULATIVE	CROP	AREA (ACR	ES)							
ELEVAT	ION	A	REA	WHEAT		CATS	MIL	.0						
10	.00	đ	.00	0.00	1	0.00	0.0							
	.00		.00	4.06	1	5.04	2.3							
	.00	46	.00	13.34		16.56	7.6							
	.00		.00	17.98		22.32	10.5							
	.00		.00	22.33		27.72	13.0							
	.00		.00	28.42		35.28	16.0							
	.00		.00	43.21		53.64	25.							
	.00		. 30	60.32		74.68	35.							
	.00		.00	73.05		91.80	43.							
100			.00	95.41		118.44	55.							
110			.00	117.74		146.16	69.							
120			.00	137.17		170.28	80.4							
130			.00	160.37		199.08	94.0							
140			.00	181.83		225.72	106.							
150			.00	201.55		250.20	118.1 128.0							
160			.00	218.37		271.08	138.							
170	.00	803	.00	232.87		289.08	130.3	, ,						

```
WATER RESOURCE UNIT
DR RCH13 GAGE 11 0 CROW CREEK RESERVATION, BUFFALO COUNTY
```

WRUID = GAUGE = GAGE 11

OLOGO GAGE 10

OLOGO GAUGE ELEVATION OFFSET
WRUITT = CROW CREEK RESERVATION, BUFFALO COUNTY

WATER RESOURCE UNIT BOUNDARY SPECIFICATIONS DB OMAHA 80 BUFF MISS CROW CONG!

DIST = STATE = COUNTY = WATSHD = SUBASN = CONG = OMAHA COE DISTRICT

SO
SUFF
BISS WATERSHED
CROW BUBBASIN
CONGI CONGRESSIONAL DISTRICT

DS RECORD - RESERVOIR PROJECT
DS QAME QAME RESERVOIR
RESID = QAME RESERVOIR PROJECT ID
RESIT = QAME RESERVOIR PROJECT TITLE

F8 RECORD - FLOOD STAGE ELEVATION F8 0

ZR RECORD - REACH DATA - DSS PATHMAME ZR A-MISSOURI B-RCH 13 C-ELEVATION-CURVES E-1902 F-AG-EXISTING

CROPID = CROPAR =

WHEAT 14.00 % OF REACH PLANTED

CROPID = CROPAR =

CORN 39.00 % OF REACH PLANTED

OATS 12.00 % OF REACH PLANTED

CROPID = CROPAR =

MILO 25.00 % OF REACH PLANTED

WRUID RCH13 G		COE STATE	COUNTY TOWN BUFF	WATSHD 881M	SUBASN CROW	CONG CONG1	CHNTY	FLOIST	LEVEE	CHANNL	RESVR OAHE
ELEVATION	ARE	CUMULATIVE A WHEAT		IES) QATS	,	MILO					
0.00 10.00	0.0 182.0	0 25.48	70.98	0.00 21.84		0.00 45.50					
20.00 30.00 40.00	202.0 321.0 597.0	0 44.94 0 83.55	125.19 232.83	24.24 38.52 71.64		50.50 80.25 49.25					
50.00 60.00 70.00	1350.0 2844.0 5067.0	0 398.16 0 709.38	1109.18 1976.13	162.00 341.28 808.04	7	37.50 11.00 66.75					
80.00 90.00 100.00	6319.0 6899.0 7270.0	0 965.86 0 1017.80	2690.61 2836.30	758.28 827.88 872.40	17	79.75 24.75 17.50					
110.00 120.00 130.00	7487.0 7628.0 7699.0	0 1067.92 0 1077.86	2974.92 3002.61	896.44 915.36 923.88	18 19	71.75 07.00 24.75					
140.00 150.00 160.00	7756.0 7818.0 7864.0	0 1094.52	3049.02	930.72 938.18 943.68	19 19	39.00 54.50 66.00					
170.00	7901.0	0 1106.14		948.12		75.25					

Analysis Program Input Data

```
TI MISSOURI RIVER
12 OAHE DAM TO BIG BEND DAM IN BOUTH DAKOTA
13 TEST INPUT DATA FOR USE IN THE OMAHA DISTRICTS RMS
11 1 0
15 O2JUN93 10JUN93
PB OAHE 100
TA TRACE ALL
EJ
```

		ANALYSTS BOOCHAIL	ENEFIT	ACCOMPL I SHMENT	# 1
	*	VERSION 1.00			-
* VERSION 1.00					•
* VERSION 1.00		RUN DATE 24 JUL 92 TIME 12:46:20	ME 12:4	6:20	•

×	×	×	XXXX	×	×	>
XXXXX	×	×	XXXX	×	×	XXXX
XXXXXX	×	×	XXXX	×	×	X
Ω XXX	×	×	×	×	×	
XXXXXX						

MISSOURI RIVER

GAGE 3 W/O GAGE 4 W/O GAGE 11 W/O 153 2 JUN 93 60.0 46.0 81.0 155 4 JUN 93 80.0 46.0 81.0 156 5 JUN 93 90.0 47.0 83.0 157 6 JUN 93 90.0 45.0 81.0 158 7 JUN 93 90.0 45.0 81.0 159 8 JUN 93 80.0 46.0 81.0 159 8 JUN 93 80.0 40.0 76.0 150 9 JUN 93 70.0 40.0 76.0
2 & 4 & 2 & 6 & 6 & 6 & 6 & 6 & 6 & 6 & 6 & 6
01 w 4 m ∞ b ∞ o c
01 w 4 m ∞ r ∞ ∞ 5
153 155 155 158 159 159

CHANNL RESVR OAHE	TIONS AREA FLOODED (ACRES)	888888888888888888888888888888888888888	TIONS FLOODED	888888888888888888888888888888888888888
LEVEE	PROJECT CONDITIONS OTHER LOSS AREA (\$1000)	8888888888888	PROJECT CONDITIONS OTHER LOSS AREA	888888888888888888888888888888888888888
CMNTY FLDIST	WITH P DAMAGE (\$1000)	888888888888	WITH P	888888888888888888888888888888888888888
SUBASN CONG SUBA CONG1	S A FLOODED (ACRES)	8888888888888	0.00 0.00 S FLOODED	888888888888888888888888888888888888888
TOWN WATSHD MISS	PROJECT CONDITIONS OTHER LOSS AREA (\$1000)	8888888888888	PROJECT CONDITIONS OTHER LOSS AREA	000000000000000000000000000000000000000
STATE COUNTY SD HUGH	WITHOUT PF DAMAGE (\$1000)	888888888888888888888888888888888888888	WITHOUT PI	
COE OMAHA	NO	50.0 50.0 50.0 120.0 130.0 150.0 150.0 150.0	TOTAL	50.0 20.0 80.0 80.0 110.0 110.0 170.0 170.0
GAUGE GAGE 3	WHEAT	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	CORIN	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0
WRUID RCH 1	SPRING	-464400V@@01146	ZONE	- 400400×800±40

RESVR	IS (ACRES)	888888888888888888888888888888888888888	0.00 0.00 A FLOODED (ACRES)	888888888888888888888888888888888888888
CHANNL	ARE		CONDITIONS OSS AREA	1
LEVEE	PROJECT COND OTHER LOSS (\$1000)	888888888888888888888888888888888888888	PROJECT COND OTHER LOSS (\$1000)	888888888888888888888888888888888888888
FLDIST	Ē	•	TH PRO	1
CMNTY	W] DAMAGE (\$1000)	888888888888888888888888888888888888888	0.00 WITH DAWAGE (\$1000)	888888888888888888888888888888888888888
CONG CONG1	_		1	
SUBASN SUBA	IONS AREA FLOODED (ACRES)	888888888888888888888888888888888888888	0.00 NS EA FLOODED (ACRES)	888888888888888888888888888888888888888
WATSHD	11(CONDITIONS COS AREA (A)	
TOWN	PROJECT CONE OTHER LOSS (\$1000)	666666666666666666666666666666666666666	0.00 PROJECT CONE OTHER LOSS (\$1000)	000000000000000000000000000000000000000
COUNTY	WITHOUT DAMAGE (\$1000)	888888888888888	0.00 WITHOUT DAMAGE (\$1000)	000000000000000000000000000000000000000
STATE SD	AQ ()		4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
COE OMAHA	NO	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	TOTAL	50.0 60.0 70.0 80.0 11.0 11.0 11.0 11.0 11.0 11.0 1
GAUGE GAGE 3	OATS ELEVATION	20.00- 20.00- 20.00- 20.00- 120.00- 130.00- 150.00- 150.00-	TO SORGHUM ELEVATION	0.000 0.000
WRUID RCH 1	ZONE	-084897890776	SC	CE 4 5 9 C E C E C E C E C E C E C E C E C E C

LEVEE CHANNL RESVR OAHE		DANAGE REDUCED (\$1000)	00.00	0.00	****	DAMAGE REDUCED (\$1000)	0.00	
FLDIST L	AGE	WITH PROJECT (\$1000)	0000	00.0	**************************************	WITH PROJECT (\$1000)	0.00	4 6 6 6 6 6 6 6
CONG CMNTY	FLOOD DAWAGE	WITHOUT PROJECT (\$1000)	8888	0.00	FLOOD DAMAGE	WITHOUT PROJECT (\$1000)	0.00	PROJECT ACCOMPLISHMENTS
WATSHD SUBASN MISS SUBA		AREA MODIFIED (ACRES)	00000	0.00	·安徽帝帝《《《《《《·文·《《·文·《《·文·《《·《·《·《·《·《·《·《·《·	STRUCTURES	0.00	WITH PROJECT CONDITIONS ACC
COUNTY TOWN HUGH	.00DED	WITH PROJECT (ACRES)	00000	0.00	FLOODED	WITH	0.00	* * * * * * * * * * * * * * * * * * *
COE STATE	AREA FLOODED	WITHOUT PROJECT (ACRES)	00000	00.0	STRUCTURES FLOODED	WITHOUT	00.0	ONO ONO ONO
WRUID GAUGE RCH 1 GAGE 3		AGRICULTURAL DAWAGE CATEGORIES	SPRING WHEAT CORN OATS SORGHUN	TOTAL	STR	URBAN DAMAGE CATEGORIES	TOTAL	WATER RESOURCE UNIT WITH TOTALS

IL RESVR OAHE	IS (ACRES)	8888888888888	0.00	ACRES)	888888888888888888888888888888888888888
LEVEE CHANNL	PROJECT CONDITIONS OTHER LOSS AREA (\$1000)	888888888888888888888888888888888888888		PROJECT CONDITIONS OTHER LOSS AREA (\$1000)	888888888888888888888888888888888888888
CMNTY FLDIST	WITH PR DAMAGE 0 (\$1000)	888888888888888888888888888888888888888	0.00	WITH PR DAWAGE 0 (\$1000)	000000000000000000000000000000000000000
SUBASN CONG SUBA CONG1	S EA FLOODED (ACRES)	888888888888	0.00	AS FLOODED (ACRES)	888888888888888888888888888888888888888
TOWN WATSHD MISS	PROJECT CONDITIONS OTHER LOSS AREA (\$1000)	8888888888888	Ю .	PROJECT CONDITIONS OTHER LOSS AREA (\$1000)	000000000000000000000000000000000000000
STATE COUNTY SD STAN	WITHOUT P DAMAGE (\$1000)	888888888888888888888888888888888888888		WITHOUT P DAMAGE (\$1000)	000000000000000000000000000000000000000
GAUGE COE GAGE 4 OMAHA	WHEAT	40.0- 50.0- 60.0- 70.0- 80.0- 80.0- 10.0- 10.0- 120.0- 130.0- 140.0- 150.0- 170.0-	TOTAL	ELEVATION	50.00- 50.00- 70.00- 80.00- 80.00- 10.00- 10.00- 120.00- 120.00- 140.00- 50.00- 150.00- 170.00
WRUID RCH 2 G	SPRING WH	-02400000000000000000000000000000000000	O	ZONE	+ 0 0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

RESVR OAHE		TIONS AREA FLOODED (ACRES)	888888888888888888888888888888888888888
CHANNL		AREA (ļ
LEVEE		PROJECT CONF OTHER LOSS (\$1000)	888888888888888888888888888888888888888
FLDIST		E	1
CMNTY		W] DAMAGE (\$1000)	888888888888888888888888888888888888888
CONG CONG1		0	
SUBASN SUBA		ADITIONS S AREA FLOODED (ACRES)	9999999999999
WATSHD MISS		Q 000	8888888888888888888888888888888888888
TOWN		SE TE	000000000000000000000000000000000000000
COUNTY		WITHOUT DAWAGE (\$1000)	000000000000000000000000000000000000000
STATE SD		6 DA	
COE OMAHA		N	50.0 60.0 70.0 120.0 120.0 120.0 170.0
GAUGE GAGE 4	SORGHUM	ELEVATION	40.0- 50.0- 60.0- 70.0- 110.0- 120.0- 130.0- 150.0- 150.0- 150.0- 150.0- 150.0- 150.0- 150.0-
WRUID RCH 2	SO	ZONE	-08450VBB0-08

WRUID GAUGE RCH 2 GAGE 4	COE OMAHA	STATE SD	COUNTY	TOWN	WATSHD MISS	SUBASN SUBA	CONG CONG1	CMNTY	FLDIST	LEVEE	CHANNL	RESVR
		AREA FLOODED	LOODED				7	FLOOD DAMAGE	A GE			
AGRICULTURAL DAMAGE CATEGORIES	WITH PROJ (ACR	HOUT NECT SRES)	WITH PROJECT (ACRES)	ECT SS (S	AREA MODIFIED (ACRES)	ED KE	WITHOUT PROJECT (\$1000)	+ +~	WITH PROJECT (\$1000)		DANAGE REDUCED (\$1000)	
SPRING WHEAT OATS SORGHUM		0.00	000	0.00	000	0.00	000	1	000		666	
TOTAL		0.00	0	0.00	0	00.0	0.00	Ы	0.00		0.00	
STRI	STE	• -	CTURES FLOODED	* * *	**	•	FLOOD	*	AGE	*	***	
URBAN DAMAGE CATEGORIES	WIT	WITHOUT	WITH	Eb	STRUCTURES MODIFIED	res ED	WITHOUT PROJECT (\$1000)	++ ~	WITH PROJECT (\$1000)		DAMAGE REDUCED (\$1000)	
TOTAL		0.00		O I	0		0.00	1 1	0.00	11 .	0.00	
WATER RESOURCE UNIT	LIM	ONO CNO		FIW C	WITH PROJECT CONDITIONS		PROJECT ACCOMPLISHMENTS					
DAWAGE (\$1000) STRUCTURES FLOODED PEOPLE FLOODED AREA FLOODED (ACRES)			0000	i	0000	B 000		8000				

RESVR OAHE				
CHANNL				
LEVEE				
FLDIST				
CMNTY		WITH PROJECT CONDITIONS DAMAGE (\$1000) STRUCTURES	00.00 22.22 28.50 27.50 27.50 27.50 23.50 27.50 20.00	40.70
CONG CONG1		OJECT CO E S		_
SUBASN SUBA		WITH PRO DAMAGE (\$1000)	0.00 0.00 0.00 0.00 1.15.54 82.355.58 1.11.3.21 1.324.58 1.346.23	20.02
WATSHD MISS		ONS	00000000000000000000000000000000000000	2
TOWN		CONDITIONS	0.00 0.00 1.000 0.00 22.50 22.50 23.	2
COUNTY		WITHOUT PROJECT DAWAGE (\$1000)	0.00 115.54 1324.55 1324.53 1328.2.33 1328.2.33 1376.23 1685.78 929.89 0.00	9
STATE SD		WITHOUT DAN (\$10	0.00 0.00 0.00 0.00 0.00 113.55.58 132.55.58 132.55.58 1376.23 1376.23 1376.23 1685.78 929.89	3
COE OMAHA		8	72.0 77.0 77.0 77.0 74.0 74.0 88.0 99.0 99.0 99.0 99.0 99.0	1
GAUGE GAGE 3	NTIAL	ELEVATION	68.0 77.0 77.0 77.0 77.0 77.0 77.0 78.0 98.0 98.0 98.0 98.0 1	-
WRUID RCH 3	RESIDENTIA	ZONE		

RESVR OAHE				
CHANNL				
LEVEE				
FLDIST				_
CMNTY		WITH PROJECT CONDITIONS DAMAGE (\$1000) STRUCTURES	999999999999999999999999999999999999999	co. L
CONG CONG1		OVECT (8883488252488888888888888888888888888888	٥
SUBASN SUBA		WITH PR DAMAG (\$1000	0.00 0.00 0.00 0.00 0.00 0.00 341.72 453.21 453.23 406.23 400.00	3018.16
WATSHD		ONS	00000000-4000	11.55
TOWN		CONDITI	0000000-4000	-
COUNTY		WITHOUT PROJECT CONDITIONS DAMAGE (\$1000) STRUCTURES	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	3018.16
STATE SD		WITHOUT DA (\$1	98 4 88 4 8 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	200
COE		NO	68.0 772.0 772.0 772.0 772.0 772.0 882.0 882.0 882.0 982.0 988.0 988.0 988.0	101AL
GAUGE GAGE 3	RCIAL	ELEVATION	0.0074 0.	
WRUID RCH 3	COMMERCIAL	ZONE	-00400V800-00400V	

RESVR OAHE			
CHANNL			
LEVEE			
FLDIST			
CMNTY		WITH PROJECT CONDITIONS DAMAGE STRUCTURES (\$1000)	00.00 00
CONG CONG1		DECT CO	00000±mmq=mummuon te
SUBASN SUBA		WITH PRODUCE DAMAGE (\$1000)	0.00 0.00 0.00 0.00 6.00 6.00 14.14 14.11.19 14.
WATSHD MISS		ONS PES	
TOWN		CONDITIONS STRUCTURES	0000001-000000000000000000000000000000
COUNTY		WITHOUT PROJECT CONDITIONS DAMAGE (\$1000) STRUCTURES	0.00 6.30 11.94 11.94 11.94 11.19 6339.03 1500.86 739.22 739.22 0.00
STATE SD		WZTHOUT DAM (\$10	0.00 0.00 0.00 0.00 0.00 11.94 11.94 11.94 11.19 12639.03 3875.92 4500.86 4500.86 4500.86 1739.22 1739.22 0.00
COE OMAHA		N	68.0 72.0 74.0 76.0 76.0 76.0 88.0 88.0 98.0 98.0 100.0
GAUGE GAGE 3	INDUSTRIAL	ELEVATION	66.0 725.0 725.0 725.0 725.0 726.0 726.0 88.0 99.0 99.0 99.0
WRUID RCH 3	SUGNI	ZONE	

RESVR				
CHANNL				
LEVEE				
FLDIST		w w		_
CMNTY		WITH PROJECT CONDITIONS DAMAGE (\$1000)	00-00000000000000000000000000000000000	28.00
CONG CONG1		OUECT C E) S	1 00000000/444/000000 k	on.
SUBASN SUBA		WITH PR DAMAG (\$1000	0.00 80.06 188.48 308.96 516.86 1056.56 1423.72 1839.84 1864.54 2242.84 2242.84 2242.94 1113.38	17569.39
WATSHD		IONS	000-44644444-0000	28.00
TOWN		CONDITIONS		Ñ
COUNTY		WITHOUT PROJECT CONDITIONS DAMAGE (\$1000) STRUCTURES	0.00 80.06 188.48 308.96 516.86 1423.72 1423.72 1423.72 1113.38 0.00	9.39
STATE SD		WITHOUT DA DA (\$1	81 101 101 101 101 101 101 101 101 101 1	17569.39
COE OMAHA		NO	68.0 772.0 7	TOTAL
GAUGE GAGE 3	WORKS	ELEVATION	88 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
WRUID RCH 3	PUBLIC WORKS	ZONE	- 000400 C B B C T C C C C C C C C C C C C C C C	

RESVR OAHE			
CHANNL			
LEVEE			
FLDIST		<i>(</i> 2 <i>(</i> 2	
CHINITY		WITH PROJECT CONDITIONS DAMAGE STRUCTURES (\$1000)	
CONG CONG1		OLECT (
SUBASN SUBA		WITH PR DAMAG (\$1000	12:17 12:17 12:17 12:18 13:02 14:02 14:02 14:02 15:03
WATSHD		ONS	65 00 00 00 00 00 00 00 00 00 00 00 00 00
TOWN		CONDITI	0-0000000000000000000000000000000000000
COUNTY		THOUT PROJECT CONDITIONS DAMAGE (\$1000) STRUCTURES	25.91 36.98 66.48 66.48 75.72 73.02 56.12 56.12 72.34 72.97 0.00
STATE SD		WITHOUT W DAN	86 87 87 87 87 87 87 87 87 87 87 87 87 87
COE OMAHA		NO	68.0 72.0 72.0 74.0 76.0 76.0 76.0 88.0 88.0 98.0 98.0
GAUGE GAGE 3	OPEN SPACE	ELEVATION	66 68 77 77 77 76 70 70 70 99 90 90 90 90 90 90 90 90 90 90 90 90
WRUID RCH 3	OPEN	ZONE	

RESVR OAHE				
CHANNL	DAMAGE REDUCED (\$1000)	DAWAGE REDUCED (\$1000)		
LEVEE	*	1	*	
FLDIST	#ITHOUT WITH PROJECT (\$1000) (\$1000) (\$1000)	MITH PROJECT (\$1000)	53924.51	
CMNTY	001 P	FLOOD DAMAGE HOUT JECT 000)	# # #	ENTS 0.00 0.00 0.00
CONG CONG1	#ITHOUT PROJECT (\$1000)	FL00 WITHOUT PROJECT (\$1000)	20925.65 20925.65 17569.39 685.92 53924.51	ACCOMPLISHMENTS 0.00 0.00 0.00 0.00
SUBASN SUBA	AREA TED HES) 0.00	S 0 00		
WATSHD	AREA MODIFIED (ACRES)	STRUCTURES MODIFIED	8000 0	WITH PROJECT CONDITIONS 53924.51 467.57 467.57 0.00
TOWN	WITH CECT RES)	VITH JECT	*	NI C
COUNTY	AREA FLOODED OUT WITH ECT PROJECT ES) (ACRES)	WITHOUT PROJECT WITHOUT PROJECT 345.75 345.75	1.55 3.38 5.33 8.00 8.90 7.57 7.57 7.57 7.57	ONDITIONS 53924.51 467.57 0.00
STATE	*	STRUCTURES WITHOUT PROJECT		원 9
COE OMAHA	MI PRC (AC	WIT PRO	4	WIT
GAUGE 3	AREA AGRICULTURAL PROJECT DAMAGE CATEGORIES (ACRES) TOTAL PROJECT PROJ	N FEGORIES	COMMENCIAL 5 INDUSTRIAL 5 PUBLIC WORKS 2 OPEN SPACE 2	MATER RESOURCE UNIT TOTALS DAMAGE (\$1000) STRUCTURES FLOODED PEOPLE FLOODED AREA FLOODED (ACRES)
WRUID RCH 3	AGRICULTURAL DAMAGE CATEGORIES TOTAL	URBAN DAMAGE CATEGORIES RESIDENTIAL	INDUSTRIAL INDUSTRIAL PUBLIC WORKS OPEN SPACE	WATER RESOURCE UNIT TOTALS DAWAGE (\$1000) STRUCTURES FLOODED PEOPLE FLOODED AREA FLOODED

RESVR			
CHANNL			
LEVEE			
FLDIST		v v	1 22222222222222
CMNTY		WITH PROJECT CONDITIONS DAMAGE (\$1000) STRUCTURES	99999999999999999999999999999999999999
CONG CONG1		OUECT (1 000010-000000000000000000000000000000
SUBASN SUBA		WITH PR DAMAG (\$1000	3387.98
WATSHD		ONS	000000000000000000000000000000000000
TOWN		CONDITIONS	0000 44 4 0000000000000000000000000000
COUNTY		WITHOUT PROJECT CONDITIONS DAMAGE (\$1000) STRUCTURES	62.62 62.62 62.62 62.62 62.62 63
STATE SD		WITHOUT DA (\$1	00000 44 1024 1026 1036 1036 1036 1036 1036 1036 1036 103
COE		N.	44444444444488888888888888888888888888
GAUGE GAGE 4	NTIAL	ELEVATION	04444444444444 001000000000000000000000
WRUID RCH 4	RESIDENTIAL	ZONE	-004000000 <u>0</u>

RESVR OAHF			
CHANNL			
LEVEE			
FLDIST		<i>(</i> 0 <i>(</i> 0)	
CMNTY		WITH PROJECT CONDITIONS DAMAGE (\$1000) STRUCTURES	888888888888888888888888888888888888888
CONG CONG1		OUECT C	
SUBASN SUBA		WITH PR DAMAG (\$1000	888888888888888888888888888888888888888
WATSHD		ONS	
TOWN		CONDITI	
COUNTY		WITHOUT PROJECT CONDITIONS DAMAGE (\$1000) STRUCTURES	
STATE SD		WITHOUT DA (\$1	
COE		NO	TAL 4443.00 0.00 0.00 0.00 0.00 0.00 0.00 0
GAUGE GAGE 4	COMMERCIAL	ELEVATION	0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
WRUID RCH 4	COMME	ZONE	-00400V80011011400V

RESVR OAHE			
CHANNL			
LEVEE			
FLDIST		w w	1 0000000000000000 K
CMNTY		WITH PROJECT CONDITIONS DAMAGE (\$1000) STRUCTURES	888888888888888888888888888888888888888
CONG CONG1		OUECT C	 00000000000000000000000000000000000
SUBASN SUBA		WITH PRODAWAGE (\$1000)	0.00 1778.78 1778.78 1778.78 190.00 0.00 0.00 0.00 0.00 0.00
WATSHD		ONS	000000000000000000000000000000000000000
TOWN		WITHOUT PROJECT CONDITIONS DAMAGE (\$1000) STRUCTURES	
COUNTY		OUT PROJECT DAWAGE (\$1000)	2.000 0.00 0.00 0.00 0.00 0.00 0.00 0.0
STATE SD		WITHOUT DA	24 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18
COE		NO	4444484444888888888888888888888888888
GAUGE GAGE 4	INDUSTRIAL	ELEVATION	0.1.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.
WRUID RCH 4	SUGNI	ZONE	-00400C00C+00460¢

RESVR			
CHANNE			
LEVEE			
FLDIST			
CMNTY		WITH PROJECT CONDITIONS DAWAGE (\$1000)	888888888888888888888888888888888888888
CONG CONG1		OUECT C	
SUBASN SUBA		WITH PR DAMAG (\$1000	888888888888888888888888888888888888888
WATSHD		ONS	888888888888888888888888888888888888888
TOWN		CONDITI	
COUNTY		WITHOUT PROJECT CONDITIONS DAMAGE (\$1000) STRUCTURES	 88888888888888888888888888888888888
STATE SD		WITHOUT DA DA (\$1	
COE		NO	442.0 442.0 442.0 442.0 52.0 52.0 52.0 52.0 53.0 54.0
GAUGE GAGE 4	WORKS	ELEVATION	0.000000000000000000000000000000000000
WRUID RCH 4	PUBLIC WORKS	ZONE	-00400000000000000000000000000000000000

RESVR			
CHANNL			
LEVEE			
FLDIST		o o	1 0000000000000000000000000000000000000
CMNTY		IITH PROJECT CONDITIONS DAMAGE (\$1000) STRUCTURES	888888888888888888888888888888888888888
CONG CONG1		OUECT (W4@@WW@GGGGGGG
SUBASN SUBA		WITH PR DAMAG (\$1000	000000-0000000000000000000000000000000
WATSHD MISS		IONS	
TOWN		CONDITI	
COUNTY		WITHOUT PROJECT CONDITIONS DAMAGE (\$1000) STRUCTURES	000000000000000000000000000000000000
STATE SD		WITHOUT DA (\$1	
COE		NO	1444 4420 150 150 150 150 150 150 150 150 150 15
GAUGE GAGE 4	OPEN SPACE	ELEVATION	0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
WRUID RCH 4	OPEN	ZONE	-00400C000110111111111111111111111111111

RESVR OAHE									
CHANNL		DAMAGE REDUCED (\$1000)	0.00	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	DAMAGE REDUCED (\$1000)	80000	0.00	* * * * * * * * * * * * * * * * * * * *	
LEVEE			11	*		1	İ	*	
FLDIST	AGE	WITH PROJECT (\$1000)	0.00	GE	WITH PROJECT (\$1000)	3387.90 0.00 4910.66 0.00 4.15	8302.71	***	
CMNTY	FLOOD DAWAGE		1 i	FLOOD DAMAGE			 	:	0000
CONG CONG1	ī	WITHOUT PROJECT (\$1000)	0.00	FLOO	WITHOUT PROJECT (\$1000)	3387.90 0.00 4910.66 0.00 4.15	8302.71	PROJECT ACCOMPLISHMENTS	
SUBASN SUBA		∀ _0(s)	0.00	* * * *	ES	000000	0.00	*	·
WATSHD		AREA MODIFIED (ACRES)	0	***	STRUCTURES MODIFIED	00000	0.	WITH PROJECT CONDITIONS	8302.71 174.50 0.00 0.00
TOWN		ITH ECT ES)	0.00	* * * * *	IIH ECT	63.50 0.00 0.00 0.00	174.50	*	1
COUNTY	AREA FLOODED	PROJECT (ACRES)	0	**************************************	WITH PROJECT	163 0 ++	174	OLECT TIONS	8302.71 174.50 0.00 0.00
STATE SD	AREA F	WITHOUT PROJECT (ACRES)	0.00	UCTURES	HOUT	163.50 0.00 0.00 0.00	4.50	WITHOUT PROJECT CONDITIONS	83
COE		WITE PRO.		STR	WITH	b t	=	TIM	
GAUGE GAGE 4		TURAL	TOTAL	**************************************	N EGORIES	TAL AL MAK MORKS	TOTAL	MATER RESOURCE UNIT WITHOUT CON	000) FLOODED ODED ED (ACRES)
WRUID RCH 4		AGRICULTURAL DAWAGE CATEGORIES		**************************************	URBAN DAWAGE CATEGORIES	RESIDENTIAL COMMERCIAL INDUSTRIAL PUBLIC WORKS OPEN SPACE		WATER RESOURCE UNIT	DAWAGE (\$1000) STRUCTURES FLOODED PEOPLE FLOODED AREA FLOODED (ACRES)

RESVA	S FLOODED (ACRES)	£0000000000000000000000000000000000000	117.33	A FLOODED (ACRES)	40.00000000000000000000000000000000000
CHANNL	CONDITIONS .OSS AREA .NO) (A				
LEVEE	PROJECT COND OTHER LOSS (\$1000)	222222222222222222222222222222222222222	0.25	OTHER LOSS AREA (\$1000)	000000000000000000000000000000000000000
FLDIST	E			¥6	1
CMNTY	W] DAMAGE (\$1000)	wooooooooo	5.02	WITH DAMAGE (\$1000)	+ 000000000000000000000000000000000000
CONG CONG1	0	 magaaaaaaa	l m	0 1	N00000000000 N
SUBASN SUBA	NS EA FLOODED (AGRES)	71 00.00 00.00 00.00 00.00 00.00 00.00 00.00	117.33	INS IEA FLOODED (ACRES)	86.99 00.00 00.00 00.00 00.00 00.00 00.00 00.00 00.00 00.00
WATSHD	CONDITIONS .OSS AREA (A	%333333333333333333333333333333333333	0.25	HER LOSS AREA I	600000000000000000000000000000000000000
TOWN	PROJECT COND OTHER LOSS (\$1000)	00000000000		PROJECT OTHER L	00000000000000
COUNTY	WITHOUT DAMAGE (\$1000)	woooooooooo		WITHOUT DAMAGE (\$1000)	+00000000000 F+
STATE SD	Q &			85	
COE OMAHA	NO	2000 2000 2000 2000 1200 1200 1500 1500	TOTAL	NO	50.0 80.0 70.0 80.0 90.0 120.0 120.0 150.0 150.0
GAUGE GAGE 4	WHEAT	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0ATS	ELEVATION	20.00-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-
WRUID RCH 6	SPRING WHEAT	-00400ree5±55		ZONE	

RESVR OAHE		A FLOODED (ACRES)	88888888888888888888888888888888888888
CHANNL		AREA FI	
LEVEE		PROJECT CONDITIONS OTHER LOSS AREA (\$1000)	888888888888888888888888888888888888888
FLDIST		Ĕ	
CMNTY		W) DAWAGE (\$1000)	600000000000000000000000000000000000000
CONG CONG1		Ω	
SUBASN SUBA		AREA FLOODEI (ACRES)	800000000000000000000000000000000000000
WATSHD		CONDITIC OSS A	800000000000000
TOWN		PROJECT CONDITIONS OTHER LOSS AREA (\$1000)	000000000000000000000000000000000000000
COUNTY		WITHOUT DAWAGE (\$1000)	600000000000000000000000000000000000000
STATE SD		AQ (\$)	
COE OMAHA		NO	50.0 70.0 80.0 170.0 170.0 170.0 170.0
GAUGE GAGE 4	SORGHUM	ELEVATION	20.00 20.00 20.00 20.00 20.00 21.20 20.00
WRUID RCH 6	S	ZONE	-00400V@90-010

RESVR OAHE				
CHANNL	DAMAGE REDUCED (\$1000) 0.00 0.00 0.00	00.00	DAMAGE REDUCED (\$1000)	* * * * * * * * * * * * * * * * * * *
LEVEE	1 1	*	11	6 6 6 6 6
FLDIST AGE	WITH PROJECT (\$1000) 5.02 1.43 0.97 0.37	7.79 *********	MTTH PROJECT (\$1000)	* * * * * * * * * * * * * * * * * * *
CMNTY FLI		7.79		ENTS 0.00 0.00
CONG1 CONG1	WITHOUT PROJECT (\$1000) 5.02 1.43 0.97 0.37	7.79 FLOOD	WITHOUT PROJECT (\$1000)	PROJECT ACCOMPLISHMENTS 0.00 0.00 0.00
SUBASN SUBA	AREA 11ED 11ED 0.00 0.00	0.00	8 DE	
WATSHD	AREA MODIFIED (ACRES) 0.00 0.00	.0	STAUCTURES MODIFIED	WITH PROJECT CONDITIONS 7.79 0.00 404.60
TOWN	WITH ROJECT ACRES) 117.33 84.97 202.30	404.60 ED	WITH VECT	LIA
STATE COUNTY SD STAN AREA FLOODED	WITH PROJECT (ACRES) 117.33 84.97 202.30	404.60 404.6	WITH PROJECT	
STATE SD AREA F	WITHOUT PROJECT (ACRES) 117.33 84.97 202.30	104.60 ************************************	WITHOUT PROJECT	THOUT PROJECT CONDITIONS 0.00 0.00 404.60
COE	A PRO	STE	WI PRC	LIM
GAUGE GAGE 4	IICULTURAL SE CATEGORIES SPRING WHEAT OATS SORGHUM LOSSES	TOTAL 404.50	TEGORIES	MATER RESOURCE UNIT WITTOTALS DAMAGE (\$1000) STRUCTURES FLOODED PEOPLE FLOODED AREA FLOODED (ACRES)
WRUID RCH 6	AGRICULTURAL DAMAGE CATEGORIES SPRING WHEAT OATS SORGHUM OTHER LOSSES		URBAN DAMAGE CATEGORIES	WATER RESOURCE UNIT TOTALS DAWAGE (\$1000) STRUCTURES FLOODED PEOPLE FLOODED AREA FLOODED (ACRES

RESVR		TIONS AREA FLOODED (ACRES)	834.520 151.20 151.20 151.20 834.50 00.00 00
CHANNL		Ħ	
LEVEE		PROJECT CONE OTHER LOSS (\$1000)	7.4.00 7.4.00 7.4.00 7.6.000 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.000 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.000 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.000 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.000 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.000 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.000 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.00 7.6.000 7.6.000 7.6.000 7.6.000 7.6.000 7.6.000 7.6.000 7.6.000 7.6.0000 7.6.000 7.00000 7.0000 7.0000 7.0000 7.0000 7.0000 7.0000 7.0000 7.0000 7.00000 7.0000 7.0000 7.0000 7.0000 7.0000 7.0000 7.0000 7.0000 7.00000 7.0000 7.0000 7.0000 7.0000 7.0000 7.0000 7.0000 7.0000 7.000
FLDIST		E	
CMNTY		WI DAWAGE (\$1000)	7.7 7.87 7.83 7.83 7.83 7.83 7.83 7.83 7
CONG CONG1		۵	0400000000000000000000000000000000000
SUBASN SUBB		FIONS AREA FLOODED (ACRES)	142.02 177.48 151.20 151.92 94.15 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0
WATSHD		900	2
TOWN		PROJECT OTHER (\$1	
COUNTY		WITHOUT DAWAGE (\$1000)	4.7 7.8 7.8 7.8 7.8 9.28 9.28 9.00 0.00
STATE SD		Q (\$)	4
COE		NO	30.0 50.0 50.0 50.0 70.0 120.0 170.0 170.0
GAUGE GAGE 11	WHEAT	ELEVATION	20.00.00.00.00.00.00.00.00.00.00.00.00.0
WRUID RCH 7	SPRING	ZONE	-00400V@00110110

RESVR OAHE		IONS AREA FLOODED (ACRES)	284.04 354.96 302.46 302.40 188.00 166.32 16.31 16.31 0.00 0.00 0.00 0.00 0.00
CHANNL		OITIONS AREA (A	
LEVEE		PROJECT CONI OTHER LOSS (\$1000)	12.1.1.00000000000000000000000000000000
FLDIST		HE.	
CMNTY		W) DAMAGE (\$1000)	25.33 27.44 27.44 27.23 21.44 21.23 21.23 20.00 00.00 00.00 00.00 00.00 00.00
CONG CONG1		A	4.4.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2
SUBASN SUBB		TIONS AREA FLOODED (ACRES)	284.04 354.96 352.40 302.40 168.30 168.30 0.00 0.00 0.00 0.00 0.00 0.00 0.00
WATSHD MISS		i	2
TOWN		PROJECT CONI OTHER LOSS (\$1000)	
COUNTY		WITHOUT DAWAGE (\$1000)	22.23 22.23 23.23 23.23 20.00
STATE SD		DA (\$.	4444
COE OMAHA		NO	30.0 40.0 40.0 50.0 70.0 120.0 120.0 120.0 120.0 120.0 120.0 120.0 120.0 120.0 120.0
GAGE 11	CORN	ELEVATION	0.00 4 20 0.00 0.00 0.00 0.00 0.00 0.00
WRUID RCH 7		ZONE	-00400V@@OTCHE4E

RESVR OAHE		rions Area Flooded (Acres)	110.46 138.04 117.04 117.04 117.04 10.00 1
CHANIN		Ħ	
LEVEE		PROJECT COND OTHER LOSS (\$1000)	2.00 2.00 2.00 2.00 2.00 2.00 2.00 3.00 3
FLDIST		E	
CMNTY		W) DAMAGE (\$1000)	32.5.5 12.5.5 12.5.6 12
CONG CONG1		e 1	ᲠᲥᲒᲠᲔᲚᲥᲒᲒᲒᲒᲒᲒᲒᲑ
SUBASN SUBB		IONS AREA FLOODED (ACRES)	110.46 118.15 118.16 118.16 13.50 6.34 6.34 6.34 0.00 0.00 0.00 0.00 0.00
WATSHD		TI	20000000000000000000000000000000000000
TOWN		PROJECT CONC OTHER LOSS (\$1000)	
COUNTY		WITHOUT DAWAGE (\$1000)	25.22-1-00000000 4 22.22-1-000000000 4 22.23-1-00000000000000000000000000000000000
STATE SD		DA(\$)	
COE		NC	0.000000000000000000000000000000000000
GAUGE GAGE 11	OATS	ELEVATION	00.040.000.000.000.000.000.000.000.000.
WRUID RCH 7		ZONE	-00400C000 <u>-004</u> 0

RESVR OAHE		TIONS AREA FLOODED (ACRES)	78 98 98 98 98 98 98 98 98 98 98 98 98 98
CHANN		AREA (A	
LEVEE		PROJECT CONE OTHER LOSS (\$1000)	00000000000000000000000000000000000000
FLDIST		Ŧ	
CMNTY		MANAGE (\$1000)	89.00 27.00 26.00
CONG CONG1			1
SUBASN SUBB		TIONS AREA FLOODED (ACRES)	78.90 88.60 84.00 84.50 52.50 52.50 6.00 0.00 0.00 0.00 0.00 0.00 0.00 0
WATSHD		CONDI LOSS 000)	6.000000000000000000000000000000000000
TOWN		PROJECT OTHER (\$1	
COUNTY		WITHOUT DAWAGE (\$1000)	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0
STATE SD		AQ)18	
COE		2	30.0 50.0 50.0 70.0 120.0 140.0 170.0 170.0
GAUGE GAGE 11	SORGHUM	ELEVATION	20.00.00.00.00.00.00.00.00.00.00.00.00.0
WRUID RCH 7 (SOS	ZONE	-004000000-0045

RESVR				
CHANNL	8 1000) 0.00 0.00 0.00 0.00	DAMAGE REDUCED (\$1000)	0.00	
LEVEE			•	
FLDIST AGE	WITH PROJECT (\$1000) 41.39 111.16 14.12 3.73 8.52	* [~ -	0.00	
CMNTY FLI	FF (8.82 FLOOD DAWAGE HOUT JECT 000)		ENTS 0000 0000 0000
CONG CONG1	WITHOUT PROJECT (\$1000) (\$1000) 111.16 14.12 3.73 8.52	FLOO WITHOUT PROJECT (\$1000)	0.00	ACCOMPLISHMENTS 0.00 0.00 0.00 0.00
SUBASN SUBB	AREA TED TED 0.00 0.00 0.00	o.oo **********************************	d I	
WATSHD	AREA MODIFIED (ACRES) 0.00 0.00 0.00	O.UO O.THO STRUCTURES MODIFIED	0.0	WITH PROJECT CONDITIONS 178.92 0.00 0.00 3503.21
TOWN	WITH PROJECT (ACRES) 808.43 1616.87 628.78 449.13	S503.21 DED WITH PROJECT		E ·
STATE COUNTY SD HUGH AREA FLOODED	WITH PROJECT (ACRES) (ACRES) 808.43 1616.87 628.78 449.13	350 FLOODED	0.00	PROJECT VDITIONS 178.92 0.00 0.00 3503.21
STATE SD AREA F	WITHOUT PROJECT (ACRES) 808.43 1616.87 628.78 449.13			F 05
COE	HEY DOG 4	STRI		TIM
GAUGE 11	ICULTURAL E CATEGORIES SPRING WHEAT CORN OATS SORGHUM	TOTAL 350 STR URBAN WIT	TOTAL	ESOURCE UNIT TOTALS (\$1000) RES FLOODED FLOODED OODED (ACRES)
WRUID RCH 7	AGRICULTURAL DAMAGE CATEGORIES SPRING WHEAT CORN OATS SORGHUM OTHER LOSSES	TOTAL URBAN DAMAGE CATEGORIES	***************************************	WATER RESOURCE UNIT TOTALS DAWAGE (\$1000) STRUCTURES FLOODED PEOPLE FLOODED AREA FLOODED (ACRES)

RESVR OAHE		IONS AREA FLOODED (ACRES)	888888888888888888888888888888888888888
CHANNL		AREA (A	
LEVEE		ECT CONC ER LOSS (\$1000)	000000000000000000000000000000000000000
FLDIST		WITH PROJECT E OTHER L (\$10	
CMNTY		W] DAMAGE (\$1000)	999999999999999999999999999999999999999
CONG CONG1			
SUBASN SUBB		TIONS AREA FLOODED (ACRES)	888888888888888888888888888888888888888
WATSHD		10	 888888888888
TOWN		PROJECT CONI OTHER LOSS (\$1000)	999999999999999999999999999999999999999
COUNTY		WITHOUT DAMAGE (\$1000)	000000000000000000000000000000000000000
STATE SD		AG ()	
COE		3	40.0 50.0 70.0 70.0 120.0 120.0 140.0 170.0
GAUGE GAGE 11	WHEAT	ELEVATION	2000 2000
WRUID RCH 8	SPRING WHEAT	ZONE	-00400V@@Ö=064

RESVR OAHE	TIONS AREA FLOODED (ACRES)	888888888888888888888888888888888888888
CHANNL	Ħ	
LEVEE	PROJECT CONI OTHER LOSS (\$1000)	638888888888888888888888888888888888888
FLDIST	a I	
CMNTY	W1 DAMAGE (\$1000)	000000000000000000000000000000000000000
CONG CONG1	g	1 2222222222222222222222222222222222222
SUBASN SUBB	OITIONS AREA FLOODED (ACRES)	600000000000000000000000000000000000000
WATSHD MISS	CONDITIC LOSS AR 000)	000000000000000000000000000000000000000
TOWN	PROJECT COND OTHER LOSS (\$1000)	
COUNTY	WITHOUT DAMAGE (\$1000)	000000000000000000000000000000000000000
STATE SD	Q (\$.	
COE	№	40.0 50.0 60.0 70.0 70.0 1100.0 1120.0 170.0 170.0
GAUGE GAGE 11	OATS ELEVATION	30.0- 50.0- 50.0- 70.0- 170.0- 170.0- 150.0- 160.0-
WRUID RCH 8	ZONE	-00400CB001-004

RESVR OAHE		IONS AREA FLOODED (ACRES)	888888888888888888888888888888888888888	0.00
CHANNL		AREA (A		
LEVEE		PROJECT CONE OTHER LOSS (\$1000)	888888888888888888888888888888888888888	5.00
FLDIST		E		_
CMNTY		W) DAWAGE (\$1000)	8888888888888	
CONG CONG1		e	 8888888888888	9
SUBASN SUBB		TIONS AREA FLOODED (ACRES)	8888888888888	o. 0
WATSHD		CONDI OSS 000)	888888888888888	0.00
TOWN		PRO PRO PRO PRO PRO PRO PRO PRO PRO PRO		
COUNTY		WITHOUT DAWAGE (\$1000)	8888888888888	0.00
STATE SD		DAN (\$10		
COE		NO.	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	TOTAL
GAUGE GAGE 11	SORGHUM	ELEVATION	20.00 20.00 20.00 20.00 20.00 21.00 20.00	
WRUID RCH 8	š	ZONE		

RESVR OAHE								
CHANNL		DANAGE REDUCED (\$1000)	000	0.00		DAMAGE REDUCED (\$1000)	0.00	
LEVEE				1		ļ 		
FLDIST	AGE	WITH PROJECT (\$1000)	888	0.00	**************************************	WITH PROJECT (\$1000)	0.00	
CMNTY	FLOOD DAMAGE	556	1888	18	FLOOD DAWAGE	556		MENTS 0.00 0.00 0.00
CONG CONG1	Œ	WITHOUT PROJECT (\$1000)	0000	0.00	######################################	WITHOUT PROJECT (\$1000)	00.0	ACCOMPLISHMENTS
SUBASN SUBB		REA ED ES)	0.00	0.00	4 4 4 4 4 4 4	RES ED	*	
WATSHD		AREA MODIFIED (ACRES)	000	0	* * * * * * * * * * * * * * * * * * * *	STRUCTURES MODIFIED	00.0	WITH PROJECT CONDITIONS CONDITIONS 0.00 0.00
TOWN		WITH PROJECT (ACRES)	0.00	0.00	*******	WITH	*	IM
COUNTY	LOODED	PRO (AC			**************************************	PRC		110NS 0.00 0.00 0.00
STATE SD	AREA FLOODED	WITHOUT PROJECT (ACRES)	00.00	0.00	RUCTURES	WITHOUT	0.00	WITHOUT PROJECT CONDITIONS
COE OMAHA		PRC			ST	WI		Ĭ.
GAUGE GAGE 11		URAL EGORIES	SPRING WHEAT OATS SORGHUM	TOTAL	**************************************	N EGORIES	TOTAL 0.00	URCE UNIT ALS 000) FLOODED OODED ED (ACRES)
WRUID RCH 8		AGRICULTURAL DAMAGE CATEGORIES	SPRIN		化化化 化化化化化化化化化化化化化化化化化化化化化化化化化化化化化化化化化化	URBAN DAMAGE CATEGORIES	***	WATER RESOURCE UNIT TOTALS DAWAGE (\$1000) STRUCTURES FLOODED PEOPLE FLOODED AREA FLOODED (ACRES)

ANL RESVR OAHE		IONS AREA FLOODED (ACRES)	184.15 317.55 159.79 157.18 130.79 0.00 0.00 0.00 0.00 0.00 0.00 0.00
CHANNI		710	•
LEVEE		PROJECT CONF OTHER LOSS (\$1000)	848.44-£898888888888888888888888888888888888
FLDIST		Ē	1 88=8#88888888
CMNTY		MY DAMAGE (\$1000)	8
CONG CONG1		0	
SUBASN LBRU		IONS AREA FLOODED (ACRES)	184.15 158.78 158.78 157.18 130.72 0.00 0.00 0.00 0.00 0.00
WATSHD		110	84.8.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0
TOWN		PROJECT CONF OTHER LOSS (\$1000)	000000000000000000000000000000000000000
COUNTY		WITHOUT DAWAGE (\$1000)	6.000000000000000000000000000000000000
STATE SD		Q (\$)	The state of the s
COE OMAHA		NO	20.00.00.00.00.00.00.00.00.00.00.00.00.0
GAUGE GAGE 11	WHEAT	ELEVATION	0.000 0.000
WRUID RCH 9	SPRING WHEAT	ZONE	-00400VBBC+0040

Œ.M	_	
RESVR OAHE	IONS AREA FLOODED (ACRES)	223.35 222.35 222.35 223.35 14.71 19.74 19.70 00.00 00.00 00.00 00.00 00.00 00.00
CHANINE	ITIONS AREA (A	
LEVEE	PROJECT CONDITIONS OTHER LOSS AREA (\$1000)	\$1.00 \$1.00
FLDIST	E	
CMNTY	W] DAMAGE (\$1000)	8.4.8.2.4.000000000000000000000000000000
CONG CONG1	0	1 1010±01±4 a00000000 ke
SUBASN	IONS AREA FLOODEI (ACRES)	133.35 229.95 229.95 115.71 113.82 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0
WATSHD	TIQN (2.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0
TOWN	PROJECT COI OTHER LOS	
COUNTY	WITHOUT DAMAGE (\$1000)	82.2.2.2.00 82.2.2.2.00 82.2.2.2.00 83.2.2.00 83.2.2.00 83.2.000 83.2.0000 83.2.000
STATE SD	49.00 40.00	
COE	*	30.0 550.0 550.0 550.0 170.0 170.0 170.0 170.0
GAUGE GAGE 11	0ATS ELEVATION	20.02.00.00.00.00.00.00.00.00.00.00.00.0
WRUID RCH 9	ZONE	-06480-800-0545

CHANNL RESVR OAHE		TIONS AREA FLOODED (ACRES)	275.50 275.50 275.50 275.50 275.50 0.00 0.00 0.00 0.00 0.00 0.00 0.00
LEVEE		PROJECT CONDI OTHER LOSS (\$1000)	4421-8998888888888888888888888888888888888
CMNTY FLDIST		WITH PR DAMAGE 0 (\$1000)	2.4.2.4.2.2.4.2.2.2.2.2.2.2.2.2.2.2.2.2
CONG CONG1			1
SUBASN		TIONS AREA FLOODED (ACRES)	277.50 277.50 277.50 227.50 227.50 0.00 0.00 0.00 0.00 0.00 0.00 0.00
TOWN WATSHD		PROJECT CONDITION OTHER LOSS AR (\$1000)	4.2.1.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0
STATE COUNTY SD STAN		WITHOUT DANAGE (\$1000)	24.44.4. 2.6.0000000000000000000000000000000000
COE OWAHA		<u> </u>	20.00.00.00.00.00.00.00.00.00.00.00.00.0
GAUGE GAGE 11	SORGHUM	ELEVATION	20.00.00.00.00.00.00.00.00.00.00.00.00.0
WRUID RCH 9	S	ZONE	-00400-00 <u>0-10</u> 44

RESVR								
CHANNL	DANAGE REDUCED (\$1000)	8888	0.00	* * * * * * * * *	DAMAGE REDUCED (\$1000)	0.00		
LEVEE			1	4 4 4 4		*		:
FLDIST	WITH PROJECT (\$1000)	50.60 16.17 14.41 4.06	85.25	GE .	WITH PROJECT (\$1000)	0.00		
CMNTY FL		0 - 1 - 0	į į	FLOOD DAWAGE	-50		ENTS	6000 6000
CONG CONG1	WITHOUT PROJECT (\$1000)	50.60 16.17 14.41 4.06	85.25	FL000	WITHOUT PROJECT (\$1000)	0.00	PROJECT ACCOMPLISHMENTS	
SUBASN LBRU	¥ _0(s)	0000	0.00	* * * * *	ES D	0.00		
WATSHD	AREA MODIFIED (ACRES)	000	Ö	化化物	STRUCTURES	0.0	WITH PROJECT CONDITIONS	85.25 0.00 0.00 3369.80
NWOT	NTTH IECT (ES)	977.24 707.66 1684.90	9.80	*	VITH JECT	0.00		•
COUNTY STAN	WITH PROJECT (ACRES)	977 707 168	3369.80	UCTURES FLOODED	WITH			85.25 0.00 0.00 3369.80
STATE COUNT SD STA AREA FLOODED	WITHOUT PROJECT (ACRES)	977.24 707.66 1684.90	3369.80	SUCTURES	HOUT	00.0	THOUT PROJECT CONDITIONS	88
COE	PR PR PR PR	97 168	336	STR	WITH		WIT	
GAUGE GAGE 11	TURAL FEGORIES	SPRING WHEAT OATS SORGHUN	TOTAL	STRUCTURES FLOODED	AN TEGORIES	TOTAL	WATER RESOURCE UNIT WIT	1000) S FLOODED SODED SED (ACRES)
WRUID RCH 9	A: ICULTURAL DAWAGE CATEGORIES	SPRING WHEAT OATS SORGHUM OTHER LOSSES		- 作者 · · · · · · · · · · · · · · · · · ·	URBAN DAWAGE CATEGORIES		WATER RESOURCE UNIT	DANAGE (\$1000) STRUCTURES FLOODED PEOPLE FLOODED AREA FLOODED (ACRE

RESVR		S FLOODED (ACRES)	148 .68 305.46 305.46 270.54 223.56 70.31 0.00 0.00 0.00 0.00 0.00
CHANIN		OTTIONS AREA (4	
LEVEE		ECT CONFIER LOSS (\$1000)	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0
FLDIST		WITH PROJECT E OTHER L (\$10	1
CMNTY		W) DAWAGE (\$1000)	7.7. 4.15.97. 7.4.4. 7.1.50. 7
CONG CONG1		0	
SUBASN		IONS AREA FLOODEI (ACRES)	148.68 276.66 305.46 235.76 235.76 70.31 0.00 0.00 0.00 0.00 0.00 0.00 0.00
WATSHD		11(0.39 0.39 0.00 0.00 0.00 0.00 0.00 0.00
TOWN		PROJECT COND OTHER LOSS (\$1000)	333333333333333
COUNTY		WITHOUT DAWAGE (\$1000)	7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7
STATE SD		DAG.	E
COE		8	20.0 20.0 20.0 20.0 20.0 140.0 150.0 170.0 170.0
GAUGE GAGE 11	WHEAT	ELEVATION	20.0- 30.0- 30.0- 50.0- 70.0- 70.0- 120.0- 130.0- 150.0- 150.0-
WRUID RCH10	SPRING WHEAT	ZONE	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

RESVR OAHE	VDITIONS S AREA FLOODED (ACRES)	287.36 553.32 553.32 541.08 741.08 747.12 140.62 0.00 0.00 0.00 0.00 0.00 0.00
CHANNL	OITIONS AREA (A	
LEVEE	PROJECT COND. OTHER LOSS (\$1000)	40.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5
FLDIST	Ĕ	
CMNTY	WI DAMAGE (\$1000)	88.38.38 88.38.38 88.38.38 88.38.38 89.00 00.00 00.00 88.38 88 88 88 88 88 88 88 88 88 88 88 88 8
CONG CONG1	9	
SUBASN	IONS AREA FLOODE (ACRES)	297.36 553.32 6410.92 741.08 7476.64 447.12 140.62 0.00 0.00 0.00 0.00 0.00 0.00 0.00
WATSHD	Ti (48.52.5.1.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0
TOWN	PROJECT COND OTHER LOSS (\$1000)	
COUNTY	WITHOUT DAMAGE (\$1000)	25.88 28.38.38 28.38.38 26.59.98 26.59.99 26.00.00 26.0000 26.000 26.000 26.000 26.000 26.000 26.000 26.000 26.000 26.0000 26.000 26.000 26.000 26.000 26.000 26.000 26.000 26.000 26.00000 26.
STATE SD	- 40.8	99.49.49.0
COE	N.	220.0 30.0 50.0 50.0 50.0 50.0 50.0 50.0 5
GAUGE GAGE 11	CORN	20.0- 20.0- 30.0- 50.0- 50.0- 120.0- 140.0- 150.0-
WRUID RCH10	ZONE	-0040000000000000000000000000000000000

RESVR OAHE		TIONS AREA FLOODED (ACRES)	215.64 215.64 215.64 210.458 210.458 173.88 173.88 0.00 0.00 0.00 0.00 0.00
CHANINE		=======================================	
LEVEE		ECT CONE HER LOSS (\$1000)	00000000000000000000000000000000000000
FLDIST		WITH PROJECT E OTHER I	
CMNTY		W] DAWAGE (\$1000)	24 24 84 84 80 00 00 00 00 00 00 00 00 00 00 00 00
CONG1		۵	
SUBASN		IONS AREA FLOODEI (ACRES)	237.584 237.58 237.58 237.58 278.18 178.38 0.00 0.00 0.00 0.00 0.00 0.00
WATSHD		ECT CONDITIONS ER LOSS AREA (\$1000)	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0
TOWN		PROJECT OTHER L (\$10	0000000000000
COUNTY		WITHOUT DAMAGE (\$1000)	24.4.4.4.6.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
STATE SD		98	
COE		NO :	20.02 20.00.00.00.00.00.00.00.00.00.00.00.00.0
GAUGE GAGE 11	0ATS	ELEVATION	20.00 20.00
WRUID RCH10		ZONE	-00480V0001-00480

RESVR OAHE	FLOODED ACRES)	28.1 153.70 168.70 122.40 39.06 0.00 0.00 0.00 0.00 0.00 0.00 0.00
CHANNL	ARE/	
LEVEE	ROJECT CONE OTHER LOSS (\$1000)	40.000.000.000.000.000.000.000.000.000.
FLDIST	HE E	-40000040000000 PU
CMNTY	W] DANAGE (\$1000)	7.4.4.6.00000000000000000000000000000000
CONG CONG1	Ω	00000420000000000000000000000000000000
SUBASN	IONS AREA FLOOD! (ACRES)	82.60 153.70 153.70 150.30 124.20 00.00 00
WATSHD MISS	CONDITIO LOSS AR 000)	40.00000000000000000000000000000000000
TOWN	PROJECT OTHER 1 (\$10	
COUNTY	WITHOUT DAMAGE \$1000)	1.7.1.1.30 1.7.1.1.30 1.7.1.1.30 1.7.1.30 1.0.1.30 1.0.1.30 1.0.1.30 1.0.1.30 1.0.1.30 1.0.1.30 1.0.1.
STATE SD	9. 2	
COE	NO.	20.20 20.00
GAUGE GAGE 11	SORGHUM	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0
WRUID RCH10	SC	- 004400 C B B O C C C C C C C C C C C C C C C C

Y FLDIST LEVEE CHANNL RESVR DAME	WAGE	WITH DAMAGE PROJECT REDUCED (\$1000) (\$1000)	95.52 252.85 32.40 0.00 19.46 0.00		90.0	•	WITH PROJECT (\$1000)
N CONG CMNTY	FLOOD DAMAGE	WITHOUT PROJECT (\$1000)	95.52 252.85 32.40 8.45	408.68		FLOOD DAMAGE	FLOOD DA WITHOUT PROJECT (\$1000)
TOWN WATSHD SUBASN		AREA MODIFIED (ACRES)	0.000	0.00	**************	****	STRUCTURES
STATE COUNTY TO SD HUGH	AREA FLOODED	T PROJECT (ACRES)	9 1891.19 8 3782.38 2 1470.92 6 1050.66	5 8195.15	**	JCTURES FLOODED	# S
COE	AR	WITHOUT PROJECT (ACRES)	1891.19 3782.38 1470.92 1050.66	8195.15	**********		
WRUID GAUGE RCH10 GAGE 11		AGRICULTURAL DAMAGE CATEGORIES	SPRING WHEAT CORN OATS SORGHUM OTHER LOSSES	TOTAL	*****************	*****	URBAN DAWAGE CATEGORIES

RESVR	IONS AREA FLOODED (ACRES)	84.16 255.28 2553.76 1593.76 176.88 176.80 0.00 0.00 0.00 0.00 0.00 0.00 0.00
CHANNL	OTTIONS AREA (4	
LEVEE	PROJECT CONE OTHER LOSS (\$1000)	2.0 2.4.2 2.4.2 2.5 2.5 2.5 2.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3
FLDIST	HE .	
CMNTY	W. DAMAGE (\$1000)	28.88 28.88 31.35 31.35 10.00 00.00 00.00 00.00 00.00 131.45
CONG CONG1	e	1 2 2 2 2 2 3 8 8 8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
SUBASN LBRU	TIONS AREA FLOODED (ACRES)	84, 16 425, 28 442, 72 442, 72 553, 76 193, 92 178, 98 178, 98 193, 98
WATSHD	.19%	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0
TOWN	PROJECT COI OTHER LOSS (\$1000)	6
COUNTY	WITHOUT DAMAGE (\$1000)	29.88 31.35 11.35 10.25 10.00 0.00 0.00 0.00 0.00 0.00 0.00
STATE SD	Q &	987777
COE	ક	2000 2000 2000 2000 2000 2000 2000 200
GAUGE GAGE 11	CORN	20.00 20.00
WRUID RCH11	ZONE	-0040000000000000000000000000000000000

RESVR		TIONS AREA FLOODED (ACRES)	24.24 2.25.05
CHANNL		AREA (A	
LEVEE		ROJECT CONE OTHER LOSS (\$1000)	0.000000000000000000000000000000000000
FLDIST		E	mmom=10mb>0000000
CMNTY		MANAGE (\$1000)	2.2.1.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
CONG CONG1		e	4888944788899999999 K
SUBASN LBRU		ITIONS AREA FLOODED (ACRES)	24.02.02.02.02.02.02.02.02.02.02.02.02.02.
WATSHD MISS		9″~	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
TOWN		PROJECT CON OTHER LOS!	8
COUNTY		WITHOUT DAWAGE (\$1000)	2000 84.000 84.000 84.000 84.000 86.0000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.0000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.0000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.0000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.0000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.0000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.0000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.0000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.0000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.0000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.0000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.0000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.0000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.0000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.000 86.0000 86.
STATE SD		9.9	
COE		NO :	20.00 20.00
GAUGE GAGE 11	OATS	ELEVATION	00000000000000000000000000000000000000
WRUID RCH11		ZONE	-00400000000000000000000000000000000000

CHANNL RESVR OAHE		TIONS AREA FLOODED (ACRES)	352.42 1780.86 1853.89 10653.89 10651.91 653.77 740.35 340.49 0.00 0.00 0.00 0.00 0.00 0.00 0.00
LEVEE		PROJECT CONDITION (\$1000)	2.000000000000000000000000000000000000
CMNTY FLDIST		WITH P DAWAGE (\$1000)	86.00 10
D SUBASN CONG S LBRU CONG1		TIONS AREA FLOODED (ACRES)	352.42 1780.86 1062.62 1062.62 8153.89 651.91 740.35 740.35 0.00 0.00 0.00 0.00 0.00 0.00
TOWN WATSHD		PROJECT CONDITOTHER LOSS (\$1000)	6.000000000000000000000000000000000000
STATE COUNTY SD LYMN		WITHOUT DAWAGE (\$1000)	68 64 44 44 6000000000000000000000000000
COE		NO.	2000 2000 2000 2000 2000 2000 2000 200
GAUGE GAGE 11	SORGHUM	ELEVATION	0.00 2000 3000 0.00 0.00 0.00 0.00 0.00
WRUID RCH11	S	ZONE	-004000000-00400C

RESVR									
CHANNL		DAMAGE REDUCED (\$1000)	8888	0.00	* * * * * * * * * * * * * * * * * * * *	DAWAGE REDUCED (\$1000)	0.00	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
LEVEE			I	ĺ	*		11	* * *	
FLDIST	AGE	WITH PROJECT (\$1000)	131.45 46.21 66.61	256.49	DANAGE	PROJECT (\$1000)	0.00	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
CMNTY	FLOOD DAWAGE		! ***	i 			1 ;	NTS	8888
CONG CONG1	FLC	WITHOUT PROJECT (\$1000)	131.45 46.21 66.61	256.49	FLOOD	WITHOUT PROJECT (\$1000)	0.00	PROJECT ACCOMPLISHMENTS	0000
SUBASN LBRU		∯¤⊗		18	*	' SIC	. O		•
WATSHD MISS		AREA MODIFIED (ACRES)	0.00	0.00	***	STRUCTURES MODIFIED	0.00	WITH PROJECT CONDITIONS	256.49 0.00 0.00 12266.20
TOWN		ECT.	35 35	2 2	* * * * * * *	<u>F</u> 5	110	W	
COUNTY	AREA FLOODED	PROJECT (ACRES)	1962.59 2085.25 8218.35	12266.20	STRUCTURES FLOODED	WITH	0.0	VECT TONS	256.49 0.00 0.00 12266.20
STATE SD	AREA F	HOUT JECT RES.)	35.25 3.35 3.35		CTURES	HOUT JECT	00.	OUT PROJECT	1226
COE		WITHOUT PROJECT (ACRES)	1962 2085 8218	12266.20	STRU	WITH			
GAUGE GAGE 11		JRAL GORIES	CORN OATS SORGHUM	TOTAL		GORIES	TOTAL	RCE UNIT LS	DO) FLOODED DED O (ACRES)
WRUID RCH11		AGRICULTURAL DAMAGE CATEGORIES	SO OTHER LOSSES		STRU	URBAN DAMAGE CATEGORIES	TOTAL	WATER RESOURCE TOTALS	DANAGE (:1000) STRUCTURES FLOODED PEOPLE FLOODED AREA FLOODED (ACRES)

RESVR OAHE		IONS AREA FLOODED (ACRES)	4 8 4 4 8 4 7 7 4 8 8 8 8 8 8 8 8 8 8 8
CHANNL		AREA (/	
LEVEE		PROJECT CONDITIONS OTHER LOSS AREA (\$1000)	
FLOIST		E	1 -848-8-90000000 F
CMNTY		W) DAWAGE (\$1000)	24.00 24.00 25.00 26.00 27.00 20
CONG CONG1		e	000 000 000 000 000 000 000 000
SUBASN		TIONS AREA FLOODEI (ACRES)	4.0.4.4.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0
WATSHD		DIT,	000000000000000000000000000000000000
TOWN		PROJECT OTHER (\$1	
COUNTY		WITHOUT DAWAGE (\$1000)	2.000.000.000.000.000.000.000.000.000.0
STATE SD		A0 (\$)	
COE		NO	20.0 20.0 20.0 50.0 50.0 170.0 150.0 170.0
GAUGE GAGE 11	WHEAT	ELEVATION	20.00 30.00 50.00 70.00 120.00 150.00 150.00
WRUID RCH12	SPRING	ZONE	-02420CBBC+555

RESVR		, r Flooded (Acres)	40.52 42.52 42.52 42.52 42.52 62.50
CHANNL		ARE	
LEVEE		PROJECT CONF OTHER LOSS (\$1000)	00000000000000000000000000000000000000
FLDIST		HE C	
CMNTY		W) DAMAGE (\$1000)	2.000000000000000000000000000000000000
CONG CONG1		۵	48,808,84,800000000 m
SUBASN		IDITIONS S AREA FLOODED (ACRES)	22. 22. 22. 22. 22. 22. 22. 22. 22. 22.
WATSHD		CONDITION DSS ARI DO)	000000000000000000000000000000000000
TOWN		PROJECT COND OTHER LOSS (\$1000)	
COUNTY		WITHOUT DAMAGE (\$1000)	0.000.000.000.000.000.000.000.000.000.
STATE SD		Q (8)	
COE		8	20.0 20.0 20.0 20.0 20.0 20.0 170.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0
GAUGE GAGE 11	OATS	ELEVATION	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0
WRUID RCH12		ZONE	-00400C000 <u>-0040</u> 6

RESVR		FLOODED ACRES)	8.4.5.5.8.6.00.00.00.00.00.00.00.00.00.00.00.00.0
CHANNL		AREA FL	
LEVEE		PROJECT CONFOUND (\$1000)	888888888888888
FLDIST		E	m 000000000000000000000000000000000000
CMNTY		W) DAMAGE (\$1000)	000000000000000000000000000000000000000
CONG CONG1		Ω	8447.23.25.25.25.25.25.25.25.25.25.25.25.25.25.
SUBASN		IONS AREA FLOODE (ACRES)	88.4.2.2 8.6.2.2.8 8.6.2.2.8 8.6.0.0 8.0.0.0 8
WATSHD			000000000000000000000000000000000000000
TOWN		PROJECT CONDITION OTHER LOSS (\$1000)	000000000000000000000000000000000000000
COUNTY		WITHOUT DAWAGE (\$1000)	8 000000000000000000000000000000000000
STATE SD		Q (\$1	
COE		NO	2000 2000 2000 2000 2000 2000 2000 200
GAUGE GAGE 11	SORGHUM	ELEVATION	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0
WRUID RCH12	Ø	ZONE	-00400C00 <u>0</u> -00450

RESVR OAHE									
CHANNL		DAMAGE REDUCED (\$1000)	6888	0.00	* * * * * * * * *	DAMAGE REDUCED (\$1000)	0.00	* * * * * * * * * * * * * * *	
LEVEE				_	* * * *			* * * *	
FLDIST	AGE	PROJECT (\$1000)	3.17 1.69 0.28 0.26	5.39	8	PROJECT (\$1000)	0.00	* * * * * * * * * * * * * * * * * * *	
CMNTY	FLOOD DAWAGE	= 1:0	F 68 8	I 100	FLOOD DAMAGE		1 12	*	8000
CONG1	표	WITHOUT PROJECT (\$1000)	3.17 1.69 0.28 0.26	5.39	FL000	WITHOUT PROJECT (\$1000)	0.00	PROJECT ACCOMPLISHMENTS	
SUBASN		∯_ 6	1888	18	• • • •	Sa		*	1
WATSHD		AREA MODIFIED (ACRES)	00.00	0.00	*	STRUCTURES	0.00	WITH PROJECT CONDITIONS	5,39 0,00 0,00 182,12
NWOT		WITH PROJECT (ACRES)	64.41 79.96 37.76	182.12	*	WITH	0.00	MIT	
COUNTY	AREA FLOODED	PRO (9 7 6	18	STRUCTURES FLOODED	PRO		OJECT	5.39 0.00 182.12
STATE SD	AREA F	WITHOUT PROJECT (ACRES)	64.41 79.96 37.76	82.12	OCTURES	THOUT		HOUT PROJECT	-
COE OMAHA		PRC		 	E ST	PRO		LIM	
GAUGE GAGE 11		TURAL TEGORIES	SPRING WHEAT OATS SORGHUM LOSSES	TOTAL	retetttettettettettettettettettet	N TEGORIES	TOTAL	NATER RESOURCE UNIT WIT	DAMAGE (\$1000) STRUCTURES FLOODED PEOPLE FLOODED AREA FLOODED (ACRES)
WRUID RCH12		AGRICULTURAL DAMAGE CATEGORIES	SPRING WHEAT OATS SORGHUM OTHER LOSSES		***	URBAN DAMAGE CATEGORIES		WATER RESOURCE UNIT	DANAGE (\$1000) STRUCTURES FLOODED PEOPLE FLOODED AREA FLOODED (ACRE)

RESVR OAHE		AREA FLOODED (ACRES)	25.48 26.88 26.88 26.88 27.1.22 36.00 36.0
CHANNL	SITIONS	AREA (,	
LEVEE	PROJECT CON	OTHER LOSS (\$1000)	00000000000000000000000000000000000000
FLDIST	a E		
CMNTY	-	DAMAGE (\$1000)	26.000000000000000000000000000000000000
CONG CONG1		Ω	#5%4%#0%#8555555
SUBASN	SN	AREA FLOODED (ACRES)	25.48 38.666 38.645 209.165.422 175.28 24.36 0.00 0.00 0.00 0.00 0.00 0.00
WATSHD	Ħ	ER LOSS AR (\$1000)	000000000000000000000000000000000000
TOWN	PROJECT	OTHER (\$10	
COUNTY BUFF	WITHOUT	DAWAGE (\$1000)	200.00.00.00.00.00.00.00.00.00.00.00.
STATE SD		0 (\$1	
COE OMAHA		NO	74700000000000000000000000000000000000
GAUGE GAGE 11	WHEAT	ELEVATION	20.0- 20.0- 30.0- 30.0- 50.0- 120.0- 140.0- 150.0- 150.0- 150.0- 150.0- 150.0-
WRUID RCH13	SPRING WHEAT	ZONE	-08480V8001515455

NL RESVR OAHE		NS EA FLOODED (ACRES)	70.98 7.80 7.80 7.80 588.41 588.28 67.86 67.86 60.00 0.00 0.00 0.00 0.00 0.00
CHANNI		DITIONS AREA	
LEVEE		PROJECT CON OTHER LOSS (\$1000)	20000-444-0000000000 200-84-484-00000000000000000000000000000
FLDIST		Ē	
CMNTY		W) DAMAGE (\$1000)	26.08 28.08 28.08 28.09 29.00 00.00 00.00 00.00 00.00
CONG CONG1			#85-45-65-65-65-65-65-65-65-65-65-65-65-65-65
SUBASN		ITIONS AREA FLOODED (ACRES)	70.98 7.80 7.80 7.80 582.65 582.65 686.97 67.86 67.86 60.00 0.00 0.00 0.00 0.00 0.00
WATSHD		ECT CONDITIC	20000-141-0000000 B 2001-64-00000000 B 24-000000000000000000000000000000000000
TOWN		PROJECT OTHER L (\$10	D0007444-00000000
COUNTY BUFF		WITHOUT DAMAGE (\$1000)	26.55 20.55 20.55 20.00 0.00 0.00 0.00 0.0
STATE SD		S 0	40 6 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
COE		×	20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0
GAUGE GAGE 11	CORN	ELEVATION	20.00 30.00 30.00 30.00 120.00 120.00 150.00
WRUID RCH13		ZONE	-00400V@00111111111

RESVR		TONS AREA FLOODED (ACRES)	2.1.2 2.2.4 2.0.2 2.0.2 2.0.2 2.0.2 2.0.0 2.0.0 2.0.0 2.0.0 2.0.0 2.0.0 3.0.0
CHANNL		<u> </u>	į
LEVEE		PROJECT CONT OTHER LOSS (\$1000)	00000000000000000000000000000000000000
FLDIST		F	
CMNTY		W) DAMAGE (\$1000)	0.00 0.00
CONG CONG1		0	408888848000000 PO
SUBASN		DITIONS AREA FLOODED (ACRES)	21.84 14.28 33.128 33.128 26.36 179.28 20.00 0.00 0.00 0.00 0.00 0.00 0.00
WATSHD		CONDITIO	00000000000000000000000000000000000000
TOWN		PROJECT CONI OTHER LOSS (\$1000)	00000000000000000
COUNTY BUFF		WITHOUT DAWAGE (\$1000)	00.00 00
STATE SD		0 (\$1	
COE OMAHA		NO	20.0 20.0 30.0 40.0 70.0 120.0 120.0 170.0 170.0
GAUGE GAGE 11	OATS	ELEVATION	00000000000000000000000000000000000000
WRUID RCH13		ZONE	-06450V8001106456V

RESVR OAHE	IONS AREA FLOODED (AGRES)	45.50 689.75 689.75 689.75 689.75 69.00 0.
CHANNL	ITIONS AREA (/	
LEVEE	PROJECT COND OTHER LOSS (\$1000)	000000000000000000000000000000000000000
FLDIST	Ĕ	
CMNTY	Wi DAMAGE (\$1000)	86.00 86
CONG CONG1	0	
SUBASN	TONS AREA FLOODED (ACRES)	45.50 29.75 29.75 29.75 373.55 373.50 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6
WATSHD	DIT.	000000000000000000000000000000000000000
TOWN	PROJECT CON OTHER LOSS (\$1000)	
COUNTY BUFF	WITHOUT DAMAGE (\$1000)	0.0000-1:45000000000000000000000000000000000000
STATE SD	S	
COE	8	200.00 20
GAUGE GAGE 11	SORGHUM ELEVATION	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
WRUID RCH13	S(ZONE	

RESVR OAHE								
CHANNL		DAMAGE REDUCED (\$1000)	88888	0.00	# # # # # # # # # # # # # # # # # # #	DAMAGE REDUCED (\$1000)	0.00	
LEVEE				1	6 · · · · · · · · · · · · · · · · · · ·			
FLDIST	AGE	PROJECT (\$1000)	45.56 167.37 16.89 12.72 12.13	254.67	* * * * * * * * * * * * * * * * * * *	WITH PROJECT (\$1000)	0.00	
CMNTY	FLOOD DAMAGE	556	1878 1	! !:	FLOOD DAWAGE	550		ENTS 0.00 0.00 0.00
CONG CONG1	료	WITHOUT PROJECT (\$1000)	45.56 167.37 16.89 12.72 12.13	254.67	FL00D	WITHOUT PROJECT (\$1000)	0.00	PROJECT COMPLISHM
SUBASN		Ma(s)	8888	0.00	* * * * * * * *	D	0.00	
WATSHD		AREA MODIFIED (ACRES)	0000	0	*	STRUCTURES MODIFIED	0.00	WITH PROJECT CONDITIONS 254.67 0.00 5843.70
TOWN		WITH PROJECT (ACRES)	909.02 2532.27 779.16 1623.25	5843.70	**	WITH PROJECT		I A
COUNTY BUFF	AREA FLOODED	PRO	253 77 162	584	UCTURES FLOODED	PRO		PROJECT VDITIONS 254.67 0.00 0.00 5843.70
STATE SD	AREA F	WITHOUT PROJECT (ACRES)	909.02 2532.27 779.16 1623.25	5843.70	*******	тноит Элест	0.00	₽ <u>8</u>
COE		PR &	255	58	STR	WITH		WITH
GAUGE GAGE 11		'URAL 'EGORIES	SPRING WHEAT CORN OATS SORGHUM	TOTAL	***************************************	N EGORIES	TOTAL	RESOURCE UNIT TOTALS (\$1000) TURES FLOODED FLOODED (ACRES)
WRUID RCH13		AGRICULTURAL DAWAGE CATEGORIES	SPRING WHEAT CORN CORN OATS SORGHUM OTHER LOSSES			URBAN DAMAGE CATEGORIES		WATER RESOURCE UNIT TOTALS DAWAGE (\$1000) STRUCTURES FLOODED PEOPLE FLOODED AREA FLOODED (ACRES)

PROJECT ACCOMPLISHMENTS (\$1000) 900 0 AMEA (ACRES) 00000 0 000 0 0.0 (\$1000) 00000 0 000 0 00000 0 00 0 PEOPLE 000 0 000 0 0.0 STRUCT 00 0 900 0 WITH PROJECT CONDITIONS URBAN (\$1000) 5302.0 9302.0 0.0 0.0 62227.2 900 0 AREA (ACRES) 00000 \$195.1 182.1 \$643.7 14221.0 15636.0 3603.2 LOOKBACK DATE - 02JUN93 (\$1000) 00000 6 26.7 28.7 28.7 28.7 178.9 256.3 256.5 PEOPLE 00000 0 00 0 00 0 0.0 467.8 174.8 0.0 00 0 900 0 STRUCT M2.1 ENDING DATE - 10JUNGS AG PRICE INDEX - 1.00 WITHOUT PROJECT CONDITIONS (\$1000) 62227.2 (ACRES) 3603.2 9186.1 182.1 6643.7 14221.0 15636.0 (\$1000) 00000 72.0 178.0 BEGINNING DATE - 02JUN93 URBAN PRICE INDEX - 1.00 \$ 20°.4° 1107.2 WATER RESOURCE UNIT SUMBARY **REBERVATION** REBERVATION MISSOURI RIVER 707A 107A ACH12 ACH13 TOTAL RCH ... BEARPE OPEN RIVER 3 8 5

00 0

90 0

00 0

£227.2

33764.8

542.1

62227.2

33764.8

PEOPLE

STRUCT

CONGRESSIONAL PISTRICT SUMMARY

BEGINNING DATE - OZJUNB3 URBAN PRICE INDEX - 1.00	02JUN93 1.00	ENDING AG PRICE	ENDING DATE - 10JUN93 AG PRICE INDEX - 1.00		LOOKBACK	LOOKBACK DATE - 02JUN93	CNN93								
		WITHOUT P	WITHOUT PROJECT CONDITIONS	TIONS			WITH PRO	WITH PROJECT CONDITIONS	SNOT			PROJECT ,	PROJECT ACCOMPLISHMENTS	MENTS	
	(\$1000)	AREA (ACRES)	URBAN (\$1000)	STRUCT	PEOPLE -	(\$1000)	AREA (ACRES)	URBÁN STRUCT PEOPLE ÁGRI AREA URBÁN STRUCT PEOPLE AGRI AREA URBÁN STRUCT PEOPLE (\$1000) (ACRES) (\$1000) (ACRES) (\$1000)	STRUCT	PEOPLE -	AGRI (\$1000)	(ACRES)	(\$1000)	STRUCT	PEOPLE
BOUTH DAKOTA															İ
REP TIM JOHNSON		1197.2 33764.8	62227.2 642.1	64 2.1	0.0	1197.2	33764.8	0.0 1197.2 33764.8 62227.2 642.1	1.	0.0	0.0	0.0 0.0 0.0 0.0	0.0	0.0	0.0
SUB-TOTAL	1107.2	33764.8	82227.2	642.1	0.0	1197.2	1197.2 33764.8 62227.2	62227.2	642 .1	0.0	0.0	0.0	0.0	0.0	0.0
GRAND TOTAL	1187.2	1107.2 33764.8	62227.2 642.1	642.1	0.0	1107.2	33764.8	0.0 1197.2 33764.8 62227.2	1.2.1	0.0	0.0	0.0	o. 0	0.0	0.0

COUNTY BURNARY

LOOKBACK DATE - 02JUN93 AG PRICE INDEX - 1.00 BEGINNING DATE - 02JUN93 UNBAN PRICE INDEX - 1.00

		WITHOUT P	WITHOUT PROJECT CONDITIONS	ITIONS			WITH PR	WITH PROJECT CONDITIONS	LIONS			PROJECT A	ACCOMPL I BHMENTS	ENT6	
	(\$1000)	AREA (ACRES)	UMBAN (\$1000)	URBAN STRUCT PEOPLE (\$1000)	PEOPLE	(81000)	(ACPES)	(\$1000)	URBAN STRUCT PEOPLE (\$1000)		AGR1 (\$1000)	(ACRES)	(\$1000)	BTRUCT	PEOPLE
SOUTH DAKOTA															
HUGHES COUNTY STANI FY COLINTY	587.6		62227.2	642.1	00	587.6	11698.4	62227.2	6. 2.1	00	00	00	00	00	00
LYMAN COUNTY	256.5		0.0	0.0	0.0	256.5	12266.2	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0
HYDE COUNTY BUFFALO COUNTY	254.7	182.1	<u></u>	<u>.</u> .	00	254.7	182.1	00	00	00	00	00	0 O	0 0 0 0	00
SUB-TOTAL	1197.2	33764.8	62227.2	642.1	0.0	1107.2	33764.8	62227.2	042.1	0.0	0.0	0.0	0.0	0.0	0.0
GRAND TOTAL	1107.2	33764.8	62227.2	642.1	0.0	1187.2	33764.8	62227.2	642.1	0.0	o. o	0.0	0.0	0.0	0.0

RESERVOIR PROJECT SUMMARY

BEGINNING DATE - 02JUN93 UNBAN PRICE INDEX - 1.00	. 02JUN93	ENDING AG PRICE I	3 DATE - 1	DATE - 10JUN93 LOOKBACK DATE - 02JUN93 INDEX - 1.00	LOOKBACK	DATE · 02.	10Np3								
		WITHOUT PR	MITHOUT PROJECT CONDITIONS	DITIONS			WITH PRO	WITH PROJECT CONDITIONS	TIONS			PROJECT ,	PROJECT ACCOMPLISHMENTS	MENTS	
	(\$1000)	AREA (ACRES)	(\$1000)	URBAN STRUCT PEOPLE AGRI AREA URBAN STRUCT PEOPLE AGRI AREA URBAN STRUCT PEOPLE (\$1000) (\$1000) (ACRES) (\$1000)	PEOPLE .	AGR1 (\$1000)	AREA (ACRES)	URBAN (\$1000)	STRUCT	PEOPLE	(\$1000)	AREA (ACRES)	(81000)	STRUCT	PEOPLE
MISSOURI RIVER														 	
OAME RESERVOIR		1197.2 33764.8	62227.2	62227.2 642.1	0.0	1197.2	33764.8	0.0 1197.2 33764.8 62227.2 642.1	642.1	0.0	0.0	0.0	0.0	0.0	0.0
SUB-TOTAL	1197.2	33764.8	62227.2	642.1	0.0	1197.2	0.0 1197.2 33764.8 62227.2	62227.2	642.1	0.0	0.0	0.0	0.0	0.0	0.0
GRAND TOTAL	1197.2	1197.2 33764.8	62227.2	642.1	0.0	1197.2	0.0 1197.2 33764.8 62227.2	82227.2	642.1	0.0	0.0	0.0	0.0	0.0	0.0

#
SUMMARY
ANALYSIS
建筑的复数形式 医医性性性 医性性性 医性性性性 医性性性 医性性性 医性性性 医性性性

* ANALYSIS SUMMARY	PROJECT DAMAGE REDUCTION (\$1000)	00000	00.00	88888	0.00	PROJECT ACCOMPLISHMENT 0.00 0.00 0.00
	WITH PROJECT CONDITIONS DAMAGE (\$1000)	241.26 662.83 128.92 107.17 57.01	1197.20	15113.28 3018.16 25836.31 17569.39 690.07	62227.21	WITH PROJECT CONDITIONS A 83424.41 642.08 0.00
	WITHOUT PROJECT CONDITIONS DAMAGE (\$1000)	241.26 662.83 128.92 107.17 57.01	1197.20	15113.28 3018.16 25836.31 17569.39 690.07	63424.41	WITHOUT PROJECT CONDITIONS 642.08 0.00 33764.79
	DAMAGE CATEGORIES AGRICULTURAL	SPRING WHEAT CORN OATS SONGHUM OTHER LOSSES	SUBTOTAL	RESIDENTIAL COMMERCIAL INDUSTRIAL PUBLIC WORKS OPEN SPACE	SUBTOTAL	SUMMARY TOTALS TOTALS DANAGE (\$1000) STRUCTURES PEOPLE FLOODED AREA FLOODED